

івм 000-198

IBM Security Access Manager V7.0 Implementation

Answer: B

QUESTION: 137

Which two groups are used to manage a Session Management Server environment? (Choose two.)

A. client groupsB. policy groupsC. delegator groupsD. sec_master groupsE. user registry groups

Answer: A, C

QUESTION: 138

When a Security Access Manager domain is created, what object entry is created in the LDAP server?

A. am_domainB. sec_domainC. amSecAuthorityD. secAuthorityInfo

Answer: D

QUESTION: 139

Which junction type deals with authenticating users to the back end server?

A. EAIB. HTTPSC. SPNEGOD. Forms based single sign-on

Answer: D

QUESTION: 140

What is the default Runtime environment routing file on a UNIX-based system?

A. /opt/pdweb/etc/routing

- B. /opt/PolicyDirector/etc/routing
- C. /var/ibm/tivoli/common/routing
- D. /opt/PolicyDirector/etc/rte_routing

Answer: B

QUESTION: 141

Which two statements are true for Security Access Manager Session Manager Server installation? (Choose two.)

A. A Session Manager Server gets installed by default with A Security Access Manager environment.

B. A Security Access Manager environment must exist before you install the session management server.

C. A Security Access Manager environment must be configured after you install the session management server.

D. To use a session management server, one must update the Security Access Manager WebSEAL configuration.

E. After installing the session management server, no need to update the Security Access Manager WebSEAL configuration.

Answer: B, D

QUESTION: 142

In an organization all customer information is stored in an Active Directory (AD). Special applications for customer contracts and transactions are all connected to this AD. This organization wants to enable customers to see their information online. Therefore, a web environment has been deployed including WebSphere Application Server, IBM Tivoli Directory Server (ITDS) and IBM Security Access Manager. For security reasons the organization decided that this web environment cannot directly connect to Active Directory but should use its own directory, ITDS. A letter will be sent to each customer with its personal login details. What is the least labor intensive way to authenticate a customer online?

- A. Switch on Microsoft's AD-LDAP replicate service
- B. Configure the ITDS authorization forwarding to AD
- C. Schedule an export of AD into LDIF and load this into ITDS.
- D. Use IBM Tivoli Directory Integrator to exchange essential data between the directories

Answer: D

QUESTION: 143

If an application is reachable under https://www.example.com/insuranceApp/index.html, what should be used if the server name changes to <u>https://www.example1.com?</u>

- A. Use a regular junction.
- B. Use a SPNEGO junction.
- C. Use a virtual host junction.
- D. Use a transparent path junction.

Answer: D

QUESTION: 144

When using the IBM Security Access Manager, which ISAM component needs to be installed first?

A. IBM Security Utilities.B. IBM Security Access Manager Runtime.C. IBM Security Access Manager Policy server.D. IBM Security Access Manager Authorization Server.

Answer: A

QUESTION: 145

When using the pdbackup utility, when would the "amwebbackup-default.lst" file need to be updated?

- A. if installation path is customized
- B. if backup location is customized
- C. if additional data needs to be backed up
- D. amwebbackup-<instance>.lst can not be modified

Answer: C

QUESTION: 146

What is used to backup polices and configuration files on Security Web Gateway Virtual Appliance?

A. pdadminB. pdbackupC. snapshotsD. wga backup

Answer: C

QUESTION: 147

Which file contains the configuration information for the Security Access Manager plug-on for Web Servers?

A. web_iis.confB. pdwebpi.confC. iv_webpi.confD. pbwebpi.properties

Answer: B

Download Full Version From https://www.certkillers.net



GeoTrust, Inc.

CLICK 09.01.13 09:37 UTC

OR NO PREFERENCE

SECURE[®]

TESTED

09-JAN

() thawte

2013-01-09

