



# LPI

## 101-400 Exam

**LPI LPIC-1 Exam 101, Part 1 of 2, version 4.0 Exam**

**Thank you for Downloading 101-400 exam PDF Demo**

**You can Buy Latest 101-400 Full Version Download**

<https://www.certkillers.net/Exam/101-400>

<https://www.certkillers.net>

## Version: 8.0

---

### Question: 1

---

Which SysV init configuration file should be modified to disable the ctrl-alt-delete key combination?

- A. /etc/keys
- B. /proc/keys
- C. /etc/inittab
- D. /proc/inittab
- E. /etc/reboot

---

**Answer: C**

---

---

### Question: 2

---

During a system boot cycle, what program is executed after the BIOS completes its tasks?

- A. The bootloader
- B. The inetd program
- C. The init program
- D. The kernel

---

**Answer: A**

---

---

### Question: 3

---

Which run levels should never be declared as the default run level when using SysV init? (Choose TWO correct answers.)

- A. 0
- B. 1
- C. 3
- D. 5
- E. 6

---

**Answer: A,E**

---

---

### Question: 4

---

Which of the following statements is correct when talking about /proc/?

- A. All changes to files in /proc/ are stored in /etc/proc.d/ and restored on reboot.
- B. All files within /proc/ are read-only and their contents cannot be changed.
- C. All changes to files in /proc/ are immediately recognized by the kernel.

D. All files within `/proc/` are only readable by the root user.

---

**Answer: C**

---

---

**Question: 5**

---

What of the following statements are true regarding `/dev/` when using `udev`? (Choose TWO correct answers.)

- A. Entries for all possible devices get created on boot even if those devices are not connected.
- B. Additional rules for `udev` can be created by adding them to `/etc/udev/rules.d/`.
- C. When using `udev`, it is not possible to create block or character devices in `/dev/` using `mknod`.
- D. The `/dev/` directory is a filesystem of type `tmpfs` and is mounted by `udev` during system startup.
- E. The content of `/dev/` is stored in `/etc/udev/dev` and is restored during system startup.

---

**Answer: B,D**

---

---

**Question: 6**

---

Which of the following information is stored within the BIOS? (Choose TWO correct answers.)

- A. Boot device order
- B. Linux kernel version
- C. Timezone
- D. Hardware configuration
- E. The system's hostname

---

**Answer: A,D**

---

---

**Question: 7**

---

Which of the following commands reboots the system when using SysV `init`? (Choose TWO correct answers.)

- A. `shutdown -r now`
- B. `shutdown -r "rebooting"`
- C. `telinit 6`
- D. `telinit 0`
- E. `shutdown -k now "rebooting"`

---

**Answer: A,C**

---

---

**Question: 8**

---

Which of the following are `init` systems used within Linux systems? (Choose THREE correct answers.)

- A. startd
- B. systemd
- C. Upstart
- D. SysInit
- E. SysV init

---

**Answer: B,C,E**

---

---

**Question: 9**

---

Correct Text

Which file in the /proc filesystem lists parameters passed from the bootloader to the kernel? (Specify the file name only without any path.)

---

**Answer: cmdline,  
/proc/cmdline**

---

---

**Question: 10**

---

What information can the lspci command display about the system hardware? (Choose THREE correct answers.)

- A. Device IRQ settings
- B. PCI bus speed
- C. System battery type
- D. Device vendor identification
- E. Ethernet MAC address

---

**Answer: A,B,D**

---

---

**Question: 11**

---

Which of the following commands brings a system running SysV init into a state in which it is safe to perform maintenance tasks? (Choose TWO correct answers.)

- A. shutdown -R 1 now
- B. shutdown -single now
- C. init 1
- D. telinit 1
- E. runlevel 1

---

**Answer: C,D**

---

---

**Question: 12**

---

What is the first program that is usually started, at boot time, by the Linux kernel when using SysV

init?

- A. /lib/init.so
- B. /sbin/init
- C. /etc/rc.d/rcinit
- D. /proc/sys/kernel/init
- E. /boot/init

---

**Answer: B**

---

---

**Question: 13**

---

Correct Text

Which command will display messages from the kernel that were output during the normal boot sequence?

---

**Answer: dmesg,  
/bin/dmesg**

---

---

**Question: 14**

---

Which of the following commands will write a message to the terminals of all logged in users?

- A. bcast
- B. mesg
- C. print
- D. wall
- E. yell

---

**Answer: D**

---

---

**Question: 15**

---

Which of the following kernel parameters instructs the kernel to suppress most boot messages?

- A. silent
- B. verbose=0
- C. nomsg
- D. quiet

---

**Answer: D**

---

## Thank You for trying 101-400 PDF Demo

To Buy Latest 101-400 Full Version Download visit link below

<https://www.certkillers.net/Exam/101-400>

## Start Your 101-400 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your 101-400 preparation with actual exam questions.

<https://www.certkillers.net>