

Oracle

1Z0-050 Exam

Oracle Database 11g Administrator Oracle Database New Features for Administrators Exam

Thank you for Downloading 1Z0-050 exam PDF Demo

You can Buy Latest 1Z0-050 Full Version Download

https://www.certkillers.net/Exam/1Z0-050

https://www.certkillers.net

Identify the two direct sources from where SQL plans can be loaded into the SQL plan baselines. (Choose two.)

- A. Cursor cache
- B. Stored outline
- C. SQL Tuning Set
- D. Automatic Workload Repository (AWR) snapshots

Answer: A, C

Question: 2

Which two statements about workload capture and replay operations are true? (Choose two.)

- A. The clients must be created manually on the test machines to perform more realistic testing.
- B. Restart the database in RESTRICTED mode before beginning workload replay to enable a clean state for workload replay.
- C. Restart the database in RESTRICTED mode before beginning workload capture to enable a clean state for capturing the workload.
- D. The application state of the capture system must be identical to the application state of the replay system when the workload replay begins.

Answer: C, D

Question: 3

View the Exhibit exhibit 1 to examine the series of SQL commands.

```
SQL> SELECT signature, sql handle, plan name, origin, enabled,
accepted, fixed, autopurge
FROM dba sql plan baselines;
SIGNATURE SQL_HANDLE
                           PLAN NAME
                                          ORIGIN
                                                     ENABLED ACCEPTED FIXED
8.062E+18 SYS SQL 6fe2 SYS_SQL_PLAN_lea AUTO-CAPTURE YES
                                                               NO
                                                                        NO
8.062E+18 SYS SQL 6fe2 SYS SQL PLAN 4be AUTO-CAPTURE
                                                      YES
                                                               YES
                                                                        NO
...
...
...
```

View the Exhibit exhibit2 to examine the plans available in the SQL plan baseline.

```
SOL> SHOW PARAMETER OPTIMIZER
NAME
                                     TYPE
                                                VALUE
optimizer_capture_sql_plan_baselines boolean
                                                TRUE
optimizer dynamic sampling
                                    integer
                                                2
optimizer features enable
                                    string
                                                11.1.0.6
optimizer index caching
                                                0
                                    integer
optimizer index cost adj
                                    integer
                                               100
optimizer mode
                                    string
                                                ALL ROWS
optimizer secure view merging
                                    boolean
                                                TRUE
optimizer use invisible indexes
                                    boolean
                                                FALSE
optimizer_use_pending_statistics
                                    boolean
                                                FALSE
optimizer use sql plan baselines
                                    boolean
                                                TRUE
SQL> SELECT * FROM sh.sales WHERE quantity sold > 40 ORDER BY prod id;
SQL> SELECT * FROM sh. sales WHERE quantity sold > 40 ORDER BY prod id;
SQL> ALTER SESSION SET OPTIMIZER MODE=FIRST ROWS;
SQL> SELECT * FROM sh.sales WHERE quantity sold > 40 ORDER BY grod id;
```

The baseline in the first row of the Exhibit is created when OPTIMIZER_MODE was set to FIRST_ROWS. Which statement is true if the SQL query in exhibit 1 is executed again when the value of OPTIMIZER MODE is set to FIRST_ROWS?

A. The optimizer uses a new plan because none of the plans in the exhibit2 are fixed plans.

https://www.certkillers.net

- B. The optimizer uses the plan in the second row of the exhibit 2 because it is an accepted plan.
- C. The optimizer uses the plan in the first row of the exhibit2 because it is the latest generated plan.
- D. The optimizer uses the plan in the first row of the exhibit2 because OPTIMIZER_MODE was set to FIRST_ROW during its creation.

Answer:	R
HIISWEI.	D

Which statement describes the effect of table redefinition on the triggers attached to the table?

- A. All triggers on the table remain valid.
- B. All triggers on the table are invalidated and are automatically revalidated with the next DML execution on the table.
- C. All triggers on the table are invalidated and must be manually recompiled before the next DML execution on the table.
- D. Only triggers that are affected by the changes to the structure of the table are invalidated and automatically revalidated with the next DML execution on the table.

Answer: B	

USER_DATA is a nonencrypted tablespace that contains a set of tables with dat

- a. You want to convert all existing data in the USER_DATA tablespace and the new data into the encrypted format. Which methods would you use to achieve this? (Choose all that apply.)
- A. Use Data Pump to transfer the existing data to a new encrypted tablespace.
- B. Use ALTER TABLE MOVE to transfer the existing data to a new encrypted tablespace.
- C. Use CREATE TABLE AS SELECT to transfer the existing data to a new encrypted tablespace.
- D. Enable row movement for each table to be encrypted and then use ALTER TABLESPACE to encrypt the tablespace.
- E. Encrypt the USER_DATA tablespace using the ALTER TABLESPACE statement so that all the data in the tablespace is automatically encrypted.

	Answer:	Α.	B.	С	
--	---------	----	----	---	--

Evaluate the following block of code: BEGIN DBMS_NETWORK_ACL_ADMIN.CREATE_ACL (acl => 'mycompany-compermissions.xml', principal => 'ACCT_MGR',is_grant => TRUE, privilege => 'connect'); DBMS_NETWORK_ACL_ADMIN.ASSIGN_ACL (acl => 'mycompany-com-permissions.xml', host => '*.mycompany.com'); END; What is the outcome of the above code?

- A. It produces an error because a fully qualified host name needs to be specified.
- B. It produces an error because the range of ports associated with the hosts has not been specified.
- C. It creates an access control list (ACL) with the user ACCT_MGR who gets the CONNECT and RESOLVE privileges.
- D. It creates an access control list (ACL) with the user ACCT_MGR who gets the CONNECT privilege but not the RESOLVE privilege.

A 10 0 1 1 0 11 1	
Answer:	L

Which steps are mandatory to enable Direct NFS?

Mount all required file systems using the kernel NFS driver.

Create an oranfstab file containing the attributes for each NFS server to be accessed using Direct NFS.

Replace the ODM library libodm11.so_stub with libodm11.so.

- A. 2 and 3
- B. 1 and 3
- C. 1 and 2
- D. 1, 2 and 3

Answer: I	В
-----------	---

Which statements are true regarding the concept of problems and incidents in the fault diagnosability infrastructure for Oracle Database 11g? (Choose all that apply.)

- A. The problem key is the same as the incident number.
- B. Every problem has a problem key, which is a text string that describes the problem.
- C. The database makes an entry into the alert log file when problems and incidents occur.
- D. The database sends an incident alert to the Oracle Enterprise Manager Database Home page.
- E. Only the incident metadata and dumps are stored in the Automatic Diagnostic Repository (ADR).

Answer:	R.	C	D
AIISWCI.	υ,	L ,	$\boldsymbol{\mathcal{L}}$

You are managing an Oracle Database 11g database. You want to take a backup on tape drives of the USERS tablespace that has a single data file of 900 MB. You have tape drives of 300 MB each. To accomplish the backup, you issued the following RMAN command: RMAN>BACKUP SECTION SIZE 300M TABLESPACE users; What configuration should be effected to accomplish faster and optimized backups by using the above command?

- A. The SBT channel must be configured, with the MAXPIECESIZE set to 300 MB
- B. The SBT channel must be configured, with the parallelism setting for the SBT device set to 3.
- C. The COMPATIBLE initialization parameter for the database instance must be set to at least

10.0.

D. The SBT channel must be configured, with the default parallelism setting for the SBT device set to 1.

When executing a SQL workload, you choose to generate execution plans only, without collecting execution statistics. Which two statements describe the implications of this? (Choose two.)

- A. It produces less accurate results of the comparison analysis.
- B. It automatically calls the SQL Tuning Advisor for recommendations.
- C. It shortens the time of execution and reduces the impact on system resources.
- D. Only the changes in the execution plan, and not performance regression, are detected.

Answer: A, C

You are managing an Oracle Database 11g database with the ASM storage. The database is having big file tablespaces. You want files to open faster and less memory to be used in the shared pool to manage the extent maps. What configuration would you effect to achieve your objective? (Choose all that apply.)

- A. Set the ASM compatibility attribute for the ASM disk group to 11.1.0.
- B. Set the RDBMS compatibility attribute for the ASM disk group to 11.1.0.
- C. Set the COMPATIBLE initialization parameter for the ASM instance to 11.1.0.
- D. Set the COMPATIBLE initialization parameter for the database instance to 11.1.0.

Answer:	Α.	D
,	,	_

You want to take the backup of the USERS tablespace. It has a single data file of 900 MB .. You have tape drives of 300 MB each. The SBT channel is configured for the RMAN. To accomplish the backup, you issued the following RMAN command: RMAN> BACKUP SECTION SIZE 300M TABLESPACE users; Which two statements are true regarding the execution of the above command? (Choose two.)

- A. The backup piece size will be limited to 300 MB.
- B. The operation is accomplished using the default channel available.
- C. The RMAN parallelizes the backup although the parallelism is not set for a channel.
- D. Three channels for the tape drive must be configured by setting the parallelism to three.

Answer: A, B

Question: 13 View

the Exhibit.

Name	Nul.	1?	_уре
CUST_ID			NUMBER
CUST_FIRST_NAME	NOT	NULL	VARCHAR2 (20)
CUST_LAST_NAME	NOT	NULL	VARCHAR2 (40)
CUST_GENDER			CHAR(1)
CUST_YEAR_OF_BIRTH			NUMBER(4)
CUST_MARITAL_STATUS			VARCHAR2 (20)
CUST_STREET_ADDRESS	NOT	NULL	VARCHAR2 (40)
CUST_POSTAL_CODE	NOT	NULL	VARCHAR2 (10)
CUST_CITY	NOT	NULL	VARCHAR2 (30)
CUST_STATE_PROVINCE			VARCHAR2 (40)
COUNTRY_ID	NOT	NULL	CHAR(2)
CUST_MAIN_PHONE_NUMBER			VARCHAR2 (25)
CUST_INCOME_LEVEL			VARCHAR2 (30)
CUST CREDIT LIMIT			NUMBER
CUST EMAIL			VARCHAR2 (30)

Examine the following command that is executed for the TRANSPORT table in the SH schema: SQL> SELECT DBMS_STATS.CREATE_EXTENDED_STATS('sh', 'customers_obe', '(country_id, cust_state_province)') FROM dual; Which statement describes the significance of this command?

- A. It collects statistics into the pending area in the data dictionary.
- B. It creates a virtual hidden column in the CUSTOMERS_OBE table.
- C. It collects statistics with AUTO_SAMPLE_SIZE for ESTIMATE_PERCENT.
- D. It creates a histogram to hold skewed information about the data in the columns.

Answer: B

Question: 14

View the Exhibit to examine the parameter values.

SQL> SHOW PARAMETER TARGET		
NAME	TYPE	VALUE
archive lag target	integer	0
db_flashback_retention_target	integer	1440
fast start io target	integer	0
fast_start_mttr_target	integer	0
memory_max_target	big integer	0
memory_target	big integer	0
pga_aggregate_target	big integer	90M
sga_target	big integer	272M

You are planning to set the value for the MEMORY_TARGET parameter of your database instance. What value would you assign?

- A. 90 MB
- B. 272 MB
- C. 362 MB
- D. 1440 MB

You installed Oracle Database 11g and are performing a manual upgrade of the Oracle9i database. As a part of the upgrade process, you execute the following script: SQL>@utlu111i.sql. Which statement about the execution of this script is true?

- A. It must be executed from the Oracle Database 11g environment.
- B. It must be executed only after the SYSAUX tablespace has been created.
- C. It must be executed from the environment of the database that is being upgraded.
- D. It must be executed only after AUTOEXTEND is set to ON for all existing tablespaces.
- E. It must be executed from both the Oracle Database 11g and Oracle Database 9i environments.

Answer: C

Thank You for trying 1Z0-050 PDF Demo

To Buy Latest 1Z0-050 Full Version Download visit link below

https://www.certkillers.net/Exam/1Z0-050

Start Your 1Z0-050 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 1Z0-050 preparation with actual exam questions.