



# Oracle

## 1Z0-813 Exam

**Oracle Upgrade to Java SE 8 OCP ( Java SE 6 and all prior versions) Exam**

**Thank you for Downloading 1Z0-813 exam PDF Demo**

**You can Buy Latest 1Z0-813 Full Version Download**

<https://www.certkillers.net/Exam/1Z0-813>

<https://www.certkillers.net>

## Version: 8.0

---

### Question: 1

---

Give the code fragment:

```
class Test {
    public static void main(String[] args) {
        List<Integer> nums = Arrays.asList(1, 2, 3, 4, 5);
        System.out.println(doSum(nums));
    }
    public static int doSum(List<Integer> list) {
        //line n1
    }
}
```

Which code fragment, when inserted at line n1, enables the code to print the sum of all the elements in the runs list?

- A. return list, Stream () .map (I -> i) sum ();
- B. return list, Stream ( ) .mapToInt (I -> i). sum ();
- C. return list, Stream () .mapToInt(i -> i+ i) . sum();
- D. return list, Stream () .map(1-> 1 +1) .sum{};

---

**Answer: B**

---

---

### Question: 2

---

Given the code fragment:

```
if (aVar++ < 10) {
    System.out.println(aVar + " Hello World!");
} else {
    System.out.println(aVar + " Hello Universe!");
}
```

What is the result if the integer aVar is 9?

- A. 10 Hello World!
- B. Hello Universe!
- C. Hello World!
- D. Compilation fails.

---

**Answer: A**

---

---

**Question: 3**

---

Give the code fragment:

```
List<String> str = Arrays.asList("my", "pen", "is", "your", "pen");
Predicate<String> test = s -> {
    int i = 0;
    boolean result = s.contains("pen");
    System.out.print((i++) + " : ");
    return result;
};
str.stream()
    .filter(test)
    .findFirst()
    .ifPresent(System.out::print);
```

What is the result?

- A. 0 : 1 : 2 : 3 : 4 :
- B. 0 : 0 : 0 : 0 : 0 : pen
- C. A compilation error occurs.
- D. 0 : 1 : pen
- E. 0 : 0 : pen

---

**Answer: E**

---

---

**Question: 4**

---

Give the code fragment:

```
List<String> qwords = Arrays.asList("why ", "what ", "when ");
BinaryOperator<String> operator = (s1, s2) -> s1.concat(s2);
String sen = qwords.stream()
    .reduce("Word: ", operator);
System.out.println(sen);
```

What is the result?

- A. word: why what when
- B. word: why word: why what word: why what when
- C. Compilation fails.
- D. word: why word: what word: when

---

**Answer: A**

---

---

**Question: 5**

---

Given the code fragment:

```

5. public static void displayDetails() {
6.     try (BufferedReader br = new BufferedReader(new FileReader("salesreport.dat"))) {
7.         String record;
8.         while ((record = br.readLine()) != null) {
9.             System.out.println(record);
10.        }
11.        br.close();
12.        br = new BufferedReader(new FileReader("annualreport.dat"));
13.        while ((record = br.readLine()) != null) {
14.            System.out.println(record);
15.        }
16.    } catch (IOException e) {
17.        System.err.print(e.getClass());
18.    }
19. }
20. }

```

What is the result, if the filesalesreport. dat does not exist?

- A. class Java.io.IOException
- B. Compilation fails at line 6 and 13.
- C. class java.io. FileNotFoundException
- D. Compilation fails only at line 6.
- E. Compilation fails only at line 13.

---

**Answer: E**

---



---

**Question: 6**

---

Given:

```

Path p1 = Paths.get("/Pics/MyPic.jpeg");
System.out.println(p1.getNameCount() +
    ":" + p1.getName(1) +
    ":" + p1.getFileName());

```

Assume that the `Pics` directory does NOT exist.

- A. 2:MyPic.jpAg:MyPic. jpeg
- B. 2: pics:MyPic.jpCg
- C. 1:Pics:/Pics/MyPic.jpeg
- D. An exception is thrown at run time.

---

**Answer: A**

---



---

**Question: 7**

---

Given the code fragment:

```
14. //insert code here
15. List fontCatalog = new ArrayList();
16.
17. fontCatalog.add("Algerian");
18. fontCatalog.add("Cambria");
19. fontCatalog.add("Lucida Bright");
20. category.put("firstCategory", fontCatalog);
```

Which two code fragments, when inserted independently at line 14, enable the code to compile?

- A. `Map<String, List<String>> category = new HashMap<>> () ;`
- B. `Map<String, List<String>> category = new HashMap<String, List<String>> () ;`
- C. `Map<String, List<String>> category = new HashMap<String, ArrayList<String>> () ;`
- D. `Map<String, List<String>> category = new HashMap<List> () ;`
- E. `Map<String, List<String>> category = new HashMap<String, List<>> () ;`
- F. `Map<String, List<String>> category = new HashMap<> () ;`

---

**Answer: B, F**

---

## Thank You for trying 1Z0-813 PDF Demo

To Buy Latest 1Z0-813 Full Version Download visit link below

<https://www.certkillers.net/Exam/1Z0-813>

## Start Your 1Z0-813 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your 1Z0-813 preparation with actual exam questions.

<https://www.certkillers.net>