Oracle

1Z0-819 Exam

Java SE 11 Developer

Thank you for downloading 1Z0-819 exam PDF Demo

You can buy Latest 1Z0-819 Full Version Download

https://www.certkillers.net/Exam/1Z0-819

Version: 6.0

Question: 1

Given:

```
public class A {
   private boolean checkValue(int val) {
     return true;
   }
}
```

and

```
public class B extends A {
   public int modifyVal(int val) {
     if(checkValue(val)) {
        return val;
     } else {
        return 0;
     }
   }
   public static void Main(String[] args) {
     B b = new B();
     System.out.println(b.modifyVal(10));
   }
}
```

What is the result?

A. nothing
B. It fails to compile.
C. 0
D. A java.lang.IllegalArgumentException is thrown.
E. 10

Answer: B

Explanation:

```
1 ▾  public class A {
2 ▾      private boolean checkValue(int val) {
3            return true;
4        }
5  }
6  and
7 ▾  public class B extends A {
8 ▾      public int modifyVal(int val) {
9 ▾          if(checkValue(val)) {
10               return val;
11 ▾         } else {
12               return 0;
13           }
14       }
15 ▾     public static void Main(String[] args) {
16           B b = new B();
17           system.out.println(b.modfiyVal (10));
18       }
19 }
```

Execute Mode, Version, Inputs & Arguments

JDK 11.0.4 ▾   ☐

CommandLine Arguments

Result

CPU Time: sec(s), Memory: kilobyte(s)

```
/A.java:6: error: class, interface, or enum expected
and
∧
1 error
```

Question: 2

Given:

```
public interface API {     //line 1
   public void checkValue(Object value)
                throws IllegalArgumentException; //line 2
   public boolean isValueANumber(Object val) {
     if(val instanceof Number) {
       return true;
     }else {
       try {
           Double.parseDouble(val.toString());
           return true;
       }catch (NumberFormatException ex) {
         return false;
       }
     }
   }
}
```

Which two changes need to be made to make this class compile? (Choose two.)

A. Change Line 1 to an abstract class:public abstract class API {
B. Change Line 2 access modifier to protected:protected void checkValue(Object value)throws IllegalArgumentException;
C. Change Line 1 to a class:public class API {
D. Change Line 1 to extend java.lang.AutoCloseable:public interface API extends AutoCloseable {
E. Change Line 2 to an abstract method:public abstract void checkValue(Object value)throws IllegalArgumentException;

Answer: C,E

Explanation:

Question: 3

Which two modules include APIs in the Java SE Specification? (Choose two.)

A. java.logging
B. java.desktop

C. javafx
D. jdk.httpserver
E. jdk.jartool

Answer: A,D

Explanation:

Reference: https://docs.oracle.com/javase/9/docs/api/overview-summary

Question: 4

Given:

```java
public class Test{
    private int num = 1;
    private int div = 0;

    public void divide() {
        try {
            num = num / div;
            System.out.print("Exception");
        }
        catch(ArithmeticException ae) { num = 100; }
        catch(Exception e) { num = 200; }
        finally { num = 300; }
        System.out.print(num);
    }
    public static void main(String args[])
    {
        Test test = new Test();
        test.divide();
    }
}
```

What is the output?

A. 300
B. Exception
C. 200
D. 100

Answer: A

Explanation:

```
 1 ▾ public class Test{
 2        private int num = 1;
 3        private int div = 0;
 4
 5 ▾    public void divide() {
 6 ▾        try {
 7                num = num / div;
 8                System.out.print("Exception");
 9            }
10        catch(ArithmeticException ae) { num = 100; }
11        catch(Exception e) { num = 200; }
12        finally { num = 300; }
13        System.out.print(num);
14        }
15        public static void main(String args[])
16 ▾        {
17            Test test = new Test();
18            test.divide();
19        }
20 }
```

⌄ Execute Mode, Version, Inputs & Arguments

  JDK 11.0.4   ⌄   ☐⬤ In

CommandLine Arguments

[   ]

Result

CPU Time: 0.15 sec(s), Memory: 32484 kilobyte(s)

300

Question: 5

Which two statements are true about the modular JDK? (Choose two.)

A. The foundational APIs of the Java SE Platform are found in the java.base module.
B. An application must be structured as modules in order to run on the modular JDK.
C. It is possible but undesirable to configure modules' exports from the command line.
D. APIs are deprecated more aggressively because the JDK has been modularized.

Answer: A, C

Explanation:

Thank You for trying 1Z0-819 PDF Demo

To Buy New 1Z0-819 Full Version Download visit link below

https://www.certkillers.net/Exam/1Z0-819

Start Your 1Z0-819 Preparation

Use Coupon "CKNET" for Further discount on the purchase of
Full Version Download. Test your 1Z0-819 preparation with
actual exam questions.