

## **Symantec**

## 250-252 Exam

Symantec Administration of Veritas Storage Foundation 6.0 for Unix Exam Symantec

Thank you for Downloading 250-252 exam PDF Demo

You can Buy Latest 250-252 Full Version Download

https://www.certkillers.net/Exam/250-252

## Version: 5.0

#### Question: 1

Which virtual storage configuration can be created with Veritas Storage Foundation 6.0 for UNIX?

A. LVM

B. RAID

C. SVM

D. LPAR

Answer: B

#### **Question: 2**

Which command line utility is used to view Veritas Volume Manager (VxVM) plexes?

A. vxdisk

B. vxdg

C. vxplex

D. vxprint

Answer: D

#### **Question: 3**

Which two types of virtual storage provide data redundancy? (Select two.)

A. concatenate

B. RAID-5

C. stripe

D. mirror

E. RAID-0

Answer: B, D

#### **Question: 4**

What are two benefits of virtual storage using Veritas Storage Foundation 6.0 for UNIX? (Select two.)

- A. improved deduplication for data backup
- B. ability to resize storage across physical devices
- C. improved disaster recovery by mirroring between arrays
- D. enhanced file sharing

E. increased virtual memory

Answer: B, C

#### **Question: 5**

A system administrator has a large amount of inactive data on the company's storage devices. The excess amount of data is causing slow access to the active data. The administrator needs to set up automatic relocation of data so that data expires based on age.

How can the administrator set the threshold for automatic relocation of data?

A. use SmartMove

- B. use SmartTier
- C. use Virtual Data Aging Service (VDAS)
- D. use Intelligent Storage Provisioning (ISP)

Answer: B

#### **Question: 6**

Which benefit is provided when Veritas Volume Manager (VxVM) uses the SmartMove feature?

- A. optimized Data Deduplication process
- B. optimized SmartTier storage allocation process
- C. optimized mirror synchronization process
- D. optimized File Replication process

Answer: C

#### Question: 7

What are two benefits of using Storage Checkpoints within Veritas Storage Foundation 6.0 for UNIX instead of file system snapshots? (Select two.)

- A. transient
- B. read-only
- C. uses free space from parent file system
- D. persistent
- E. uses separate volume

Answer: C, D

#### **Question: 8**

Refer to the exhibit. Device c2t0d0 devicetag c2t0d0 sliced type hostid aparajita disk name=mydg01 id=861086917.1052.aparajita group name=mydg id=861086912.1025.aparajita flags online ready autoconfig autoimport imported pubpaths block=/dev/vx/dmp/c2t0d0s4 char=/dev/vx/rdmp/c2t0d0s4 privpaths block=/dev/vx/dmp/c2t0d0s3 char=/dev/vx/rdmp/c2t0d0s3 version 2.1 iosize min=512 (bytes) max=2048 (blocks) public slice=4 offset=0 len=1043840 slice=3 offset=1 len=1119 private time=861801175 seqno=0.48 update 0 248 headers configs count=1 len=795 count=1 len=120 logs Defined regions priv 000017-000247[000231]:copy=01 offset=000000 config enabled config priv 000249-000812[000564]:copy=01 offset=000231 enabled priv 000813-000932[000120]:copy=01 offset=000000 log enabled Multipathing information: numpaths: 2 c2t0d0s2 state=enabled type=primary c1t0d0s2 state=disabled type=secondary What is the disk access name for the device displayed in the vxdisk list output?

- A. mydg01
- B. c2t0d0
- C. mydg
- D. c1t0d0

Answer: B

#### **Question: 9**

Which advantage does the Data Change Object (DCO) feature provide?

- A. optimized resynchronization of stale volume data
- B. optimized SmartMove
- C. optimized replication of volume data

D. optimized file compression

Answer: A

#### Question: 10

What are two benefits of using the FileSnap feature? (Select two.)

A. Instant snapshot creation of the same file

- B. Instant snapshot creation of the same volume
- C. Instant snapshot creation of the same file system
- D. Instant snapshot creation of the same disk

E. Instant snapshot creation of the same virtual machine boot image

Answer: A, E

Question: 11

it.						
-	ENABLED ACTIVE	2097152	SELECT	datavol	-03 fsger	1
datavol	ENABLED ACTIVE	2097152	STRIPE	2/128	RH	
datavol-03	datavol-L01 1	1048576	0/0	2/2	ENA	
5 X3 X240404	ENABLED ACTIVE	1048576	SELECT	<u> </u>	fsgen	
datavol-L01	ENABLED ACTIVE	1048576	CONCAT		RH	
datavol-P01	datadg01 0	1048576	0	hds9500-	-alua0_6	ENA
datavol-L01	ENABLED ACTIVE	1048576	CONCAT		RH	
datavol-P02	datadg03 0	1048576	0	hds9500-	-alua0_8	ENA
datavol-03	datavol-L02 1	1048576	1/0	2/2	ENA	
	ENABLED ACTIVE	1048576	SELECT	-	fsgen	
datavol-L02	ENABLED ACTIVE	1048576	CONCAT	<del></del>	RH	
datavol-P03	datadg02 0	1048576	0	hds9500-	-alua0_7	ENA
datavol-L02	ENABLED ACTIVE	1048576	CONCAT		RH	
datavol-P04	datadg04 0	1048576	0	hds9500-	-alua0_9	ENA
	datavol-03 - datavol-L01 datavol-P01 datavol-L01 datavol-P02 datavol-03 - datavol-L02 datavol-P03 datavol-L02	- ENABLED ACTIVE datavol datavol-03 - ENABLED ACTIVE datavol-L01 datavol-L01 datavol-L01 datavol-L01 datavol-L01 datavol-L01 datavol-L01 datavol-L01 datavol-L01 datadg01 0 datavol-L02 datadg02 datavol-L02 datadg02 datavol-L02	-         ENABLED         ACTIVE         2097152           datavol         ENABLED         ACTIVE         2097152           datavol-03         ENABLED         ACTIVE         2097152           datavol-03         ENABLED         ACTIVE         2097152           datavol-03         ENABLED         ACTIVE         1048576           datavol-L01         ENABLED         ACTIVE         1048576           datavol-P01         datadg01         0         1048576           datavol-P02         datadg03         0         1048576           datavol-03         datavol-L02         1         1048576           datavol-03         ENABLED         ACTIVE         1048576           datavol-L02         ENABLED         ACTIVE         1048576           datavol-P03         datavol-L02         1         1048576           datavol-P03         Gatadg02         1048576         1048576           datavol-P03         BATAGO2         1048576         1048576           datavol-L02         ENABLED         ACTIVE         1048576           datavol-P03         BATAGO2         1048576         1048576           datavol-L02         ENABLED         ACTIVE         1048576     <	-         ENABLED         ACTIVE         2097152         SELECT           datavol         ENABLED         ACTIVE         2097152         STRIPE           datavol-03         ENABLED         ACTIVE         2097152         STRIPE           datavol-03         ENABLED         ACTIVE         1048576         0/0           -         ENABLED         ACTIVE         1048576         SELECT           datavol-L01         ENABLED         ACTIVE         1048576         CONCAT           datavol-P01         datadg01         0         1048576         0           datavol-L01         ENABLED         ACTIVE         1048576         0           datavol-P02         datadg03         0         1048576         0           datavol-03         datadg03         0         1048576         1/0           -         ENABLED         ACTIVE         1048576         SELECT           datavol-03         datavol-L02         1         1048576         SELECT           datavol-L02         ENABLED         ACTIVE         1048576         SELECT           datavol-L02         ENABLED         ACTIVE         1048576         O           datavol-P03         datadg02         1	-         ENABLED         ACTIVE         2097152         SELECT         datavol-           datavol         ENABLED         ACTIVE         2097152         STRIPE         2/128           datavol-03         ENABLED         ACTIVE         2097152         STRIPE         2/128           -         ENABLED         ACTIVE         1048576         0/0         2/2           -         ENABLED         ACTIVE         1048576         0/0         2/2           datavol-L01         ENABLED         ACTIVE         1048576         CONCAT         -           datavol-P01         datadg01         0         1048576         CONCAT         -           datavol-P02         datadg03         0         1048576         0         hds9500-           datavol-P02         datadg03         0         1048576         0         hds9500-           datavol-P02         datavol-L02         1         1048576         0         hds9500-           datavol-L03         Actavol-L02         1         1048576         1/0         2/2           -         ENABLED         ACTIVE         1048576         SELECT         -           datavol-L02         ENABLED         ACTIVE         104857	<ul> <li>ENABLED ACTIVE datavol-03 fsger</li> <li>datavol-03</li> <li>ENABLED ACTIVE DABLED ACTIVE datavol-03</li> <li>ENABLED ACTIVE DABLED ACTIVE 2097152</li> <li>STRIPE 2/128 RH</li> <li>2/2 ENA</li> <li>datavol-L01</li> <li>ENABLED ACTIVE 1048576</li> <li>datavol-P01</li> <li>datadg01 0</li> <li>1048576 CONCAT</li> <li>RH</li> <li>datavol-L01</li> <li>ENABLED ACTIVE 1048576 CONCAT</li> <li>RH</li> <li>datavol-P01</li> <li>datadg01 0</li> <li>1048576 CONCAT</li> <li>RH</li> <li>datavol-L01</li> <li>ENABLED ACTIVE 1048576 CONCAT</li> <li>RH</li> <li>datavol-L01</li> <li>ENABLED ACTIVE 1048576 CONCAT</li> <li>RH</li> <li>datavol-L02</li> <li>datavol-L02&lt;</li></ul>

What is the layout of the volume described in the vxprint output provided in the exhibit?

A. mirror-concat

- B. mirror-stripe
- C. stripe-mirror
- D. concat-mirror

Answer: C

#### Question: 12

A volume that contains strictly two data plexes and has four subdisks in each plex can have which two types of layouts? (Select two.)

A. mirror-concat

B. mirror-stripe

C. stripe-mirror

D. concat-mirror

E. stripe with parity

Answer: A, B

#### Question: 13

What is the correct RAID level for a layered volume layout that combines mirroring with striping or concatenation?

A. RAID-0 B. RAID-1

C. RAID-1

D. RAID-1+0

D. RAID-1+0

#### Answer: A

#### **Question: 14**

What are two advantages of a properly configured striped volume layout? (Select two.)

A. provides hot-relocation

- B. provides load balancing
- C. improves performance
- D. provides data redundancy
- E. improves reliability

Answer: B, C

#### **Question: 15**

Where do the private and public regions of Cross-platform Data Sharing (CDS) formatted disks reside?

A. on separate disk slices B. on a single disk slice

- C. on reserved slices
- D. on a boot slice

Answer: B

#### **Question: 16**

Which two items are checked on existing Veritas Storage Foundation 6.0 for UNIX systems by the Installation and Upgrade service from Symantec Operations Readiness Tools (SORT)? (Select two.)

#### Page 6

- A. existing Symantec packages and patches
- B. disk group version
- C. file system free space
- D. volume manager disk group free space
- E. disk drive information

Answer: A, C

#### Question: 17

What is the minimum Storage Foundation release supported to upgrade directly to Veritas Storage Foundation 6.0 for UNIX?

A. 5.0 B. 5.0MP1 C. 5.0MP3 D. 5.1

#### Answer: C

#### Question: 18

How many days can a customer run Veritas Storage Foundation 6.0 for UNIX without entering a valid license key during installation without receiving warning messages?

A. 30

B. 45

C. 60

D. 90

Answer: C

#### **Question: 19**

Which two operations can be performed with a Veritas Operations Manager (VOM) Management Server (MS) with all add-ons installed? (Select two.)

- A. manage host deployment across the enterprise
- B. discover the secure Oracle databases running on the managed host
- C. manage user privileges in VEA on the managed host
- D. discover Solaris Zones and Solaris LDOMs running on a managed host
- E. manage Business Entities

Answer: B, E

#### **Question: 20**

Which two statements are true regarding the reporting features in Symantec Mail Security 8300? (Select two.)

- A. reporting statistics data for email and IM are tracked by default
- B. centralized reporting across more than one Scanner requires a dedicated reporting appliance
- C. reports can be scheduled on a daily or weekly basis
- D. reports can be saved to a favorites list for easy access
- E. report data retention is managed on the same schedule and frequency as log retention

Answer: C, D

#### **Question: 21**

Which command is used to manually configure the Veritas Volume Manager (VxVM) product?

- A. vxconfigd
- B. vxinstall
- C. vxdiskadm
- D. vxdctl enable

Answer: B

#### Question: 22

Which display command consolidates information from Veritas Volume Manager (VxVM) and Veritas File System (VxFS)?

- A. vxprint
- B. vxadm
- C. vxsfadm
- D. vxlist

Answer: D

#### **Question: 23**

Which two Veritas Storage Foundation 6.0 for UNIX commands are used to prevent and allow multipathing of Veritas Volume Manager (VxVM) devices? (Select two.)

- A. vxdiskadm
- B. vxddladm
- C. fsvoladm
- D. vxdmpadm
- E. vxsfadm

Answer: A, D

#### **Question: 24**

What is the function of the Symantec Mail Security 8300 Transformation Engine?

- A. based on configured policies, it performs the required actions on the message
- B. based on configured policies, it scans the message for attributes and violations
- C. based on default policies, it stores spam and virus messages
- D. based on default policies, it provides automated synchronization from LDAP

Answer: A

#### Question: 25

Which Veritas Storage Foundation 6.0 for UNIX user interface provides a menu-driven, text-based interface for performing some disk and disk group administration?

- A. Veritas Enterprise Administrator (VEA)
- B. Veritas Operations Manager (VOM)
- C. vxedit
- D. vxdiskadm

Answer: D

## Thank You for trying 250-252 PDF Demo

To Buy Latest 250-252 Full Version Download visit link below

https://www.certkillers.net/Exam/250-252

# Start Your 250-252 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 250-252 preparation with actual exam questions.