

### 301A Exam

### **BIG-IP LTM Specialist: Architect Set-Up & Deploy**



### Thank you for Downloading 301A exam PDF Demo

### You can Buy Latest 301A Full Version Download

https://www.certkillers.net/Exam/301A

## Version: 6.0

#### Question: 1

An LTM Specialist needs to gather website statistics such as latency and throughput on the existing virtual server. This virtual server load Balances the backend web servers. Which F5 feature will provide this?

A. the Performance panel

- B. the AVR module
- C. the Dashboard
- D. the Statistics panel

Answer: B

#### Question: 2

Which Standard Virtual Server settings should an LTM Specialist use to load balance across routed path of two different ISPs?

A. address translation enabled and port translation disabled

- B. both address and port translation enabled
- C. both address and port translation disabled
- D. address translation disabled and port translation enabled

Answer: B

#### **Question: 3**

An LTM Specialist needs to terminate client SSL traffic and based on the cookie presented by client. Which set of profiles should the LTM Specialist use?

A. HTTPS, Client SSL, Cookie Persistence Profile

- B. HTTP, Server SSL, SSL Cookie Profile
- C. HTTPS, Server SSL, SSL Cookie Profile
- D. HTTP, Client SSL, Cookie Persistence Profile,

Answer: D

#### **Question: 4**

An LTM Specialist observes decreased performance and intermittent connection reap LTM system.

https://www.certkillers.net



Based on the configuration, which action will address these issues?

- A. Use an optimized TCP profile.
- B. Use a FastL4 profile on the virtual server
- C. Use a default caching profile on the virtual server.
- D. Use a shorter idle timeout on the TCP profile.

Answer: D

#### **Question: 5**

An LTM Specialist regularly provides analytics reports that show that traffic generated by different subnets within the organization. The LTM Specialist needs show the associate department names next the IP addresses in the reports.

Which step should the LTM Specialist take to meet this requirement?

- A. use an iRule to change the output of the report
- B. export the report and add the department names manually
- C. create VLANs for each subnet and set the name accordingly
- D. define active subnets and assign a name to certain subnets

Answer: C

#### **Question: 6**

in which Application Visibility and Reporting (AYR) profile must the SMTP profile be defined to configure notifications via email?

- A. App analytics profile
- B. virtual server profile
- C. custom analytics profile
- D. default analytics profile

Answer: C

#### **Question: 7**

An LTM device configuration is as shown: An LTM device configuration is as shown

ltm	
ALL ALL	destination / Common/10.45.120.4:80
	ip-protocol top
	mask 255.255.255.255
	persist (
	/Common/Persist 900 (
	default yes
	1 Contraction of the second seco
	pool /Common/site=10.45.120.4 00
	profiles (
	/Common/tep []
	1
	source 0.0.0,0/0
	translate-address enabled
	translate-port enabled
ltm	persistence source-addr /Common/Persist_900 (
11111111	TOTAL - NOLE - COMPANY - C
	app-service none
	defaults-from /Common/source_addr
	timeout 900
1	

What should be the two expected outcomes based on this configuration? (Choose two.)

A. A client session that has been idle for 16 minutes will be sent to the same pool member B. A client session that has been idle for 20 minutes will be balanced to a new pool member C. A client session that has been idle for 14 minutes will be balanced to a new pool member D. A client session that has been idle for 48 minutes will be sent to the same pool members E. A client session that has been idle for 12 minutes will be sent to the same pool member

Answer: B, E

**Question: 8** 

An LTM Specialist needs to load balance an application using an LTM device to meet the requirements:

The application servers do NOT Support SSL, but client access to the application should be secured. Multiple requests from the same client should be sent to the same pool member.

All pool members will have roughly the same processing power, and traffic should be distributed evenly.

The LTM device is NOT the pool members' default gateway.

which configuration should the LTM Specialist.

A. a performance 14 virtual server with a SNAT and cookie persistence

B. a performance L4 virtual server with a Client SSL profile and Source Address persistence

C. A performance L4 virtual server with a SNAT, HTTP profile. Server SSL profile, and cookie persistence

D. A standard virtual server with a SNAT, HTTP profile Server SSL profile, and cookie persistence

E. A standard virtual server with a SNAT, HTTP profile, Client profile, andd cookie persistance.

Answer: E

#### Question: 9

Remote users who access the LTM device are authenticated via Radius. The default remote user role is Guest Some users need LTM device with the Administrator role. The F5 Radius attributes are configure on the Radius server.

Which configuration item needs to be created?

A. Remote User role

- B. Admin account
- C. User role
- D. User account

Answer: A

#### **Question: 10**

An HTTP monitor is created and assigned to a pool with the following non-default configuration: Interval: 7 seconds Timeout: 22 seconds Reverse: Yes Send String: GET/status HTTP/1.1/r/nHost:test.example.com/r/nConnector:Close Receive String: Up The HTTP server sends the following response:

HTTP/1.1 200	OK		della del	and and a set of	10 10 10 10 10 10 10 10 10 10 10 10 10 1	1
Server: Apacl	1e		and the second second			
Content-Lengt	h: 1217	In Designation				- Mar
Keep-Alive:	imeout=5, max	c=1.00	and and and and			-
Connection:	Keep-Alive		100 - 100 - 100 - 100		all all all all all all all	e e
Content-Type	: text/html					and a
SIDOCTYPE ht.	MI PUBLIC "-//	#30//n%n	LINE AND		A DESCRIPTION OF THE OWNER OF THE	
	THE REAL PROPERTY.		1997 (S. H.H.	Transition	nal//EN">	
<head></head>	<b>Hallon</b>	anna ann			MARINE STREET	SES.
<meta http-e<="" td=""/> <td>quiv="Content-</td> <td>type" cont</td> <td>enternaut</td> <td></td> <td></td> <td></td>	quiv="Content-	type" cont	enternaut			
CALINA THE ADS	and the second se	nanan num	ununnnega	annan vena	CARCHUTE-873	The second
<div>UP</div>	A COLORIDA					-
	No. of Concession, Name		The second second			CO.
-120-010000000	The state of the s	and in the second s	States - States	Statement of the local division of the local	and the second division of the second divisio	and the second second


What is the resulting pool status?

A. Unavailable (Enabled)Available (Enabled)C. Offline (Enabled)D. Unknown (Disabled)

Answer: A

#### **Question: 11**

An ITM Specialist has the configuration shown:



The LTM Specialist needs to create a new virtual server in part B. Which virtual address(es) should be used for the new virtual server?

A. 10.100.0.1 and 10.120.0.1
B. 10.90.0.1 and 10.12.0.1
C. 10.120.0.1 only
D. 10.90.0.1 and 10.100.0.1

Answer: A

#### Question: 12

A pool with a default connection limit is configured to use Round Robin as the load balancing method. An LTM Specialist needs to ensure that the LTM device selects a server with the fewest number of connections when new clients connect. Another pool is using the same set of backend servers.

Which load balancing-method should the pool be changed to?

- A. Weighted Least Connections (node]
- B. Weighted Least Connections (member)
- C. Least Connections
- **D. Least Connections**

Answer: C

### Thank You for trying 301A PDF Demo

To Buy Latest 301A Full Version Download visit link below

https://www.certkillers.net/Exam/301A

# **Start Your 301A Preparation**

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your 301A preparation with actual exam questions.