



Adobe

9A0-127 Exam

Adobe® ColdFusion 9 ACE Exam

Thank you for Downloading 9A0-127 exam PDF Demo

You can Buy Latest 9A0-127 Full Version Download

<https://www.certkillers.net/Exam/9A0-127>

<https://www.certkillers.net>

Question: 1

Given the following code stub:

```
<cfset obj = {key='Apple',basic=['one','two']} />
```

Which returns the string "two"?

- A. obj.key.basic
- B. obj.basic[2]
- C. obj.basic[1]
- D. obj.basic.2

Answer: B

Question: 2

Given the following snippet:

```
<cfset x=2>
```

```
<cfoutput>
```

```
  #--x# - #x++#
```

```
</cfoutput>
```

What is the output?

- A. 1 - 1
- B. 1 - 3
- C. 1 - 2
- D. -1

Answer: A

Question: 3

What is the value of the variable b when the following code block executes?

```
<cfscript>
```

```
  a = 0;
```

```
  b = 1;
```

```
  a = (a)?b:a;
```

```
  if (a) {
```

```
    b = "apple";
```

```
  }
```

```
    b = "pear";
```

```
  }
```

```
</cfscript>
```

- A. 1
- B. 0
- C. apple

D. pear

Answer: D

Question: 4

What is the value of the variable output when the following code executes?

```
<cfset output = "There is no answer" />
<cfif 1 eq true>
    <cfset output = "The answer is one" />
<cfelseif 0 eq true>
    <cfset output = "The answer is two" />
<cfelse>
    <cfset output = "The answer is three" />
</cfif>
```

- A. "The answer is one"
- B. "The answer is two"
- C. "The answer is three"
- D. "There is no answer"

Answer: A

Question: 5

Given the follow code snippet:

```
<cfset startTime = CreateDateTime(2009,1,1,0,0,0)>
<cfset endTime = CreateDateTime(2009,1,3,12,0,0)>
<cfset i = 2>
<cfloop from="#startTime#" to="#endTime#" index="i" step="#CreateTimeSpan(1,0,0,0)#">
    Hello World! <br />
</cfloop>
```

How many times does the loop iterate?

- A. 2
- B. 3
- C. 4
- D. 12

Answer: B

Question: 6

You want to convert a query column containing numeric data into a comma-delimited list. Which function should you use?

- A. ValueList()
- B. ArrayToList()
- C. ColumnList()
- D. ListAppend()

Answer: A

Question: 7

You want to load a single entity of type ART from your ORM, using the primary key value 5 as a filter. Which two function signatures can you use to accomplish this task? (Choose two.)

- A. EntityLoadByPK("ART", 5)
- B. EntityLoadSingleValue("ART", 5)
- C. EntityLoad("ART", 5)
- D. EntityLoadByExample("ART", 5)
- E. EntityLoad("ART", 5, true)

Answer: A, E

Question: 8

A page in your application is accessed at `http://localhost/scope.cfm?init=false`. In which variable scope is the `init` variable available?

- A. Attributes
- B. Application
- C. URL
- D. Form

Answer: C

Question: 9

Which code segment can be used to store an array of structures as a client variable?

- A. `<cfset client.myarray = "#adata#">`
- B. `<cfset client.myarray = valuelist(adata)>`
- C. `<cfset client.myarray = serializeJSON(adata)>`
- D. `<cfset client.myarray = adata>`

Answer: C

Question: 10

Your application has the following query which is invalid:

```
<cftry>
  <cfquery datasource="goodphoto" name="test">
    SELECT * FROM ...
  </cfquery>
<cfcatch type="any">
</cfcatch>
</cftry>
```

Which variable contains a string that describes the cause of the error?

- A. cfcatch.message
- B. cfcatch.type
- C. cfcatch.detail
- D. cfcatch.errorCode

Answer: C

CertKillers.net

Thank You for trying 9A0-127 PDF Demo

To Buy Latest 9A0-127 Full Version Download visit link below

<https://www.certkillers.net/Exam/9A0-127>

Start Your 9A0-127 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your 9A0-127 preparation with actual exam questions.

<https://www.certkillers.net>