

Adobe

9A0-602

Certified Macromedia Flash MX 2004 Developer

```
QUESTION: 122
What is the value for "answer"?
function power(n,p) {
  if (p==1) {
    result = p;
  } else {
    result = p*power(n,p-1);
  }
  return(result);
  }
  answer = power(3,2);

A. 0
B. 1
C. 2
D. 6
E. 9
```

Answer: C

QUESTION: 123

What type of resource can Flash MX 2004 natively use to retrieve dynamic data? (Choose TWO)

- A. Text files
- B. XML files
- C. Java class files
- D. XSL documents
- E. Oracle database

Answer: A, B

QUESTION: 124

What native object allows two separate Flash movies to communicate with each other?

- A. LocalObject
- B. SharedObject
- C. LocalConnection
- D. SharedConnection

Answer: C

QUESTION: 125

What is the value of y?

x = 3;

y = x--;

A. -3

B. 2

C. 3

D. Syntax error

Answer: C

QUESTION: 126

Where must ActionScript 2 classes be located?

A. components

B. external files

C. frame 1 of _root

D. top layer of timeline

Answer: B

OUESTION: 127

What is used to create frame rate independent script-based animations?

A. while

B. setInterval

C. gotoAndPlay

D. onEnterFrame

Answer: B

QUESTION: 128

If the local date is Sunday, June 2, 2003 and the lines of ActionScript are executed, what is the value of myDay?

```
var my_date:Date = new Date();
```

var myDay:Number = my_date.getDay();

- A. 0
- B. 1
- C. 2

D. Sun

E. Sunday

Answer: A

QUESTION: 129

A. hide var _nCount;

What defines a class member within an ActionScript 2 class that is NOT accessible to instances of the class?

```
B. class var _nCount;
C. static var _nCount;
D. private var _nCount;
E. protected var _nCount;

Answer: D

QUESTION: 130

What ActionScript error will occur for the code below? function snap {
k = 42 % 0;
}
```

- A. % is not a valid operator
- B. function must return a value
- C. function declarations missing parenthesis
- D. there is no exception processing for a division by zero error

Answer: C

Download Full Version From https://www.certkillers.net

















