



**ADOBE**

**9A0-701**

*ColdFusion MX Developer*

**QUESTION: 124**

How is a CFML custom tag created in ColdFusion?

- A. Create a ColdFusion page and save it with a CF\_ prefix.
- B. Register the custom tag in the ColdFusion Administrator.
- C. Create a ColdFusion page and save it with a .cfm extension.
- D. Use theCustomTag Wizard in ColdFusion MX to create the tag.

**Answer: C**

**QUESTION: 125**

What method is NOT used to return data to a ColdFusion page from a database stored procedure call?

- A. <cfspresult> tag to return result sets
- B. <cfproparam> tag to return output parameters
- C. <cfquery> tag to return result sets
- D. <cfprocresult> tag to return result sets

**Answer: A**

**QUESTION: 126**

What is the value at myArray[1][3]?

```
<cfset myArray = ArrayNew(2) >  
<cfset myArray [1][1] = "testing" >  
<cfset myArray [1][2]= "2" >  
<cfset myArray [1][4]= "dimensional" >  
<cfset myArray [1][5]= "arrays" >
```

- A. (The empty string)
- B. Dimensional
- C. Undefined array element
- D. 2

**Answer: C**

**QUESTION:** 127

How is an argument named firstArg referenced inside a ColdFusion component method?  
(Choose two)

- A. #firstArg#
- B. #argument.firstArg#
- C. #arguments.firstArg#
- D. #arguments.[firstArg]#
- E. #argument[1]# when firstArg is the first defined argument in the method

**Answer:** A, C

**QUESTION:** 128

What tag is used to catch user input errors in a form?

- A. <cfmodule>
- B. <cfthrow>
- C. <cferror>
- D. <cfcatch>

**Answer:** C

**QUESTION:** 129

What types of variables must always be prefixed when used? (Choose three)

- A. Session
- B. WDDX
- C. URL
- D. Application
- E. Request
- F. Form

**Answer:** A, D, E

**QUESTION:** 130

What statement best describes a primary key?

- A. A single column that uniquely identifies a row.
- B. One or more columns that uniquely identifies a row.
- C. A column that either uniquely identifies a row or has no value.
- D. A column that references another column in a master table.

**Answer:** B

**QUESTION:** 131

What type of error can be thrown using <cfthrow>?

- A. expression
- B. application
- C. lock
- D. database

**Answer:** B

**QUESTION:** 132

What is the <cffunction> tag used for? (Choose two)

- A. defining component methods
- B. definingActionScript functions
- C. defining ColdFusion user-defined functions
- D. defining Custom Tags

**Answer:** A, C

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*