



SAS Institute

A00-212 Exam

SAS Certified Advanced Programmer for SAS 9

Thank you for Downloading A00-212 exam PDF Demo

You can Buy Latest A00-212 Full Version Download

<https://www.certkillers.net/Exam/A00-212>

<https://www.certkillers.net>

Version: 7.0

Question: 1

The following SAS program is submitted:

```
Data sasuser.history;  
Set sasuser.history(keep=state x y  
Rename = (state=ST));  
Total=sum(x, y);  
Run;
```

The SAS data set SASUSER.HISTORY has an index on the variable STATE.

Which describes the result of submitting the SAS program?

- A. The index on STATE is deleted and an index on ST is created
- B. The index on STATE is recreated as an index on ST
- C. The index on STATE is deleted
- D. The index on STATE is updated as an index on ST

Answer: C

Question: 2

The following SAS program is submitted:

```
%macro one (input);  
%two;  
%put the value is &date;  
%mend;  
%macro two;  
data _null_;  
call symput('date','12SEP2008');  
run;  
%mend;  
%let date=31DEC2006;  
%one(&date)
```

What is the result when the %PUT statement executes?

- A. A macro variable DATE with the value 12SEP2008 is retrieved from the local symbol table for the ONE macro
- B. A macro variable DATE with the value 12SEP2008 is retrieved from the local symbol table for the TWO macro
- C. A macro variable DATE with the value 12SEP2008 is retrieved from the global symbol table
- D. A macro variable DATE with the value 31DEC2006 is retrieved from the global symbol table

Answer: C

Question: 3

Which SET statements option names a variable that contains the number of the observation to read during the current iteration of the DATA step?

- A. OBS=pointobs
- B. POINT=pointobs
- C. KEY=pointobs
- D. NOBS=pointobs

Answer: B

Question: 4

When reading a SAS data file, what does the NOBS=option on the SET statement represent?

- A. A variable that represents the total number of observation in the output data set(s)
- B. A variable that represents a flag indicating the end of the file
- C. A variable that represents the total number of observations in the input data set(s)
- D. A variable that represents the current observation number

Answer: C

Question: 5

CORRECT TEXT

The following SAS program is submitted:

```
%macro check(num=4);  
%let result=%sysevalf(&num+0.5);  
%put result is &result;  
%mend;  
%check(num=10)
```

What is the written to the SAS log?

- A. result is
- B. result is 10
- C. result is 10.5
- D. result is 10+0.5

Answer: C

Question: 6

The following SAS program is submitted:

```
%macro test(var);  
%let jobs=BLACKSMITH WORDSMITH SWORDSMITH;  
%let type=%index(&jobs, &var);
```

```
%put type = &type;  
%mend;  
%test(SMITH)
```

What is the value of the macro variable TYPE when the %PUT statement executes?

- A. 0
- B. Null
- C. 6
- D. 3

Answer: C

Question: 7

The following SAS program is submitted:

```
%macro check(num=4);  
%let result=%eval(&num gt 5);  
%put result is &result;  
%mend;  
%check (num=10)
```

What is written to the SAS log?

- A. result is true
- B. result is 10 gt 5
- C. result is 1
- D. result is 0

Answer: C

Question: 8

The following SAS program is submitted:

```
data temp;  
length 1 b 3 x;  
infile 'file reference';  
input a b x;  
run;
```

What is the result?

- A. The data set TEMP is not created because variables A and B have invalid lengths
- B. The data set TEMP is created, but variable X is not created
- C. The data set TEMP is not created because variable A has an invalid length
- D. The data set TEMP is created and variable X has a length of 8

Answer: C

Question: 9

Given the SAS data sets ONE and TWO:

ONE		TWO			
YEAR	QTR	BUDGET	YEAR	QTR	SALES
20013		500	2001	4	300
20014		400	2002	1	600
20031		350			

The following SAS program is submitted:

```
Proc sql;
```

```
Select two.*,budget from one <insert JOIN operator here> two on one.year=two.year,
```

```
Quit;
```

The following output is desired:

YEAR	QTR	BUDGET	SALES
2001	4	300	500
2001	4	300	400
2002	1	600	
			350

Which JOIN operator completes the program and generates the desired output?

- A. FULL JOIN
- B. INNER JOIN
- C. LEFT JOIN
- D. RIGHT JOIN

Answer: A

Question: 10

Given the SAS data set SAUSER.HIGHWAY:

SASUSER.HIGHWAY

STEERING	SEATABLT		STATUS	COUNT
absent	no	0-29	serious	31
absent	no	0-29	not	1419
absent	no	30-49	serious	191
absent	no	30-49	not	2004
absent	no	50+	serious	216

The following SAS program is submitted:

```
%macro highway;
proc sql nonprint;
%let numgrp=6;
select distinct status into:group1-:group&numgrp from sasuser.highway;
quit;
%do i=1 %to &numgrp;
proc print data =sasuser.highway;
where status ="&&group&l";
run;
%end;
%mend;
%highway
How many reports are produced?
```

- A. 2
- B. 6
- C. 0
- D. 5

Answer: A

Question: 11

The following SAS program is submitted:

```
%let dept=prod;
%let prod=merchandise;
The following message is written to the SAS log:
The value is "merchandise"
Which SAS System option writes this message to the SAS log?
```

- A. %put the value is "&&&dept";
- B. %put the value is "&&&dept";
- C. %put the value is "&&&dept";
- D. %put the value is %quote (&&&dept);

Answer: A

Question: 12

The SAS data set WORK.TEMPDATA contains the variables FMTNAME, START and LABEL and it consists of 10 observations.

The following SAS program is submitted:

```
Proc format cntlin=wor.tempdata;
Run;
What is the result of submitting the FORMAT procedure step?
```

- A. It uses the WORK.TEMPDATA SAS data set as input to create the format
- B. All formats created will be stored in two WORK.TEMPDATA SAS data set
- C. An ERROR message is written to the SAS log because the program is incomplete
- D. NO formats are created in this step

Answer: A

Question: 13

The following SAS program is submitted:

```
date view=sauser.ranch;  
describe;  
run;
```

What is the result?

- A. The program creates a DATA step view called SASUSER.RANCH and places the program cod in the current editor window
- B. The program retrieves the SAS source code that creates the view and places it in the output window
- C. The program creates a DATA step view called SASUSER.RANCH and places it in the SAS log
- D. the program retrieves the SAS source code that creates the view and places it in the SAS log

Answer: D

Question: 14

Which SAS procedure changes the name of a permanent format for a variable stored in a SAS data set?

- A. DATASETS
- B. MODIFY
- C. FORMAT
- D. REGISTRY

Answer: A

Question: 15

Given the SAS data set ONE:

```
ONE  
DIVISION SALES  
A 1234  
A 3654  
B 5678
```

The following SAS program is submitted:

```
Data_null_;  
Set one;  
By divition;  
If first.division then  
Do;  
%let mfirst=sales;  
end;  
run;
```

What is the value of the macro variable MFRIST when the program finishes execution?

- A. 1234
- B. sales
- C. 5678
- D. null

Answer: B

Thank You for trying A00-212 PDF Demo

To Buy Latest A00-212 Full Version Download visit link below

<https://www.certkillers.net/Exam/A00-212>

Start Your A00-212 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further 10% discount on your purchase. Test your A00-212 preparation with actual exam questions.

<https://www.certkillers.net>