



**IBM**

**A2010-539**

*Assessment: IBM Tivoli Storage Manager V6.2 Administration*

**QUESTION: 116**

What can be used to backup open files in an Oracle database?

- A. IBM Tivoli Storage Manager for Oracle
- B. IBM Tivoli Storage Manager for Databases
- C. IBM Tivoli Data Protection for Open File Systems
- D. IBM Tivoli Storage Manager for Relational Databases

**Answer: B**

**QUESTION: 117**

The Table of Content (TOC) for network data management protocol backups is needed. The TOC must be placed in a separate storagepool tocpool. Which option reflects the correct assignment of the TOCto the storage pool?

- A. destination=napool
- B. tocdestination=stgpool
- C. tocdestination=tocpool
- D. tocdestination=toctapepool

**Answer: C**

**QUESTION: 118**

Which operating system(s) can be automatically upgraded to the next higher client level so that this new client level can be deployed?

- A. AIX
- B. HP and Solaris
- C. Windows Server 2003 and Windows Server 2008
- D. Red Hat Enterprise Linux 5.0 and SUSE Linux Enterprise Server 10

**Answer: C**

**QUESTION: 119**

With the new extension querysummary ofthe command query backup, it is possible to get additional information for the restore procedure. What additional information is provided?

- A. estimated restore time
- B. estimated number of files
- C. estimated number of volumes
- D. estimated filespace size needed for restore

**Answer:** C

**QUESTION:** 120

What must be used to enable encryption on the client?

- A. the client option include.dir
- B. the client option encryption=yes
- C. the client option include.encrypt
- D. the server option include.encrypt

**Answer:** C

**QUESTION:** 121

Management decided that an archive copy group is no longer required. Which command allows an IBM Tivoli Storage Manager V6.2 administrator to delete the archive copy group from the MCLASS1 management class that is in the SUMMER policy set of the PROG1 policy domain?

- A. delete copygroup summer mclass1 type=archive prog1
- B. delete copygroup prog1 mclass1 type=archive summer
- C. delete copygroup prog1 summer type=archive mclass1
- D. delete copygroup prog1 summer mclass1 type=archive

**Answer:** D

**QUESTION:** 122

Which command detects a possible security attack when client-side data deduplication is enabled?

- A. Q CLIENTDEDUPATCK
- B. SET DEDUPVERIFICATIONLEVEL
- C. IDENTIFY DUPLICATES SECURE=YES
- D. UPDATE STGPOOL <POOL\_NAME>SECURDEDUP=YES

**Answer:** B

**QUESTION:** 123

Which statement is true about client side data deduplication and data processing?

- A. It takes place exclusively on the client.
- B. It takes place exclusively on the server.
- C. It takes place on a virtual library or file device class.
- D. It is distributed between the server and the Backup-Archive client.

**Answer:** D

**QUESTION:** 124

Which statement is true about the processing location for client-side data deduplication?

- A. It takes place exclusively on the client.
- B. It takes place exclusively on the server.
- C. It takes place on a virtual library or file device class.
- D. It is distributed between the server and the Backup-Archive client.

**Answer:** D

**QUESTION:** 125

What is the order of volume states for tape media within Disaster Recovery Management?

- A. onsite, courier, vault, transit
- B. notmountable, courier, vault, retrieve, courier, onsite
- C. mountable, courier, vault, vaultretrieve, courier, onsite
- D. mountable, notmountable, courier, vault, vaultretrieve, courierretrieve, onsiteretrieve

**Answer:** D

**QUESTION:** 126

Which command enables more space for the database?

- A. define dbvol
- B. extend dbspace
- C. expand dbspace
- D. dsmserv format volume

**Answer:** B

**QUESTION:** 127

Which tuning option, when adjusted to a lower value, reduces network traffic from client sessions?

- A. SET RETRYPERIOD
- B. SET SCHEDPOLLING
- C. SET MAXCMDRETRIES
- D. SET QUERYSCHEDPERIOD

**Answer:** C

**QUESTION:** 128

What is the storage hierarchy used for?

- A. to arrange data by usage
- B. to define an order of usage
- C. to provide a path to expiration
- D. to distinguish levels and types of storage pools

**Answer:** D

**QUESTION:** 129

A manual backup of data from an IBM Tivoli Storage Manager V6.2 client failed. Which default log file should be checked to obtain more information about the failure?

- A. client.log
- B. dserror.log
- C. dsmsched.log
- D. dsmwebgui.log

**Answer:** B

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*