



**IBM**

**A2040-408**

*Assessment: IBM Notes and Domino 9.0 Social Edition  
Application Development*

**Answer:** D

**QUESTION:** 92

What are two ways Olly can identify which of his applications are not assigned to a working set? (Choose two.)

- A. Open Bookmarks.nsf and look in the Working Sets\None view.
- B. In the Applications view, in the Manage Working Sets menu, select All.
- C. In the Applications view, in the Manage Working Sets menu, select None.
- D. In Quick Links tab of the home page, click on the "Applications Not in Working Set" option.
- E. In the Applications view, in the Manage Working Sets menu, select "Applications Not in Working Set".

**Answer:** D, E

**QUESTION:** 93

Mary wants to debug the uncompressed version of the xspClientDojo.js. Which action can she perform in order to do this?

- A. Set the "Use Dojo layer libraries" option in the XSP Properties editor.
- B. Set the "Useruntime optimized JavaScript and Dojo" option in the XSP Properties editor.
- C. Set the "Use uncompressed resource files (CSS & Dojo)" option in the XSP Properties editor.
- D. Uncompress the xspClientDojo.js file manually and upload it to IBM Domino Design via a JS Library.

**Answer:** C

**QUESTION:** 94

What happens when a variable changes value when stepping through the server-side JavaScript debugger?

- A. The variable in the source code tab flashes on and off.
- B. The variable in the source code is highlighted in yellow.
- C. In the Source tab, the variable and the value are highlighted in yellow and the

variable's blue diamond has a red triangle added.

D. In the Variables tab, the variable and the value are highlighted in yellow and the variable's blue diamond has a red triangle added.

**Answer:** D

**QUESTION:** 95

Harry would like to debug the Dojo JavaScript files added to an XPage, but when he does examine the JavaScript code, it is not readable. What would he need to do to debug the Dojo JavaScript code?

- A. Use the new server-side JavaScript Debugger.
- B. Go to the Dojo site and download the uncompressed Dojo files.
- C. Turn on the Use JavaScript when generating pages option in the Application Properties
- D. Check the box next to the "Use uncompressed resource files (CSS and Dojo)" in the XSP properties.

**Answer:** D

**QUESTION:** 96

James is debugging server-side JavaScript on the server. Graham is developing on the server and his page stops working. How should this be resolved?

- A. Graham needs to disable the debugging configuration on his system.
- B. Graham needs to remove "debugger;" lines and breakpoints from his code.
- C. James must remove his name from Graham's application's access control list.
- D. James must uncheck the option "Stop at first line of server-side JavaScript in All Javascript".

**Answer:** D

**QUESTION:** 97

The Domino Access Services return data in what format?

- A. DXL
- B. XML
- C. CSV

D. JSON

**Answer:** D

**QUESTION:** 98

Peter is using the Send Mail simple action to send an embedded experience email from his XPages application. Which two formats are available for embedded experience emails? (Choose two.)

- A. DXL
- B. XML
- C. JSON
- D. HTML
- E. YAML

**Answer:** B, C

**QUESTION:** 99

Luis is planning on moving his IBM Notes applications to the internet using XPages and removing the Notes client from some of his users. However, until all the applications are converted to XPages, users will still need to access the Notes applications. What can Luis do to provide access to the Notes applications that havenot been converted yet for those users who will not have the Notes client?

- A. Install the Notes 9.0 Browser Plug-in and allow users to access old applications via a web browser.
- B. Enable Web Access on the IBM Domino server.
- C. Applications cannot run via the Internet without XPages.
- D. Use the IBM XPages Converter Tool to add all required XPages components for the application to run in web browsers.

**Answer:** A

**QUESTION:** 100

The Notes Calendar APIs are available on which of the following programming languages?

- A. Only IBM LotusScript and Java
- B. Only C, IBM LotusScript and Java
- C. Only IBM LotusScript and server-side JavaScript
- D. Only C, IBM LotusScript, Java and server-side JavaScript

**Answer:** D

**QUESTION:** 101

Donna would like to give certain users the ability to delete documents from SupportWiki.nsf's portal application interface. Using the Domino Access Services, which request URL can she use to accomplish this?

- A. DELETE  
http://{server\_host}/{database}/api/documents/unid/{document\_unid}
- B. DELETE  
http://{server\_host}/{database}/api/data/documents/unid/{document\_unid}
- C. POST  
http://{server\_host}/{database}/api/documents/unid/{document\_unid}?Delete
- D. POST  
http://{server\_host}/{database}/api/data/documents/unid/{document\_unid}?Delete

**Answer:** B

**QUESTION:** 102

Which of the following IBM LotusScript methods can be used to create a new meeting invitation?

- A. NotesCalendar.CreateInvite( icalentry\$ , [ flags% ] )
- B. NotesCalendar.CreateEntry( icalentry\$ , [ flags% ] )
- C. NotesCalendar.CreateMeeting( icalentry\$ , [ flags% ] )
- D. NotesCalendar.CreateDocument( icalentry\$ , [ flags% ] )

**Answer:** B

**QUESTION:** 103

Alex, an IBM Domino developer, is using a JAR design element in his Application. He made some changes to the JAR code. How could Alex have the

new code imported to the application while maintaining the Note ID?

- A. Use Replace button.
- B. Remove the old version and import the new one.
- C. Export the current version. Make the changes and import again.
- D. Go to Properties, copy the current Note ID. Delete the current version, import the new one, go to properties > Note ID and paste.

**Answer:** A

**QUESTION:** 104

Mark has added the Extension Library Dialog control to an XPage, accepting the default ID of "dialog1". He has added a button to launch the dialog. Which option will launch the dialog from the button?

- A. On the Client tab of the onclick event of the button, add xsp . openDialog ("dialog1").
- B. On the Server tab of the onclick event of the button, add xsp. openDialog ("dialog1").
- C. On the Client tab of the onclick event of the button, add xsp. openDialog("# {id: dialog1}").
- D. On the Server tab of the onclick event of the button, add xsp. openDialog ("# {id: dialog1}").

**Answer:** C

**QUESTION:** 105

By default, which framework can be used to modify the User Interface of a Value Picker control?

- A. Dojo
- B. ExtJS
- C. JQuery
- D. SmartClient

**Answer:** A

**QUESTION:** 106

Carl would like to add two action buttons to the bottom of the Form Table control from the Extension Library. How can he accomplish that?

- A. Carl should add two button controls to the footer facet inside the Form Table control.
- B. Carl should add two action buttons below the final row but inside the Form Table control.
- C. Carl should add a Panel control below the Form Table control. Carl can then add two button controls inside the Panel.
- D. Carl should add a Panel control to the footer facet of the Form Table control. Carl can then add two button controls inside the Panel.

**Answer:** D

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*