

# івм A2090-312

Assessment: IBM DB2 11 DBA for z/OS Assessment

#### **Answer:** C

#### **QUESTION:** 62

Which type of column can be dropped from a table via the ALTER TABLE ... DROP COLUMN ... SQL statement?

A. XML columnB. LOB columnC. DOCID columnD. Hidden ROWID column

**Answer:** A

#### **QUESTION:** 63

What subsystem parameter in DDF specifies the maximum number of inactive or new connections queued that can be waiting for a DBAT to process the request?

A. IDTHTOIN B. MAXDBAT C. CONDBAT D. MAXCONQN

**Answer:** D

#### **QUESTION:** 64

If the OPTHINTS subsystem parameter is set to YES, and you issue the following DB2 command relating to optimization parameter hints: BIND QUERY LOOKUP (YES) what is the result of the execution of this command?

A. A list of queries that are in error is produced.

B. Updated values are placed in SYSIBM.SYSQUERY and SYSIBM.SYSQUERYPLAN tables.

C. New values are inserted into the SYSIBM.SYSQUERY and SYSIBM.SYSQUERYPLAN tables.

D. Messages containing only the status of rows in catalog tables SYSIBM.SYSQUERY and SYSIBM.SYSQUERYPLAN.

**Answer:** B

#### **Reference:**

#### http://www-

01.ibm.com/support/knowledgecenter/SSEPEK\_11.0.0/com.ibm.db2z11.doc.comr ef/src/tpc/db2z\_cmd\_bindquery.dita?cp=SSEPEK\_11.0.0%2F10-1-1-0-0-2

#### **QUESTION:** 65

Consider a logical data model that includes an Employees entity and a Projects entity. In this model, employees work on many projects and projects are worked on by many employees. The Employees and Projects entity is considered what kind of relationship?

- A. A one-to-one relationship.
- B. A one-to-many relationship.
- C. A many-to-one relationship.
- D. A many-to-many relationship.

#### **Answer:** D

#### **QUESTION:** 66

Which global variables statement is true?

A. A global variable is a synonym for special registers.

B. Like for special registers, the access to global variables cannot be granted or revoked.

C. A global variable is a created DB2 object, which can be instantiated and used by applications.

D. Global variables can only be used in native SQL stored procedures and user-defined functions.

#### **Answer:** B

#### **QUESTION:** 67

Which DB2-supplied stored procedure captures statistics and DDL for DB2 objects, extracts subsystem parameters and explain information for queries and applications, and returns the results in a data set or as a result set?

A. ADMIN\_INFO\_SQL B. ADMIN\_JOB\_QUERY C. ADMIN\_INFO\_SYSPARM D. ADMIN UPDATESYSPARM **Answer:** C

### **Reference:**

http://www.redbooks.ibm.com/redbooks/pdfs/sg248151.pdf (page 72, see the table)

## Download Full Version From https://www.certkillers.net





Pass your exam at First Attempt....Guaranteed!