



IBM

A2090-423

Assessment- Information Analyzer v8.5 Assessment

QUESTION: 106

You need to check if product id from File A exist in File B. You created a rule definition: `product_id_file_A in_reference_column product_id_file_B`. After running the rule, you found that there are no matches, although you know the majority of the products ids should match. Which two of the following can you do within the rule definition to try to tune the rule? (Choose two.)

- A. Use `in_reference_list` check
- B. Change the case of the string
- C. Remove leading and trailing spaces
- D. Explicitly specify join condition for the tables in the rule
- E. Check for uniqueness of the product id on File A and File B

Answer: B, C

QUESTION: 107

You need to validate column domains on a daily basis. Assuming that 95% of the domains are valid, which of the following steps will minimize the output produced?

- A. Run Baseline Analysis with the Output option set to Domain Validation only.
- B. Run Column Analysis with the Retain Existing Tables option set to Statistics only.
- C. Create Rule Set with Data Rules for each domain, run the Rule Set with Output option set to Records that fail one or more rules.
- D. Create Data Rules for each domain, run the Data Rules with Output option set to Records that fail one or more rules and Retain Existing Table option set to No.

Answer: C

QUESTION: 108

You are analyzing a known table with a 7 column primary key. You wish to minimize processing time to confirm its uniqueness. Which of the following steps should you take?

- A. Select only the 7 columns and run Multi-column Primary Key Analysis with Concatenate Multi-column option = Yes. Then review Primary Key Analysis on the Multi-column tab.
- B. Select only the 7 columns and run Multi-column Primary Key Analysis with

Composite Key Maximum Columns = 7. Then review Primary Key Analysis on the Multi-column tab.

C. Create a Virtual Column including only the 7 columns, select the Virtual Column and run Column Analysis. Then review Primary Key Analysis for the Virtual Column on the Single column tab.

D. Create a Virtual Table including only the 7 columns, select the Virtual Table and run Multi-column Primary Key Analysis with Composite Key Maximum Columns = 1. Then review Primary Key Analysis on the Multi-column tab.

Answer: C

QUESTION: 109

Which two of the following can be scheduled using the API options? (Choose two.)

- A. Metrics
- B. Data Rules
- C. Column Analysis
- D. Baseline Analysis
- E. Cross-Domain Analysis

Answer: B, C

QUESTION: 110

Which of the following are the required options to schedule an Information Analyzer process to run on every Friday?

- A. Enter a Start Date; Set a Custom Frequency
- B. Set a Custom Frequency; Enter an End Date
- C. Enter a Start Date; Set a Task Status of Weekly
- D. Enter a Schedule Description; Set a Custom Frequency

Answer: A

QUESTION: 111

Which steps are required to import published analysis results into an Information Analyzer project?

- A. Select Investigate > Column Analysis; select Import Published Results
- B. Select Investigate > Publish Analysis Results; select View Analysis Results
- C. Select Investigate > Publish Analysis Results; select Import Schema Definition
- D. Select Investigate > Column Analysis; select Open Column Analysis; select Import Details

Answer: A

QUESTION: 112

What is the default permission for reports for the IADDataSteward role?

- A. Run
- B. Read
- C. None
- D. Grant

Answer: C

QUESTION: 113

You are working with a team of business users developing a business glossary and who wish to make initial validation results available to their broader user community. Which of the following are the steps necessary to complete this task?

- A. Run Column Analysis; Complete Domain Analysis; Add Terms to Columns; Publish Analysis Results.
- B. Run Column Analysis; Define DataQuality Rules for validation; Add Terms to Rules; Execute Data Quality Rules.
- C. Run Column Analysis; Complete Domain Analysis; Add Terms to Columns; Mark Domain Analysis as Reviewed.
- D. Run Column Analysis; Complete Domain Analysis; Add Terms to Columns; Run Baseline Analysis; Mark Baseline Analysis as Reviewed.

Answer: A

QUESTION: 114

You are working with a database administrator (DBA) who would like to create a revised format for a database based on your data profiling results. The DBA wants to directly create the resulting tables from the analysis. What steps are necessary to

provide usable output to the DBA?

- A. Select Investigate>Publish Analysis Results; select the relevant Table; choose the Generate ANSI standard DDL option; click Submit.
- B. Select Investigate>Column Analysis; select the relevant Table, choose the Export Published Results task; choose the Generate ANSI Standard DDL option; click Submit.
- C. Select Investigate>Publish Analysis Results; select the relevant Table; choose the Generate Database DDL option; select the database-specific DDL type; click Submit.
- D. Select Investigate>Publish Analysis Results; select the relevant Table; choose the InfoSphere Model Definitions PDR option; click Submit; Open the Import-Export Manager, select the InfoSphere Data Architect Metabroker, select the created PDR model, select generate ANSI standard DDL; click Submit.

Answer: A

QUESTION: 115

You are working with a System Administrator who must move an Information Analyzer project to a new Information Server environment using the command line tools. You need to ensure that the project is established with the same metadata and users as in the original environment. Which of the following parameters must be included to successfully complete the export?

- A. -includeCommonMetadata; -includeProjectRoles; -includeAllDataClasses
- B. -includeAssignedAssets; -includeProjectRoleAssignments; -includeAllDataSources
- C. -includeCommonMetadata; -includeProjectRoleAssignments; -includeAllDataClasses
- D. -includeProjectMetadata; -includeProjectRoleAssignments; -includeDependentClasses

Answer: C

QUESTION: 116

When creating an external bundle for a Column Analysis job, which is the default directory for the generated xml file?

- A. Local client: \IBM\InformationServer\Clients\ISC\

- B. Local client: \IBM\InformationServer\ASBNode\Conf\
- C. Engine Server: \IBM\InformationServer\Server\StagingArea
- D. Application Server: \IBM\InformationServer\ASBServer\Conf\

Answer: A

QUESTION: 117

Which two of the following methods supports loading analysis results into the Information Server? (Choose two.)

- A. Analysis Metabroker
- B. DBM File Metabroker
- C. DataStage Exchange File
- D. Categories and Terms Metabroker
- E. InfoSphere Data Architect Metabroker

Answer: B, E

QUESTION: 118

Which statement is NOT true for installation of information Analyzer?

- A. You must create the Analysis repository after installation.
- B. You may create the metadata repository before installation.
- C. The Analysis and Metadata repositories are created during installation.
- D. You may create the Metadata and Analysis repositories before installation.

Answer: A

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!