



IBM

A2090-545

Assessment: DB2 9.7 SQL Procedure Developer Assessment

Answer: C

QUESTION: 108

Click the Exhibit button.

Table INFO1 contains the following data:

PERSON_NAME	AGE	HOBBY	DOB
John Smith	45	Reading	05/01/1963
John Brown	5	Skiing	07/01/1982
Sally John	50	Reading	04/21/1958
Rob Drake	15	VideoGames	02/01/1993
Betty Hoop	20	Shopping	04/11/1988
Bill Lee	29	Sailing	12/01/1978
Mary Pope	48	Shopping	04/21/1960

Procedure MOVE_DATA() is created as follows:

```
CREATE PROCEDURE move_data()
BEGIN
  FOR v1 AS SELECT person_name, age, hobby FROM
  info1
  DO
    IF v1.age < 30 THEN
      INSERT INTO info2 VALUES(v1.person_name,
v1.hobby );
    END IF;
  END FOR;
END
```

How many rows will be in table INFO2 after the procedure MOVE_DATA shown in the exhibit is executed?

- A. 0
- B. 4
- C. 5
- D. 7

Answer: B

QUESTION: 109

Which of the following can be used to assign multiple values to a row data type variable?

- A. A SELECT * statement, a VALUES * statement, or a FETCH * statement.
- B. A SELECT INTO statement, a VALUES INTO statement, or a FETCH INTO statement.
- C. A DIRECT ASSIGNMENT statement.
- D. D. A VARIABLE VALUES statement.

Answer: B

QUESTION: 110

Which two statements describe a CASE statement? (Choose two.)

- A. CASE statements are used to enter into some logic based on a literal value.
- B. CASE statements are used to enter into some logic based on the value of an expression.
- C. CASE statements are used to return control to the beginning of an expression.
- D. CASE statements are used to enter into some condition and loop until the condition is met.
- E. CASE statements are used to iterate into some logic based on a literal value.

Answer: A, B

QUESTION: 111

Which code fragment illustrates the proper way to capture and save SQL error handler values so they can be used to control procedure logic?

- A. DECLARE CONTINUE HANDLER FOR SQLEXCEPTION, SQLWARNING, NOT FOUND
SET retcode = SQLCODE;

- B. DECLARE ERROR HANDLER FOR SQLEXCEPTION, SQLWARNING, NOT FOUND SET retcode = EXCEPTION;
- C. DECLARE ERROR HANDLING SQLEXCEPTION, SQLWARNING, NOT FOUND SET retcode = SQLERRN;
- D. DECLARE ERROR HANDLING FOR SQLEXCEPTION, SQLWARNING, NOT FOUND SET retcode = SQLMSG;

Answer: A

QUESTION: 112

Which statement will change the value of a special register?

- A. UPDATE SPECIAL REGISTER TIME = ?2:30:00?UPDATE SPECIAL REGISTER TIME = ?2:30:00
- B. UPDATE SPECIAL REGISTERSCHEMA = 'DB2ADMIN'
- C. SET CURRENT TIME = ?2:30:00?SET CURRENT TIME = ?2:30:00
- D. SET CURRENT SCHEMA = 'DB2ADMIN'

Answer: D

QUESTION: 113

Which of the following CURSOR declare statement is incorrect?

- A. DECLARE c1 CURSOR WITHOUT RETURN FOR SELECT * FROM tab1
- B. DECLARE c1 ASENSITIVE CURSOR WITH RETURN TO CLIENT FOR SELECT * FROM tab1
- C. DECLARE c1 INSENSITIVE CURSOR WITH RETURN TO CLIENT FOR SELECT * FROM tab1
- D. DECLARE c1 SENSITIVE CURSOR WITH RETURN TO CLIENT FOR SELECT * FROM tab1

Answer: D

QUESTION: 114

Which rule applies to the REFERENCING clause in a CREATE TRIGGER statement?

- A. The OLD correlation-name and the OLD TABLE identifier can be used if the trigger event is an INSERT operation.

- B. The scope of each correlation-name and identifier used is the entire trigger definition.
- C. The OLD TABLE or NEW TABLE identifiers can be defined in a BEFORE trigger.
- D. A NEW correlation-name can be specified more than once for a trigger.

Answer: B

QUESTION: 115

Which of the following statement is TRUE about a REPEAT loop?

- A. The condition is checked at the end of the loop.
- B. The condition is checked at the beginning of the loop.
- C. A REPEAT loop behaves like a WHILE loop.
- D. A REPEAT loop behaves like a FOR loop.

Answer: A

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!