



IBM

A2150-563

Assess- IBM Tivoli Directory Integrator V7.1 Implementation

Answer: C

QUESTION: 106

Which phase invokes the AssemblyLine's Prolog Hooks?

- A. Step
- B. Iterate
- C. Data Flow
- D. Initialization

Answer: D

QUESTION: 107

What information is logged during the first phase of the AssemblyLine lifecycle?

- A. the number of calls to each Connector
- B. all variable declarations during all Hooks
- C. the name of each Property Store being used
- D. any messages logged using task.logmsg() inside of Global Prolog Hooks

Answer: D

QUESTION: 108

What is the first step of the second phase of an AssemblyLine lifecycle?

- A. the Initial Work Entry is deleted
- B. the On Start of Cycle Hook is initiated
- C. all Connectors called during a cycle are initialized
- D. the Before Initialize Hook of the first AssemblyLine Component is initiated

Answer: B

QUESTION: 109

Which file is copied to automatically create the solution.properties in the solution directory?

- A. tdi.properties
- B. java.properties
- C. global.properties

D. solution.properties from the installation directory

Answer: C

QUESTION: 110

Which script snippet changes the value of the property named: foo?

- A. TDIProperty.foo='bar'
- B. system.setTDIProperty('foo','bar')
- C. main.setGlobalProperty('foo','bar')
- D. task.setExternalTDIProperty('foo','bar')

Answer: B

QUESTION: 111

Which script snippet sets the property named skiLift of the alta Property Store to the value supreme?

- A. work.setAttribute("alta", "skiLift", "supreme");
- B. work.setTDIProperty("supreme", "alta", "skiLift");
- C. system.setTDIProperty("alta", "skiLift", "supreme");
- D. work.setValue("tdiProperty", "alta", "skiLift", "supreme");

Answer: C

QUESTION: 112

Which statement is true about IBM Tivoli Directory Integrator V7.1 properties?

- A. They can be multi-valued.
- B. They can be nested with other properties.
- C. They can be accessed using the built-in script variable system .
- D. They are visible during Attribute Mapping in the Schema window.

Answer: C

QUESTION: 113

Which statement is true when starting the IBM Tivoli Directory Integrator V7.1 (TDI) Server with the ibmdisrv command using the -s C:\myDirectory option setting?

- A. The Solution Directory is set to C:\myDirectory and a full backup of this directory is performed.
- B. The Solution Directory is set to C:\myDirectory and all AssemblyLines at this location will start sequentially.
- C. The Solution Directory is set to C:\myDirectory and all relative file references in TDI will be relative to this location.
- D. The Solution Directory is set to C:\myDirectory and only configuration file and command line option paths will be relative to this location.

Answer: C

QUESTION: 114

Which command starts the IBM Tivoli Directory Integrator V7.1 Configuration Editor?

- A. ibmdice
- B. ibmditk
- C. ibmdisrv
- D. tdisrvctl

Answer: B

QUESTION: 115

What is the default log written by the IBM Tivoli Directory Integrator V7.1 Server?

- A. ibmdi.log
- B. tdiserver.log
- C. ibmlog4j.log
- D. <hostname>.log

Answer: A

QUESTION: 116

What is the name of the log file produced when an IBM Tivoli Directory Integrator installation is upgraded?

- A. upgrade.log
- B. ibmdiupdate.log
- C. updateinstaller.log

D. fixpack<number>.log

Answer: C

QUESTION: 117

Where are logging strategies for the IBM Tivoli Directory Integrator V7.1 (TDI) Server defined (<tdi_installdir> = root of the TDI installation)?

- A. <tdi_installdir>/etc/jlog.properties
- B. <tdi_installdir>/etc/log4j.properties
- C. <tdi_installdir>/bin/global.properties
- D. <tdi_installdir>/run/logger.properties

Answer: B

QUESTION: 118

Which two Attributes is part of an AssemblyLine error Object? (Choose two.)

- A. style
- B. status
- C. errortype
- D. exception
- E. connector

Answer: B, D

QUESTION: 119

What does the term Error Hook indicate in anAssemblyLine context?

- A. any Hook where an error has occurred
- B. a Hook of the AssemblyLine error object
- C. a Hook that is called when an error occurs
- D. a Hook that is called when the IBM Tivoli Directory Integrator Server fails to start

Answer: C

QUESTION: 120

What are two uses for a Server mode Connector? (Choose two.)

- A. to implement a web service
- B. to intercept LDAP bind requests
- C. to run AssemblyLines in Simulation mode
- D. to run multiple AssemblyLines simultaneously
- E. to enable First Failure Data Capture in AssemblyLines

Answer: A, B

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!