

Google

ASSOCIATE-ANDROID-DEVELOPER Exam

Google Developers Certification - Associate Android Developer



Thank you for Downloading ASSOCIATE-ANDROID-
DEVELOPER exam PDF Demo

You can Buy Latest ASSOCIATE-ANDROID-DEVELOPER
Full Version Download

<https://www.certkillers.net>

<https://www.certkillers.net/Exam/ASSOCIATE-ANDROID-DEVELOPER>

Version: 4.0

Topic 1, Kotlin Exam

Question: 1

What is a correct part of an Implicit Intent for sharing data implementation?

A. `val sendIntent = Intent(this, UploadService::class.java).apply { putExtra(Intent.EXTRA_TEXT, textMessage)`

...

B. `val sendIntent = Intent().apply { type = Intent.ACTION_SEND;`

...

C. `val sendIntent = Intent(this, UploadService::class.java).apply { data = Uri.parse(fileUrl)`

...

D. `val sendIntent = Intent().apply { action = Intent.ACTION_SEND`

...

Answer: D

Explanation:

Create the text message with a string

```
val sendIntent = Intent().apply { action = Intent.ACTION_SEND
    putExtra(Intent.EXTRA_TEXT, textMessage) type = "text/plain"
}
```

Reference:

<https://developer.android.com/guide/components/fundamentals>

Question: 2

By default, the notification's text content is truncated to fit one line. If you want your notification to be longer, for example, to create a larger text area, you can do it in this way:

```
A. var builder = NotificationCompat.Builder(this, CHANNEL_ID)
    .setContentText("Much longer text that cannot fit one line...")
    .setStyle(NotificationCompat.BigTextStyle()
    .bigText("Much longer text that cannot fit one line..."))
```

...

```
B. var builder = NotificationCompat.Builder(this, CHANNEL_ID)
   .setContentView("Much longer text that cannot fit one line...")
   .setLongText("Much longer text that cannot fit one line...")
```

...

```
C. var builder = NotificationCompat.Builder(this, CHANNEL_ID)
   .setContentView("Much longer text that cannot fit one line...")
   .setTheme(android.R.style.Theme_LongText);
```

...

Answer: A

Reference:

<https://developer.android.com/training/notify-user/build-notification>

Question: 3

Select correct demonstration of WorkRequest cancellation.

A. `workManager.enqueue(OneTimeWorkRequest.Builder(FooWorker::class.java).build())`

B. `val request: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()`
`workManager.enqueue(request)`

`val status = workManager.getWorkInfoByIdLiveData(request.id) status.observe(...)`

C. `val request: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()`
`workManager.enqueue(request) workManager.cancelWorkById(request.id)`

D. `val request1: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()`
`val request2: WorkRequest = OneTimeWorkRequest.Builder (BarWorker::class.java).build()`
`val request3: WorkRequest = OneTimeWorkRequest.Builder (BazWorker::class.java).build()`
`workManager.beginWith(request1, request2).then(request3).enqueue()`

E. `val request: WorkRequest = OneTimeWorkRequest.Builder (FooWorker::class.java).build()`
`workManager.enqueue(request) workManager.cancelWork(request)`

Answer: C

Explanation: Videos:

Working with WorkManager, from the 2018 Android Dev Summit WorkManager: Beyond the basics, from the 2019 Android Dev Summit

Reference:

<https://developer.android.com/reference/androidx/work/WorkManager?hl=en>

Question: 4

In general, you should send an `AccessibilityEvent` whenever the content of your custom view changes. For example, if you are implementing a custom slider bar that allows a user to select a numeric value by pressing the left or right arrows, your custom view should emit an event of type `TYPE_VIEW_TEXT_CHANGED` whenever the slider value changes. Which one of the following sample codes demonstrates the use of the `sendAccessibilityEvent()` method to report this event.

```
A. override fun dispatchPopulateAccessibilityEvent(event: AccessibilityEvent): Boolean {
return super.dispatchPopulateAccessibilityEvent(event).let { completed -> if (text?.isNotEmpty() ==
true) {
event.text.add(text) true
} else {
completed
}
}
}
```

```
B. override fun onKeyUp(keyCode: Int, event: KeyEvent): Boolean { return when(keyCode) {
KeyEvent.KEYCODE_DPAD_LEFT -> {
currentValue--
sendAccessibilityEvent(AccessibilityEvent.TYPE_VIEW_TEXT_CHANGED)
true
}
...
}
}
```

```
C. override fun onKeyUp(keyCode: Int, event: KeyEvent): Boolean { return when(keyCode) {
KeyEvent.KEYCODE_ENTER -> {
currentValue--
sendAccessibilityEvent
(AccessibilityEvent.TYPE_VIEW_CONTEXT_CLICKED)
true
}
...
}
}
```

Answer: B

Reference: <https://developer.android.com/guide/topics/ui/accessibility/custom-views>

Question: 5

The easiest way of adding menu items (to specify the options menu for an activity) is inflating an XML file into the Menu via MenuInflater. With menu_main.xml we can do it in this way:

- A. `override fun onCreateOptionsMenu(menu: Menu): Boolean {
 menuInflater.inflate(R.menu.menu_main, menu)
 return true
}`
- B. `override fun onOptionsItemSelected(item: MenuItem): Boolean {
 menuInflater.inflate(R.menu.menu_main, menu) return super.onOptionsItemSelected(item)
}`
- C. `override fun onCreate(savedInstanceState: Bundle?) { super.onCreate(savedInstanceState)
 setContentView(R.menu.menu_main)
}`

Answer: A

Reference:

<https://developer.android.com/guide/topics/ui/accessibility/custom-views>

Thank You for trying ASSOCIATE-ANDROID-DEVELOPER PDF Demo

To Buy Latest ASSOCIATE-ANDROID-DEVELOPER Full Version
Download visit link below

<https://www.certkillers.net/Exam/ASSOCIATE-ANDROID-DEVELOPER>

Start Your ASSOCIATE- ANDROID-DEVELOPER Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount
on your purchase. Test your ASSOCIATE-ANDROID-DEVELOPER
preparation with actual exam questions.

<https://www.certkillers.net>