

**IBM** 

**BAS-012** 

IBM SPSS Modeler Data Analysis for Business Partners v2

## **QUESTION:** 24

System undefined values (\$null\$) are automatically defined as blank (missing) values in IBM SPSS Modeler.

A. True


B. False

## **Answer:** B

## **QUESTION:** 25

To correctly read the Excel file shown below, which dialog box settings are appropriate?

A	8	C	D	E	F
	Basic Custo	mer Information:	Example Lay	out	
CUSTOMER_ID	GENDER	CREDITLIMIT	ZODIAC	E-MAIL ADDRESS	ZIP
723	F	9026		1 name7502@tnet.fr	181880
724	M	5223		3 name25485@wwmail.org	1132DG
725	F	668		8 name15543@wwmail.de	1803YT
726	M	8302		6 name28335@zigzag.be	1205WR
727	F	997		8 name5354@tnet.jp	17110N
728	M	1955		3 name20637@wwmail.es	1055FG
729	F	6898		5 name20636@wwmail.es	1254MR
730	F	6488		11 name10414@tnet.inc	1723DG
730	F	6488		11 name10414@tnet.inc	1723DG
730	F	6488		11 name10414@tnet.inc	1723DG







A. Option A

On blank rows:

OK Cancel

First row has column names

- B. Option B
- C. Option C

Explicit range of cells

Stop reading \*

**A3** 

F13

Apply

Reset

D. Option D

**Answer:** D

## Download Full Version From https://www.certkillers.net

















