



IBM

C2020-700

IBM Cognos 10 Planning Application

QUESTION: 77

What must be used as the source when an administrator creates an administration link in Contributor?

- A. Production application
- B. Development application
- C. Publish datastore
- D. Analyst library

Answer: A

QUESTION: 78

Where does a modeler change the name of a D-Cube?

- A. In Edit menu
- B. In D-Cube options
- C. InLibrary functions
- D. In Save As dialog box

Answer: C

QUESTION: 79

An administrator wants to create a deployment package to export an application (model and data) from the development environment to the test environment. Where does the administrator view the status of the deployment export?

- A. Contributor Administration Console, Monitoring Console
- B. Contributor Administration Console, Job Management
- C. Cognos Administration, Schedule Management
- D. Cognos Administration, Server Administration

Answer: A

QUESTION: 80

Which statement is correct when dealing with the Generate Framework Manager Model Extension?

- A. The Framework Manager model for an Analyst Library using Planning Data Server provides access to more than one cube.
- B. The Framework Manager model for a Contributor application using Planning Data Server can be enhanced with calculations, filters and prompts.
- C. The Framework Manager model for the Publish Container of a Contributor application can be enhanced with calculations, filters and prompts.
- D. The Framework Manager model for the Publish Container of a Contributor application can provide real time access to Analyst libraries.

Answer: C

QUESTION: 81

Application IDs and object names must be unique within a planning network. When importing a deployment, what happens if duplicate names or IDs are found?

- A. The user is presented with errors which are written to an import log file and the import process stops.
- B. The user is presented with errors which are presented on a dialog and the import process stops.
- C. The user is presented with a warning and if they proceed, any existing applications or objects with common names or IDs will be preserved.
- D. The user is presented with a warning and if they proceed, any existing applications or objects with common names or IDs will be overwritten.

Answer: D

QUESTION: 82

A modeler is creating a D-Link to populate a D-Cube with data from an SQL database. Why would the modeler use the Fetch functionality when creating the D-Link?

- A. To select a new data source for the D-Link
- B. To preview the contents of the columns in the data source
- C. To retrieve the names of the available tables in the data source
- D. To generate an SQL statement that references each column in the data source

Answer: B

QUESTION: 83

A Planning administrator wants to allow contributors access to planning applications deployed to Cognos Connection. Where will authentication be performed when Contributors log on to Cognos Connection?

- A. In a third party provider such as Sun One LDAP or Active Directory
- B. In the Rights folder in development application in the Contributor Administration Console
- C. Through the assignment of Capabilities to the Planning Contributor User role in the Cognos namespace
- D. In the Security Filters of the Framework Manager model generated by the Contributor Administration Console Administration extension

Answer: A

QUESTION: 84

In an A-Table, what happens if the Attach to D-List checkbox is selected on both the source and target sides?

- A. D-Links containing these D-Lists will automatically use this A-Table.
- B. Any changes to the D-Lists are automatically reflected in the A-Table.
- C. Items cannot be sorted; they appear as they do in the D-Lists.
- D. A sub-column cannot be cut; items appear as they do in the D-Lists.

Answer: B

QUESTION: 85

How can an administrator record user actions in the Web client, such as typing data, importing files, and copying and pasting data?

- A. The administrator can enable user annotations.
- B. The administrator can enable breakback.
- C. The administrator can enable audit annotations.
- D. The administrator can enable bouncing.

Answer: C

QUESTION: 86

A modeler wants to control the widths of columns in D-Cubes and the Column Width option

is set to a minimum of 15. At what level is this option applied?

- A. To all D-Cubes in the library
- B. To a specific D-Cube
- C. To a specific D-List
- D. To a specific D-List item

Answer: B

QUESTION: 87

Which of the following statements is correct with respect to the use of Event Studio with planning data?

- A. Users can be alerted to events that require them to review their plans.
- B. Event Studio agents can be written against Analyst libraries.
- C. Data Validations can be used to specify an event condition.
- D. The status of event agents can be viewed in the Monitoring Console.

Answer: A

QUESTION: 88

If a user types inc10> into the cell for Travel and Q1 and then presses Enter, what will appear in the cell for Travel and Q4?

	Q1	Q2	Q3	Q4	FULL YEAR
Travel	100	200	300	400	1,000
Overheads	400	500	600	700	2,200
Premise	500	600	700	800	2,600
Communication	200	300	400	500	1,400
TOTAL EXPENSES	1,200	1,600	2,000	2,400	7,200

A. 130

- B. 133
- C. 410
- D. 440

Answer: D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!