



IBM

C2050-219

IBM Sterling Order Management V9.1 Deployment

- A. Default printer preference for user
- B. Default printer preference for node
- C. Default printer preference for station
- D. Default printer preference for Enterprise
- E. Default printer preference for user group

Answer: C

QUESTION: 93

What is the property value of yfs.yfs.security.authenticator used for?

- A. Printer Set Up
- B. Single Sign On
- C. LDAP Authentication
- D. CognosAuthentication

Answer: C

QUESTION: 94

An organization has a sales team dedicated to create Sales Orders for the XTZ Enterprise. What is the correct configuration for the team?

- A. Document Type Access = Sales Order and Enterprise Access = XTZ Enterprise
- B. Document Type Access = Sales Order and Enterprise Access = Inherited Enterprise Access
- C. Document Type Access = Default Document Type Access and Enterprise Access = XTZ Enterprise
- D. Document Type Access = Default Document Type Access and Enterprise Access = Default Enterprise Access

Answer: A

QUESTION: 95

The current implementation of IBM Sterling Selling and Fulfillment Suite is interfaced with an external system using web services on ESB Server. The external system will send requests to create sales order. The request XML will be put on a JMS Queue and processed by an Integration Server to create sales order. After the order is created, an acknowledgement message will be posted to the JMS Queue and the Integration Server will send the acknowledgement back to the external system. The external system application administrator restarted the ESB server in the middle of acknowledgment

processing. The following error is displayed in the Integration Server log.
javax.xml.ws.WebServiceException: java.net.SocketTimeoutException: Socket operation timed out before it could be completed At the time of this failure, there are 100 orders in the JMS Queue and they are not consumed because of this failure. What should the administrator do to efficiently process those 100 pending orders?

- A. Restart the JMS Server.
- B. Restart the Integration Server.
- C. Restart the Application Server.
- D. Restart the JMS, Application and Integration Servers.
- E. No action is needed. When the external system sends another message (order creation request XML), all the pending messages will be consumed.

Answer: B

QUESTION: 96

What are three valid component types that can be traced using System Management Console?

- A. Event
- B. Agent
- C. Action
- D. Transaction
- E. Health Monitor
- F. Application Console

Answer: B, E, F

QUESTION: 97

As part of testing the deployment of the IBM Sterling Selling and Fulfillment Suite, the YFS_HEARTBEAT table has a high number of entries because of server instance starts causing the system to slow down. Which agent should the developer run to remove the older entries from the YFS_HEARTBEAT table?

- A. Heartbeat agent
- B. Health Monitor agent
- C. Purge Heartbeat agent
- D. Purge Health Monitor agent

Answer: B

QUESTION: 98

In IBM Sterling Selling and Fulfillment Suite, which database table stores the task-based time-triggered transactions?

- A. YFS_TASK
- B. YFS_TASK_H
- C. YFS_TASK_Q
- D. YFS_TASK_REFERENCE
- E. YFS_TASK_STATUS_AUDIT

Answer: C

QUESTION: 99

A developer is testing the IBM Sterling Selling and Fulfillment Suite in development mode. The developer wants to make changes to the table level cache limit and monitor its effect on the deployed application. The testing needs to be done only for a particular session and not on a permanent basis. Where can the developer change the table level cache limit for the session?

- A. dbclassCache.properties
- B. customer_overrides.properties
- C. Table Level Cache List screen in the Applications Manager
- D. Table Level Cache List screen in the System Management Console

Answer: D

QUESTION: 100

A developer wants the Configuration Deployment Tool to detect a conflict based on the expected old value of an attribute of a record from the source database against the current value of the corresponding record in the target database. Which file does the developer need to change?

- A. ydk.xml
- B. dbverify.sh
- C. cdtshell.sh
- D. ydkprefs.xml

Answer: D

QUESTION: 101

What is a valid argument in running install3rdparty script to add the third-party custom JAR files?

- A. ANY
- B. APP
- C. EACH
- D. CUSTOM

Answer: B

QUESTION: 102

A developer has deployed the Sterling Selling and Fulfillment Suite using the Web Sphere Hot Deployment mode. To meet the implementation requirements, the developer created a new UI screen for capturingOrder Details. How can the developer access the new UI screen from within the Application Console?

- A. Restart Websphere.
- B. The JSPs will load dynamically.
- C. Rebuild the entities.jar file and restart Web Sphere.
- D. Rebuild the resources.jar file and restart WebSphere.

Answer: B

QUESTION: 103

In an out-of-the-box implementation of IBM Sterling Selling and Fulfillment Suite, the Application and Agent Servers are running on an AIX Server. Which startup script should be used to start agent servers?

- A. \$INSTALL_DIR/bin/agentserver.sh
- B. \$INSTALL_DIR/bin/triggeragent.sh
- C. \$INSTALL_DIR/bin/startagentserver.sh
- D. \$INSTALL_DIR/bin/startdefaultagent.sh

Answer: A

QUESTION: 104

A customer calls the call-center to initiate a return. However, the customer does not have a sales receipt of the sales order. How can this return order be created in the system?

- A. Create a credit memo.
- B. Create a blind return order.
- C. Issue arefund to the customer.
- D. Create a return with a dummy sales order number.

Answer: B

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!