

IBM

C2070-448

IBM Content Collector (ICC) v2.2

QUESTION: 126

How do you implement the ICC 2.2 components for Filenet P8 Content Based Search to a P8 V4.5.1 repository?

- A. Copy the file ICC_index_push_api.xml from the ICC server's ctms subdirectory to the FileNet_Push_API directory in the styleset directory of the Content Search Engine.
- B. Unpack ICC_FileSystem_PushAPI_2.1_p8cse_4.5.1.zip from ICC installation ctms directory into the styleset directory of the Content Search Engine function of the repository.
- C. Run the installation file (install.exe / install.sh) in the P8 Content Search Engine directory's architecture related subdirectory of the ICC installation media on the machine, where the P8 Content Base Search is installed.
- D. At the end of the style.xml file within the FileNet_Push_API directory in the styleset directory of the Content Search Enginefunction of the repository add the XML tag-line cpreserve xmltag="icc_email" />.

Answer: B

QUESTION: 127

With ICC for FileNet P8, if the object store that you are planning to use for email archiving already has index areas that were configured using a non-ICC style set, then what must occur?

- A. Install a new Verity Collection for the ICC Archive.
- B. Clean up the old index areas before installing ICC.
- C. Use the FileNet Enterprise Manager to create an additional index area.
- D. Use the FileNet Enterprise Manager to assign the new style set to the ICC document classes.

Answer: B

QUESTION: 128

What is the best way to validate the Resource Manager has been correctly deployed?

- A. Ping the Resource Manager server.
- B. Log in to the Resource Manager application.
- C. Confirm application is started in the WebSphere Administration Console.

D. Test with the direct access method, open a browser and enter the Resource Manager Snoop servlet address with the correct port number.

Answer: D

QUESTION: 129

Toconnect to the database management system for the Content Collector configuration database which component(s) need to be present where the IBM Content Collector server is installed?

A. None

B. OLE-DB Only

C. JDBC Drivers Only

D. OLE-DB and JDBC Drivers

Answer: D

QUESTION: 130

After running ICC Initial configuration, you must ensure the windows service running the task routing engine is setup correctly. Which account should be used in an environment intended to archive mails from MS Exchange servers?

- A. Any account with "domain administrator" rights.
- B. Any account with "exchange enterprise administrator" rights.
- C. The system account "network services" with its standard permissions.
- D. A local account with local administrator permissions for the machine running the ICC server.

Answer: B

QUESTION: 131

Which CANNOT be used for measuring ICC archiving throughput?

- A. ICC audit logs
- B. ICC System Dashboard
- C. ICC Performance Monitor counters
- D. ICC Connector logs at "Warning" trace level

Answer: D

QUESTION: 132

An ICC Configuration Database can be restored to previous state by doing what?

- A. Restoring the ICC server from a Windows System Restore Point.
- B. Clicking the Revert button in the ICC Configuration Manager data store connection tab.
- C. Importing an exported configuration database XML file through the ICC Configuration Manager.
- D. Removing and recreating the ICC data store connection through the ICC Configuration Manager.

Answer: C

QUESTION: 133

Where should the style set required for P8 indexing be installed?

- A. On the ICC server.
- B. On a P8 CSE server.
- C. On the Application Manager server.
- D. On the P8 Content Manager server.

Answer: B

QUESTION: 134

What is the default location of the Embedded WebSphere Application Server log files on the ICC server?

- A. %WASHOME%\logs
- B. %IBMAFUROOT%\ctms\log
- C. %IBMAFUROOT%\AFUWeb\logs
- D. %IBMAFUROOT%\AFUWeb\profiles\AFUWeb\logs\afuServer

Answer: D

QUESTION: 135

What is the default ICC trace file location for Lotus Notes mail clientusers on Windows?

- A. The local TMP or TEMP directory.
- B. In the Notes clients local log database (LOG.NSF).
- C. In the local %USERPROFILE%\IBM\ContentCollector directory.
- D. The location specified by the local IBMAFUTRACELOCATION environment variable.

Answer: C

QUESTION: 136

What utility would be used to gather the required version information for Content Collector and components when opening a support request?

- A. Content Collector trace logs
- B. Component Version Report tool
- C. Content Collector version configuration file
- D. Content Collector Configuration Manager version header information

Answer: B

QUESTION: 137

One can view and restore emails from which of the following?

- A. Archived Message files only.
- B. Archived from your mailbox only.
- C. Archived from your mailbox or personal storage file (PST file) only.
- D. Archived from your mailbox, personal storage file (PST file), or the local database only.

Answer: D

QUESTION: 138

For Lotus iNotes an Extension Forms file must exist in theiNotes directory on the Lotus Domino server. What is the name of the file assuming a Domino 8.5.1

environment?

- A. Mail85.ntf
- B. Mail85 x.nsf
- C. Forms85.nsf
- D. Forms85_x.ntf

Answer: C

QUESTION: 139

To enable templates remotely, the ID provided must have what access level to the mail template?

- A. Editor
- B. Owner
- C. Manager
- D. Super User

Answer: C

QUESTION: 140

Only one copy of an email document is stored in the repository regardless if the email source is journal, sent or received, EXCEPT when?

- A. There is no exception.
- B. There are identical attachments.
- C. BCC recipients are included in the email.
- D.The email documents are ingested from multiple email servers.

Answer: C

QUESTION: 141

In the "Metadata Web Application" section, the "User ID" and "Password" settings must match those in which two locations? (Choose two.)

A. derby.properties file

- B. Metadata Form Definition
- C. Metadata Form Template
- D. Metadata Form Connector
- E.Configuration Web Service

Answer: A, D

QUESTION: 142

When archiving Exchange journals, which is a best practice?

- A. Keep the journal mailboxes small.
- B. Use a mailbox scanning task route.
- C. Configure a single, large journal mailbox.
- D. Connect to a journal mailbox on a single Exchange server.

Answer: A

Download Full Version From https://www.certkillers.net

















