



IBM

C2150-537

IBM Tivoli Directory Server V6.3 Implementation

```
==> idslldapsearch -p 636 -D cn=root -w secret -K /home/sslserverkey.kdb -P serverpwd -s base -b "o=sample"
objectclass=*
ldap_ssl_client_init failed! rc == 113, failureReasonCode == 202
Keyring file open error
```

What should the administrator do to correct or learn more about the failure?

- A. enable audit logging
- B. review the ibmslapd.log
- C. change the keyfile password
- D. verify the location and permissions of the keyfile

Answer: D

QUESTION: 168

An IBM Tivoli Directory Server (ITDS) administrator recently configured an ITDS V6.3 server for SSL communication. When an SSL search is performed from the local client using the servers keyfile, this error is observed.

```
==> idslldapsearch -Z -p 636 -D cn=root -w secret -K /home/ssl/serverkey.kdb -s
base -b "o=sample" objectclass=*ldap_ssl_client_init failed! rc == 113,
failureReasonCode == 408Bad keyfilepassword
```

What should the administrator do to correct or learn more about the error?

- A. enable Audit logging
- B. collect a GSKit trace
- C. collect a dynamic ascii server trace
- D. check to see if a keystack file is present in the keyfiles home directory

Answer: D

QUESTION: 169

What are two valid methods for viewing the certificates contained in a CMS keyfile?
(Choose two.)

- A. collect a GSKit trace
- B. use the gskcapiCmd command to list the certificates
- C. open the keyfile with the ikeyman and browse the certificates
- D. use the IBM Tivoli Directory Server Web Administration Tool to browse the certificates
- E. use the IBM Tivoli Directory Server Instance Administration Tool to view the certificates

Answer: B, C

QUESTION: 170

When installing IBM Tivoli Directory Server V6.3 (ITDS) using native installation methods what is the correct order to install ITDS and co-requisite products to prevent failure?

- A. GSKit, DB2, ITDS
- B. ITDS, DB2, GSKit
- C. DB2, ITDS, GSKit
- D. GSKit, ITDS, DB2

Answer: A

QUESTION: 171

On AIX, Linux, and Solaris systems, where are the IBM DB2 install logs located from an IBM Tivoli Directory Server V6.3 ISMP installation of IBM DB2?

- A. /tmp
- B. /var/idsldap/V6.3/
- C. /opt/IBM/ldap/V6.3
- D. <instance home>/idsslapd-<instance name>/logs/

Answer: B

QUESTION: 172

If an error is encountered during an installation of IBM Tivoli Directory Server V6.3, what should be done to learn more about the failure?

- A. review the ldapinst.log
- B. review the idstools.log
- C. review the idsinstall.log
- D. review the ibmslapd.log

Answer: A

QUESTION: 173

An IBM Tivoli Directory Server (ITDS) administrator recently pointed a new application to an ITDS V6.3 server in their development environment. While

running some performance tests, slow response times are identified. What should be collected / reviewed to learn more about the performance issue? (Choose three.)

- A. review the db2cli.log
- B. review the ibmslapd.log
- C. review the lostandfound.log
- D. enable dynamic binary server tracing
- E. enable Performance Auditing and rerun the test
- F. review the ITDS V6.3 Performance Tuning and Capacity planning guide

Answer: B, E, F

QUESTION: 174

What does this IBM Tivoli Directory Server search do? `idsldapsearch -h <hostName>-p <port> -D <adminDN> -w ? -s base -b cn=monitor objectclass=*`

- A. It provides information about the CPU usage.
- B. It provides statistical information about the DB2 database performance.
- C. It provides information on how many monitor threads are currently running.
- D. It provides statistical information about the ITDS server that can be used to monitor performance.

Answer: D

QUESTION: 175

What are three tools / logs used to learn more about the performance of an IBM Tivoli Directory Server V6.3 environment? (Choose three.)

- A. audit.log
- B. db2cli.log
- C. rootDSE search
- D. performance tracing
- E. cn=monitor search
- F. cn=perftune search

Answer: A, D, E

QUESTION: 176

An administrator is using the Configuration Tool to configure an IBM Tivoli Directory Server V6.3 database and the process is interrupted by a segmentation

fault. When the administrator tries to restart the process, this message is displayed: Task is already running. What should be done to correct this?

- A. stop the process and restart the Configuration Tool
- B. manually delete the ~<idsslapd-instance_name> directory
- C. stop the process and restart the instance administration tool
- D. manually delete all of the *.dat and *.stat files in the ~<idsslapd-instance_name>/tmp directory

Answer: D

QUESTION: 177

An error is encountered while running the IBM Tivoli Directory Server V6.3 idscfgdb utility to create and configure an IBM DB2 database. What can be done to learn more about the failure?

- A. review the db2cli.log
- B. review thedb2clcmds.log
- C. collect an ascii server trace
- D. rerun the command with the -d <debug level>

Answer: D

QUESTION: 178

When configuring an IBM Tivoli Directory Server instance, what is the minimum space requirement needed to create and configure the IBM DB2 database?

- A. 1 GB
- B. 40 MB
- C. 80 MB
- D. 320 MB

Answer: C

QUESTION: 179

Which operating system requires tuning kernel parameters to configure IBM Tivoli Directory Server V6.3?

- A. Solaris 10
- B. IBM AIX V5.3

- C. IBM AIX V6.1
- D. Windows Server 2003

Answer: A

QUESTION: 180

A customer is looking to export data in LDIF format. The LDIF data is only to include the entries of objectclass inetOrgPerson, in the o=acme subtree. There should be about 1000 entries. Which utility will accomplish this?

- A. db2dump
- B. idsexport
- C. idsdb2ldif
- D. idsldapsearch

Answer: D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!