

IBM

C2180-376

IBM WebSphere MQ V7.0, Solution Design

QUESTION: 90

The use of Shared Queues on z/OS provides which of the following high availability benefits that are not available on distributed platforms?

- A. Aplatform-based failover capability to provide access to queue data for processing.
- B. The ability to have another queue manager process messages in the event a primary queue manager fails.
- C. Workload balancing to allow for multiple MQ Enabled applications to process messages in a dual production lane configuration.
- D. In the event of a queue manager failure, the ability of one of its peers to provide uninterrupted service to the queues that the failed queue manager had been processing.

Answer: D

QUESTION: 91

A solution designer is looking to implement a highly available WebSphere MQ solution. In the event of a queue manager failure, there is a requirement for several backup queue managers to get and process the messages from the primary input queue thatwas being processed by the failed queue manager. Considering the advances in high availability options (e.g. HACMP, WebSphere MQ clustering), which of the following deployment options is most valid?

A. z/OS

B. z/OS, AIX

C. z/OS, AIX, Windows

D. z/OS, AIX, Windows, Red Hat Enterprise Linux

Answer: A

QUESTION: 92

Which of the following contains the best mix of items to utilize in a queue name?

- A. Application Identifier, Function
- B. Queue Purpose, Object Type, Function
- C. Application Identifier, Environment Identifier, Location
- D. Environment Identifier, Object Type, Application Identifier

Answer: A

QUESTION: 93

A company is using WebSphere MQ V7 publish/subscribe to publish status information about an application on the topic string ustomer/status? A company is using WebSphere MQ V7 publish/subscribe to publish status information about an application on the topic string ?ustomer/status? A new MQI application wants to subscribe to the status information, but is only interested in the information when the status is navailable? TheA new MQI application wants to subscribe to the status information, but is only interested in the information when the status is available The solution designer is evaluating ways to design the solution so that the application onlyreceives a subscription when the status is available solution designer is evaluating ways to design the solution so that the application only receives a subscription when the status is available. The company does not mind writing additional code as long asit does not impact existing subscribers, but they do not want to change the topic. Which set of product(s) can provide the needed publish/subscribe function using the least components?

- A. WebSphere MQ V7.0
- B. WebSphere MQ V7.0 with WebSphere MessageBroker
- C. WebSphere MQ V7.0 with the WebSphere MQ Explorer Publish/Subscribe plug-in SupportPac
- D. WebSphere MQ V7.0 with WebSphere Message Broker and the WebSphere MQ Explorer Publish/Subscribe plug-in SupportPac

Answer: A

QUESTION: 94

A designer isasked to explain the scope of message encryption provided by the SSL support in WebSphere MQ. Which of the following is the most accurate?

- A. Messages are encrypted by the sending channel agent and decrypted by the receiving channel agent
- B. Messages are encrypted when they are put on the transmission queue and decrypted by the receiving channel agent
- C. Messages are encrypted from the time they are put by the application, up to when they are retrieved by the receiving application program's MQGET call.
- D. The time when messages are encrypted and decrypted is variable, and is controlled by both QMGR and CHANNEL attributes.

Answer: A

OUESTION: 95

There is concern about the security of an application data, so the solution designer is

asked to explain what protection is available from SecureThere is concern about the security of an application? data, so the solution designer is asked to explain what protection is available from Secure Sockets Layer (SSL). Which of the following best describes the SSL supportin base WebSphere MQ?

- A. confidentiality (data encryption)
- B. authentication and confidentiality (data encryption)
- C. authentication, confidentiality (data encryption) and integrity
- D. authentication, confidentiality (data encryption), integrity and non-repudiation

Answer: C

QUESTION: 96

A company utilizes virtualization technologies and frequently moves workloads between servers and data centers. A WebSphere MQ solution designer is attempting to plan the MQ naming standards, and wants to provide for the greatest level of architectural flexibility and portability. Which of the following is NOT a recommended best practice to meet these goals?

- A. Use alias queues and/or model queues with the application configuration.
- B. Use a configuration file for the application which contains the environment specific queue names.
- C. Use generic names for MQ objects inside applications to avoid hard-coding the actual names.
- D. Use full uppercase for all objects and avoid forward slash (/) and percent (%) special characters, to prevent portability issues.

Answer: B

QUESTION: 97

In order from the most to the least flexible, which is the correct integration styles in terms of flexibility and reuse?

- A. Direct connectivity, message queuing, message brokering
- B. Messagebrokering, direct connectivity, message queuing
- C. Message brokering, message queuing, direct connectivity
- D. Message queuing, message brokering, direct connectivity

Answer: C

Download Full Version From https://www.certkillers.net

















