



IBM

C4090-451

IBM Midrange Storage Technical Support V3

QUESTION: 142

During a customer meeting to plan the installation for two Storwize V7000 Unified systems, the customer details the following requirements. Which solution could potentially cause a problem at installation time unless corrected?

- A. The customer would like to use the iSCSI host port interface on the Storwize V7000 to provide block based storage to a community of Windows 2008 R2 servers
- B. The spare Fibre Channel host ports on the Storwize V7000 will be directly connected to a SAN6B-R protocol router for block based replication to a remote site.
- C. The 1Gb Ethernet interface will be used for customer data and the management of the Storwize V7000 Unified system. The customer data and the management of the system must be on separate VLANS.
- D. The 10Gb Ethernet will only be used for customer data and is to be the preferred environment for file replication to a remote site. There are Active directory servers at both sites and services for Unix will be required.

Answer: C

QUESTION: 143

An IBM Business Partner is proposing a Storwize V7000 as part of a solution to their customer. The customer is not currently an IBM Storwize V7000 user. Who is responsible for starting a Technical and Delivery Assessment (TDA) review process?

- A. The customer
- B. The IBM distributor
- C. The IBM Business Partner
- D. The IBM sales representative

Answer: C

QUESTION: 144

A customer just purchased a Storwize V7000 and wants to upgrade their warranty. What is the best standard warranty available for the customer?

- A. 9x5 with 4 hour response
- B. 24x7 with 4 hour response

- C. 24x7 with 2 hour response
- D. 24x7 with 1 hour response

Answer: C

QUESTION: 145

A customer has a Storwize V7000 with nine expansion enclosures, each with 24 drives. Given this configuration, what is the maximum number of drives that can be added to fully configure the cluster?

- A. 240
- B. 480
- C. 720
- D. 960

Answer: C

QUESTION: 146

A customer has a Storwize V7000 with a single drive type installed. A question has been raised as to whether SSDs would alleviate an ongoing application issue. What is the IBM recommended tool to answer this question?

- A. Disk Magic
- B. Heat Log Output
- C. Storage Tier Advisor
- D. Storwize V7000 I/O Statistics

Answer: C

QUESTION: 147

What is the default RAID configuration for a Storwize V7000 using 3 TB drives?

- A. RAID0
- B. RAID 5
- C. RAID 6
- D. RAID 10

Answer: C

QUESTION: 148

What GUI-based system management tool is used to manage N series storage subsystems and N series system objects?

- A. OnCommand
- B. AutoSupport
- C. SnapManager Suite
- D. Tivoli Storage Manager

Answer: A

QUESTION: 149

A customer wants a new Storwize V7000 with 15 TB usable storage in one chassis. They need 10 Gbit iSCSI and do not want to use any 7200 rpm drives. What configuration should be recommended?

- A. 2076-212 with 3 TB drives
- B. 2076-112 with 1 TB drives
- C. 2076-324 with 900 GB drives
- D. 2076-124 with 900 GB drives

Answer: C

QUESTION: 150

The technical specialist is assisting a customer during the setup and configuration of two Storwize V7000 systems in a replicated configuration. As part of this setup, the customer wants to discover and add non-IBM storage to the Storwize V7000 as a managed disk. What is the best tool to assist in this process?

- A. Disk Magic
- B. Storage Tiering Advisor
- C. Tivoli Storage Productivity Center Select
- D. Tivoli Storage Productivity Center for Replication

Answer: C

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!