



IBM

C4090-958

Enterprise Storage Technical Support V3

QUESTION: 138

A customer requires consolidated problem reporting capability for multiple TS3500 Tape Libraries, Which of the following would provide this capability?

- A. Implement a IBM TS3000 System Console (TSSC)
- B. Attach a modem to each TS3500 to a single phone line
- C. Configure connectivity to a Hardware Management Console (HMO)
- D. Modify a Machine Reported Product Data (MRPD) file and distribute to all TS3500 libraries

Answer: D

QUESTION: 139

A customer who has a mixed block and file storage environment and a combination of IBM and other vendor storage arrays has requested the following from a technical specialist 1 provide current capacity reporting and prediction 2, provide data placement policy recommendations 3 make technology recommendations based on the information provided by 1 and 2. Which tool will help the technical specialist gather the information necessary to make the recommendations in part 3?

- A. IBM Director
- B. Capacity Magic
- C. Tivoli Storage Productivity Center
- D. Disk Magic

Answer: C

QUESTION: 140

Which IBM enterprise storage solution offers a tape based tier option when used with a Tivoli Storage Manager (TSM) server, called HSM (Hierarchical Storage Manager), and will allow the file system to be extended to TSM managed tape devices?

- A. SONAS
- B. Storwize V7000
- C. SVC Easy Tier
- D. N7950T Gateway

Answer: D

QUESTION: 141

A customer is planning to consolidate several medium-sized data centers into a completely new data center. The customer has complained about all of the cabling needed for the SAN and LAN, and the technical specialist has been asked about simplifying the infrastructure. Which technology should the technical specialist discuss?

- A. FCoE
- B. SCSI
- C. FCIP
- D. IEEE 802.1.15

Answer: A

QUESTION: 142

A customer is considering the purchase of two IBM XIV Gen 3 systems for their storage and disaster recovery requirements. The customer does not have Fibre Channel between their data centers. The customer would like to know if replication can be done between the two IBM XIV systems. If it can, what protocol would be used?

- A. IBM XIV Gen 3 systems only have Fibre Channel connectivity for host communication
- B. The customer will have to purchase Fibre Channel switches for replication
- C. IBM XIV Gen 3 systems can use iSCSI connections to setup replication
- D. Multi-Protocol routers are required for all types of replication and host connectivity

Answer: C

QUESTION: 143

Which DS8870 Technical and Delivery Assessment (TDA) must be performed for a customer that has a DS8870 system already installed in the same location?

- A. pre-sale TDA
- B. post-sale TDA
- C. pre-install TDA

D. DA is not required

Answer: B

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!