

IBM

C9060-528 Exam

IBM Spectrum Protect V8.1 Administration Exam

Thank you for Downloading C9060-528 exam PDF Demo

You can Buy Latest C9060-528 Full Version Download

https://www.certkillers.net/Exam/C9060-528

Answer: A

	Version: 10.0
Question: 1	
What are three required settings to conf	igure server-to-server communication? (Choose three.)
A. SET SERVERHLADDRESS B. SET LLAADRESS C. SET SERVERNAME D. SET CONFIGMANAGER ON E. SET CROSSSERVER ON F. SET SERVERPASSWORD	
	Answer: A,C,F
Specify that cross defining is allowed. set servername server_b set serverpassword mylife set serverhladdress 9.115.20.80 set serverlladdress 1860 set crossdefine on References:	and SERVER_B. password, and high- and low-level addresses of SERVER_B. gecenter/en/SSEQVQ_8.1.2/srv.reference/r_cmd_server_de
Question: 2	
Which statement is true regarding sched in IBM Spectrum Protect?	luling a reclamation process without impacting client backup
A. Reclamation should be allowed to hap B. Reclamation should be scheduled to s before client backups start.	open only by the automatic threshold. start after client backups finish utilizing a duration that ends

Explanation:

Volume reclamation occurs when the reclamation threshold for the container-copy storage pool is less than 100%. However, onsite volumes are not a candidate for reclamation until they are 75% full.

C. Reclamation is only scheduled through an administrative script.D. Reclamation can only be scheduled through the Operations Center.

References: http://www-01.ibm.com/support/docview.wss?uid=swg270	048653
Question: 3	
Which statement is true regarding an administrative with node owner au	uthority?
A. Only one administrator can have owner authority of a node.B. They cannot log on locally to the backup-archive client.C. REVOKEREMOTEACCESS prevents access through the web backup-archive can access node data from another node.	hive client.
- -	Answer: A
Explanation: Owner: Specifies that you want to grant client owner authority to a class. A user with client owner authority can access a web backup-arc client interface and also access their data from another client using the References: http://publib.boulder.ibm.com/tiv01/en_US/HTML/a454r142.htm	chive client through the web NODENAME parameter.
Question: 4	
An administrator has client owner authority and needs to delete previous node without accessing the IBM Spectrum Protect server. What must ha	
A. The administrator must delete the filespaces.B. The administrator must be granted system authority.C. Backup deletion must be enabled for the node.D. The administrator must expire the backup data.	
	Answer: B
Explanation: The delete backup command deletes files, images, and virtual machines Spectrum Protect server storage. Your administrator must give you author References: https://www.ibm.com/support/knowledgecenter/en/SSEQVQ_8.1.2/clie	ority to delete objects.
Question: 5	

When should Node Replication be scheduled to run?

- A. when the database backup is running
- B. when no restore clients are running
- C. when no other Admin processes are running
- D. when backup-archive clients are running


Answer: C

Explanation:

Ensure that you are running node replication after client backup.

Complete data deduplication processing before replication processing. Schedule compression after replication.

Figure. Daily schedule when data deduplication and node replication are used



References:

https://www.ibm.com/support/knowledgecenter/SSEQVQ_8.1.0/perf/t_srv_sched_deduprep

Question: 6

The dsmerror.log states that a file is in use by another process and cannot be backed up. Which

backup policy attribute should be exar	mined to determine the cri	iteria that are used for a	а піе раскир?
A. mode			

B. serialization

C. absolute

D. frequency

Answer: A

Explanation:

MODE, SERialization, FREQuency are backup policy parameters settings, which do not apply to Data Protection for SQL Server.

References:

https://www.ibm.com/support/knowledgecenter/en/SSERBW_8.1.0/mail.exc/r_dpexc_recommend _policy_settings

Question: 7

Which command sets the randomization setting in order that clients are assigned start times that are randomly scattered across the first half of each startup window?

A. SET SCHEDRANDOMIZE 50

B. UPDATE RANDOMIZE 50

C. SET SCHEDULE RANDOMIZE 50

D. SET RANDOMIZE 50

Answer: D

Explanation:

Use the SET RANDOMIZE command to set randomized start times within the startup window of each schedule for clients by using the client-polling scheduling mode.

Syntax

Read syntax diagramSkip visual syntax diagram

>>-Set RANDomize--percent-

References:

https://www.ibm.com/support/knowledgecenter/en/SSGSG7_7.1.6/srv.reference/r_cmd_randomize _set

Question: 8

What is the purpose of IBM Spectrum Protect for Databases?

- A. protects offline a range of application data by securing the underlying database management systems that contain that data
- B. protects a range of application data by securing the underlying database management systems that contain that data
- C. online backup support for IBM Informix database

D. online backup support for IBM DB2 database	
-	Answer: B
Explanation: IBM Spectrum Protect for Databases (formerly IBM Tivoli Storage Maprotect Oracle and Microsoft SQL data no matter where it is stored primary applications on your database servers while they back up; an offline storage using automated tasks, utilities and interfaces. This consistent and centralized backups to help you avoid downtime, proteminimize operational costs.	 You can continue running nd restore data to and from s software performs online,
Question: 9	
Which backup-archive client host operating system requires the use of a	dsm.sys file?
A. UNIX/Linux B. Microsoft Windows workstation system C. any server in a Microsoft Windows cluster D. Microsoft Windows server 2008	
(9)	Answer: A
Explanation: Configure the IBM Spectrum Protect client After installing the backup-archive client, you must configure it before per The following applies to AIX, Linux, Solaris, and Mac OS X. If you are upgrading the backup-archive client, it is unnecessary to reclient, or other configuration settings. If the dsm.opt and dsm.sys files installation are available in the default installation directory or the direct DSM_CONFIG and DSM_DIR environment variables, the client accesses information. References: https://www.ibm.com/support/knowledgecenter/en/SSEQV	configure the scheduler, web s used by the previous client ctory or file pointed to by the s these files for configuration
Question: 10	
How is the amount of client data backed up during the last 24 hours dete	ermined?
A. run QUERY SUMMARY BEGIND= -1 administrative command B. use the command line builder within the Operations Center and run C C. look at the Activity pane the IBM Spectrum Protect Operations Center D. from the administrative command line run QUERY OCCUPANCY -ALL	
-	Answer: D
-	

Explanation:

QUERY OCCUPANCY (Query client file spaces in storage pools)

Use this command to show where client file spaces are stored and how much space they occupy.

Question: 11

Which file is used to add a system-wide client option on an IBM Spectrum Protect client in a Windows environment?

- A. dsmsys.opt
- B. dsm.sys
- C. dsmopt.sys
- D. dsm.opt

Answer: D

Explanation:

Use the SET SUBFILE (Set subfile backup for client nodes) command to set up the server to allow clients to back up subfiles. On the client's workstation, the SUBFILECACHEPATH and SUBFILECACHESIZE options must be specified in the client's options file (dsm.opt). If you are using a Windows client, you must also specify the SUBFILEBACKUP option.

References: IBM Spectrum Protect for Windows Version 8.1.0, Administrator's Reference, p 1279

Question: 12

Which XML file is generated when the IBM Spectrum Protect client management services is successfully installed?

- A. CMS-client-configuration.xml
- B. TSM-client-configuration.xml
- C. client-configuration.xml
- D. SpectrumProtect-client-configuration.xml

Answer: C

Explanation:

You can use the CmsConfig discover command to automatically discover options files and log files, and add them to the client configuration file, client-configuration.xml. In this way, you can help to ensure that the client management service can access the client log files and make them available for diagnosis in the Operations Center.

References:

https://www.ibm.com/support/knowledgecenter/SSEQVQ_8.1.0/srv.install/r_oc_inst_cms_config_discover

Question: 13

What is the purpose of POSTSCHEDULECMD option is the IBM Spectrum Protect backup-archive client option file?

- A. specifies the number of times the schedule needs to be run after a first successful completion
- B. specifies a command that the client program processes after it runs any schedule
- C. specifies any delay in seconds of the scheduled action
- D. specifies the command to run for stopping the scheduler service if it receives an error

Explanation:

The postschedulecmd/postnschedulecmd option specifies a command that the client program processes after it runs a schedule.

If you want the client program to wait for the command to complete before it continues with other processing, use the postschedulecmd option. If you do not want to wait for the command to complete before the client continues with other processing, specify the postnschedulecmd.

References: IBM Spectrum Protect for Windows Backup-Archive Clients: Installation and User's Guide, Version 8.1.0, p 464

Thank You for trying C9060-528 PDF Demo

To Buy Latest C9060-528 Full Version Download visit link below

https://www.certkillers.net/Exam/C9060-528

Start Your C9060-528 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your C9060-528 preparation with actual exam questions.