

## Thank you for Downloading C9550-273 exam PDF Demo

## You can Buy Latest C9550-273 Full Version Download

https://www.certkillers.net/Exam/C9550-273

https://www.certkillers.net

### Version: 8.0

#### Question: 1

An integration developer is implementing a query table to provide flexibility and performance in an integration solution

Refer to the exhibit:

TA (1	(ASK)	2		IPPLOCALE-'S	lefault'	TAE	(TASK_DESC)	0
TKIID ACTIVATEL APPLIC_DE		S_ID	1			PI (PRC	DCESS_INSTANCE)	00
BUSINESS_ COMPLETE CONTAINM	D IENT_C	TX_ID						
CTX_AUTH DUE EXPIDES STATE	=STATE	E_READ	• 			-09	<u>z</u>	(7
DUE	=STATE	E_READ	MYTASK	PROCESS_ID	PROCESS_NAME	WLREASON	<u>}</u>	(1
DUE EYDIDES	=STATE MYCO ID	E_READ	MYTASK	PROCESS_ID PI	PROCESS_NAME PI	WLREASON		Q
DUE EXPIDES STATE	=STATE MYCO ID	E_READ MPANI NAME TA	MYTASK DESCRIPTION TAD	PI		WEREASON	<b>→</b>	Q

What should the integration developer consider when implementing this solution?

A. TA (TASK) table is an attached query table.

B. MYCOMPANY.MYTASK is the primary query table.

C. Queries using this query table will return task instances even if they are not associated with a process instance.

D. The query table definition file that is installed with the product needs to be customized by using predefined tables in the Business Process Choreographer database schema.

Answer: C

#### Question: 2

An integration developer needs to ensure that instances of a BPEL process are only started by administrative users.

What does the integration developer need to do to meet this requirement?

A. Use an administration task in the BPEL process and assign the Administrator role to those users.B. Use an administration task in the BPEL process and assign the Potential Starters role to those users.

C. Use an inline invocation task in each initiating receive operation and assign the Potential Owners

## https://www.certkillers.net

role to those users.

D. Use an inline invocation task in each initiating receive operation and assign the Potential Starters role to those users.

Answer: D

#### Question: 3

An integration developer needs to implement escalations for tasks that are not completed on time in an integration solution.

Subtask started	
	Subtask started

Which behavior can the integration developer expect with the above implementation?

- A. Escalation 2 will not be thrown if Escalation 1 executes.
- B. Escalation 2 is thrown when the task moves to claimed state.
- C. If Escalation 2 is thrown, it will occur before Escalation 1 is thrown.
- D. If Escalation 1 is thrown, it will occur before Escalation 2 is thrown.
- E. Escalation 1 is thrown when the task does not move to claimed state within the specified duration.

Answer: D, E

#### **Question: 4**

An integration developer is planning to create a business process for a customer that will support their hiring procedures. There is a requirement for the business process to allow hiring managers to review submitted resumes before making any personnel decisions. The hiring manager must also be allowed to send resumes to other managers and to collect all of the recommendations before making a final decision. The integration developer has decided to use BPEL for the process implementation along with a human task for the manager reviews.

What approach should the integration developer take while implementing the human tasks?

A. subtasks, but avoid the auto-deletions settings because they are not supported for subtasks.

B. subtasks, and define escalations only for the parent task because the subtasks cannot have their own escalations.

C. follow-on tasks, and ensure that the output message types of each of the follow-on tasks is identical to that of the parent task.

D. follow-on tasks, but avoid taking steps to delete the task because follow-on tasks are automatically deleted when their parent task is deleted.

## https://www.certkillers.net

Answer: A

#### **Question: 5**

An integration developer needs to implement a human task in an integration solution. If reusability is a priority, then the integration developer should develop:

A. a collaboration task, since it can be a parent task.

B. an administration task, since it is a reusable activity.

C. a to-do task, since it has access to the process context.

D. an invocation task, since it can be attached to a process.

Answer: A

CertKillers.net

## Thank You for trying C9550-273 PDF Demo

To Buy Latest C9550-273 Full Version Download visit link below

https://www.certkillers.net/Exam/C9550-273

# Start Your C9550-273 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your C9550-273 preparation with actual exam questions.