

GAQM

CLSSBB-001 Exam

GAQM Certified Lean Six Sigma Black Belt (CLSSBB) Exam

Thank you for Downloading CLSSBB-001 exam PDF Demo

You can Buy Latest CLSSBB-001 Full Version Download

https://www.certkillers.net/Exam/CLSSBB-001

Version: 4.0

Question: 1	
A is used primarily to track the stability of the average	value of a metric of interest.
A. NP Chart	
B. Xbar-R Chart	
C. I-MR Chart	
D. C Chart	
	Answer: B
	Allowerib
Question: 2	
For her injection molding project a Belt needed to track the percenta	age of defectives of a particular
sample set so she used a to display the data?	-80 c. de.com.co c. a par.com.
assipa,	
A. Individual Chart	
B. C Chart	
C. Xbar Chart	
D. P Chart	
	Answer: D
Question: 3	
- Questioni s	
Which of these graphs demonstrates conditions which would be suff	ficient to enable OCAP for the
process?	Telefit to chable och i for the
process:	
A. Xbar Chart	
B. Time Series Chart	
C. Neither	
D. Both	
	Answer: A
Question: /	

Control Charts were developed by Dr. Shewhart to track data over time. To detect Special Cause variation the Control Charts use which of these?

A. Data shift analysisB. Outlier analysis methods		
C. Center Line and Control Li	imits	
D. None of the above		
		Answer: C
Question: 5	_	
	_	
Common and	Cause Variation are the focus of Statistica	l Process Control.
A. Uncommon		
B. Ordinary		
C. Special		
D. Selective		
	_	X
		Answer: C
Question: 6	_	
Special Cause Variation falls	into which two categories?	
A. Natural & Unnatural		
B. Short Term & Long Term		
C. Assignable & Pattern		
D. Attribute & Discreet		
D. Attribute & Discrete		
		Answer: C
	_	
Question: 7	-)	
Question. 7		
Range Charts are the technic	que used to determine if Special Causes are o	occurring within the
subgroups of the		couring within the
O		
A. Histograms		
B. SPC Charts		
C. NP Charts		
D. Pareto Charts		
	_	Answer: B
	_	Allswell D
Question: 8	_	
LILIDOTTON'Y		

If the production is for higher volume and monitoring and the Mean and variability is to be monitored for four machines producing product and the characteristic to be monitored is Variable

Data, which SPC Chart is best to be selected?	
A. Xbar-R Chart B. Individual-MR Chart C. NP Chart D. CUSUM Chart	
	Answer: A
Question: 9	
When a Belt Poka-Yoke's a defect out of the process entirely the robust SPC system on the characteristic of interest in the defect A. True B. False	•
	Answer: B
Question: 10	
Following the completion of a LSS project the Belt not only crea so those involved in the process know what to out of spec.	•
A. Response Plan B. Call List C. Chain-of-Command D. Defect Analysis Plan	
	Answer: A

Thank You for trying CLSSBB-001 PDF Demo

To Buy Latest CLSSBB-001 Full Version Download visit link below

https://www.certkillers.net/Exam/CLSSBB-001

Start Your CLSSBB-001 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your CLSSBB-001 preparation with actual exam questions.