



SAP

C_HANAIMP_16 Exam

**SAP Certified Technology Associate - SAP HANA 2.0 SPS04
Exam**

Thank you for Downloading C_HANAIMP_16 exam PDF Demo

You can Buy Latest C_HANAIMP_16 Full Version Download

https://www.certkillers.net/Exam/C_HANAIMP_16

<https://www.certkillers.net>

Version: 4.0

Question: 1

You have a cube calculation view that consumes a dimension view. You suspect some dimension columns have been renamed in the cube calculation view. Which function of SAP WebIDE for SAP HANA do you use to check where the output columns originate from?

- A. Show lineage
- B. Database Explorer
- C. Where used
- D. Auto-map by name

Answer: A

Question: 2

When using the CONTAINS predicate, what are the restrictions you must you keep in mind? Note: There are 2 correct answers to this question.

- A. Non-physical columns, such as calculated columns, are not search-relevant.
- B. The NOT (-) operator can only be specified directly after the OR operator.
- C. Wild cards * and ? are supported for text columns but not string columns.
- D. If several tables are joined, all columns mentioned in the CONTAINS predicate must come from only one of the tables.

Answer: AC

Question: 3

What do you use in the definition of a dynamic SQL analytic privilege?

- A. A procedure that returns the data access condition as an SQL expression.
- B. A table function that returns a list of allowed values.
- C. An organization hierarchy that provides role-based access to data.
- D. A scalar function that returns a list of the allowed values for each attribute.

Answer: B

Question: 4

Which of the following are usually no longer required in the architecture of SAP S/4HANA? Note: There are 2 correct answers to this question.

- A. Aggregates
- B. ABAPCDS
- C. Synonyms
- D. Indexes

Answer: C

Question: 5

In SAP Web IDE for SAP HANA, what can a flowgraph generate in a predictive analysis scenario?
 Note: There are 2 correct answers to this question.

- A. Function
- B. Container
- C. Procedure
- D. Task

Answer: CD

A calculation view includes a rank node that uses the source data and settings shown in the graphic. Your query requests all columns of the rank node. How many rows are in the output of your query?

Data Source for Rank Node:

COUNTRY	DIVISION	COMPANY	AMOUNT
US	X	A	10
US	X	B	12
US	X	C	13
US	P	D	16
US	P	E	14
US	P	F	18
DE	X	B	5
DE	X	C	19
DE	X	D	13
CA	X	A	20
CA	X	B	21
CA	X	D	4
CA	P	E	2

Rank Node Settings:

Aggregation Function: **Row**
Result Set Direction: **Top**
Result Set Type: **Absolute**
Target Value: **Fixed (2)**
Offset: **Fixed (0)**

Partition Columns: **COUNTRY
DIVISION**

- A. 6
- B. 9
- C. 2
- D. 5

Answer: B

CertKillers.net

Thank You for trying C_HANAIMP_16 PDF Demo

To Buy Latest C_HANAIMP_16 Full Version Download visit link below

https://www.certkillers.net/Exam/C_HANAIMP_16

**Start Your C_HANAIMP_16
Preparation**

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your C_HANAIMP_16 preparation with actual exam questions.

<https://www.certkillers.net>