# SAP

## C\_HCDEV\_01 Exam

### **Certified Development Associate - SAP HANA Cloud 1.0**



## Thank you for Downloading C\_HCDEV\_01 exam PDF Demo

## You can Buy Latest C\_HCDEV\_01 Full Version Download

https://www.certkillers.net/Exam/C\_HCDEV\_01

## Version: 4.0

#### Question: 1

You are asked to develop a UI application that can be used by a global audience. Which UI5 features can support this requirement? Note: There are 3 correct answers to this question.

- A. Role-based app experience
- B. Easy adoption for different devices
- C. Translation and internationalization
- D. Extensibility concepts at code and application level
- E. High contrast theme to aid visually impaired users

Answer: C, D, E

#### Question: 2

Which aspect of model reuse can you use to add both Created by/Created at and Changed by/Changed as information for records?

- A. managed
- B. temporal
- C. localized
- D. cuid

Answer: A

#### **Question: 3**

In the Run Configurations view, you can see the available dependencies as defined in the package.json file.To which of the following can you bind or unbind these dependencies? Note: There are 3 correct answers to this question.

- A. User-provided service
- B. SAP HANA Cloud database
- C. Local database
- D. External OData service
- E. SAP Job Scheduling service

Answer: B, C, D

Question: 4

Which package can you use to read bound services?

A. @sap/xsenv

- B. @sap/xssec
- C. @sap/hdi
- D. @sap/hdbext

Answer: A

#### **Question: 5**

How do you define an entity for a business application that supports multiple languages dynamically? Note: There are 2 correct answers to this question.

A. The entity attributes that need to support multiple languages need to be marked with a special keyword called localized.

B. A text table gets created for each entity that has attributes defined as localized.

C. The entity that needs to support multiple languages needs to be marked with a special keyword called localized.

D. A text table gets created for each entity attribute that is defined as localized.

Answer: A, B

#### Question: 6

You want to implement an event handler to show a console log once a supplier record is read. What is the correct syntax to implement this?

A. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, row =>{ console.log(`Read Supplier: \${row.ID}`)})})

B. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.after('each',Supplier, row =>{ output.log(`Read Supplier: \${row.ID}`)})}

C. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities()this.on('each',Supplier, row =>{ output.log(`Read Supplier: \${row.ID}`)})}

D. const cds = require('@sap/cds')module.exports = cds.service.impl(function () { const {Supplier} = this.entities() this.on('each',Supplier, row =>{ console.log(`Read Supplier: \${row.ID}`) })}

Answer: C

#### **Question: 7**

What can you use to register the JavaScript implementation of an event handler for external services to the framework?

A. An inline function passed to result of cds.serve()

- B. An @impl annotation in your CDS model file
- C. A .js file with the same name as the .cds file
- D. An inline function passed to result of cds.connect()

Answer: D

#### Question: 8

Which file in a Multi-Target Application (MTA) project contains the plugin name and version of every supported file suffix?

A. .hdbsynonymconfig

B. .hdbprojectiononviewconfig

C. .hdiconfig

D. .hdinamespace

Answer: C

#### **Question: 9**

Which request headers values are passed when the scheduler invokes the endpoint? Note: There are 2 correct answers to this question.

- A. req.headers.connection
- B. x-sap-job-id
- C. req.headers.authorization
- D. x-sap-job-schedule-id

Answer: B, D

#### **Question: 10**

What are some best practices for Domain Modeling? Note: There are 3 correct answers to this question.

- A. Use plural form for types.
- B. Start elements with lowercase letters.
- C. Start entity and type name with lowercase letters.
- D. Use plural form for entities.
- E. Start entity and type name with uppercase letters.

Answer: B, C, D

## Thank You for trying C\_HCDEV\_01 PDF Demo

# To try our C\_HCDEV\_01 Full Version Download visit link below

https://www.certkillers.net/Exam/C\_HCDEV\_01

# Start Your C\_HCDEV\_01 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your C\_HCDEV\_01 preparation with actual exam questions.