Salesforce

DEX-450 Exam

Build Applications Programmatically on the Salesforce Platform



Thank you for Downloading DEX-450 exam PDF Demo

You can buy Latest DEX-450 Full Version Download

https://www.certkillers.net/Exam/DEX-450

Version: 30.0

Question: 1	
Universal Containers wants to back up all of the data and attachments in its Which approach should a developer use to meet this requirement?	Salesforce org once month.
A. Use the Data Loader command line.	
B. Create a Schedulable Apex class.	
C. Schedule a report.	
D. Define a Data Export scheduled job.	
	Answer: D
Explanation:	
Scheduling a Data Export job is the best way to back up all the data and atta once a month. The Data Export job can be scheduled to run at a certain freq backed up on a regular basis. This makes it easy to restore the data in case o	uency so that the data can be
Question: 2	
What can be used to override the Account's standard Edit button for Lightni	ng Experience?
A. Lightning action	
B. Lightning component	
C. Lightning page	
D. Lightning flow	
	Answer: B
Explanation:	
A Lightning Component can be used to override the Account's standard Edit Experience. This allows the developer to create a custom page with custom functionality that can be used instead of the standard Edit page. It also allow navigation and buttons to make the user experience more intuitive and efficience: https://trailhead.salesforce.com/en/content/learn/projects/quiccomponents	fields and custom vs for the creation of custom cient.
Question: 3	

When using SalesforceDX, what does a developer need to enable to create and manage scratch orgs?

- A. Production
- B. Dev Hub
- C. Environment Hub
- D. Sandbox

Answer: B

Explanation:

https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev.meta/sfdx_dev/sfdx_dev_scratch_orgs.htm

When using SalesforceDX, a developer needs to enable Dev Hub in order to create and manage scratch orgs. A Dev Hub is a special type of org used by developers to store source code and other development-related artifacts. It is also used to create and manage scratch orgs, which are temporary orgs used for development and testing. Reference: https://developer.salesforce.com/docs/atlas.en-us.sfdx_dev/sfdx_dev_intro.htm

Question: 4

Refer to the following code snippet for an environment that has more than 200 Accounts belonging to the Technology' industry:

```
for(Account thisAccount : [Select Id, Industry FROM Account LIMIT 250]) {
   if(thisAccount.Industry == 'Technology') {
      thisAccount.Is_Tech__c = true;
   }
   update thisAccount;
}
```

which three statements are accurate about debug logs? Choose 3 answers

- A. Debug log levels are cumulative, where FINE log level includes all events logged at the DEBUG, INFO, WARN, and ERROR levels.
- B. The maximum size of a debug log is 5 MB.
- C. Only the 20 most recent debug logs for a user are kept.
- D. Debug logs can be set for specific users, classes, and triggers.
- E. System debug logs are retained for 24 hours.

Answer:	C, D, E
---------	---------

Question: 5

Questions & Answers PDF

Universal Containers implemented a private sharing model for the Account object. A custom Account search tool was developed with Apex to help sales representatives find accounts that match multiple criteria they specify. Since its release, users of the tool report they can see Accounts they do not own. What should the developer use to enforce sharing permission for the currently logged-in user while using the custom search tool?

- A. Use the schema describe calls to determine if the logged-in users has access to the Account object.
- B. Use the without sharing keyword on the class declaration.
- C. Use the UserInfo Apex class to filter all SOQL queries to returned records owned by the logged-in user.
- D. Use the with sharing keyword on the class declaration.

	Answer: D

Explanation:

Use the with sharing keyword on the class declaration. The with sharing keyword ensures that the Apex code respects the object-level, field-level, and record-level sharing settings for the user who is running the Apex code. This means that the code will only return records that the user has access to, according to their Sharing Settings. You can find more information about the with sharing keyword in the official Salesforce documentation (https://developer.salesforce.com/docs/atlas.en- us.apexcode.meta/apexcode/apex_classes_keywords_sharing.htm).

Thank You for trying DEX-450 PDF Demo

To try our DEX-450 Full Version Download visit link below

https://www.certkillers.net/Exam/DEX-450

Start Your DEX-450 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your DEX-450 preparation with actual exam questions.