



EMC

E20-351 Exam

Storage Attached Network (SAN) Specialist Exam

Thank you for Downloading E20-351 exam PDF Demo

You can Buy Latest E20-351 Full Version Download

<https://www.certkillers.net/Exam/E20-351>

<https://www.certkillers.net>

Question: 1.

What is a valid CLARiiON World Wide Node Name?

- A. 50:06:01:63:39:a0:0d:84
- B. 50:06:01:60:b9:a0:0d:84
- C. 50:06:01:6b:39:a0:0d:84
- D. 21:00:00:e0:8b:86:88:db

Answer: B

Question: 2.

In CLARiiON environments, to perform management from a host that has an agent installed, the storage must be added as a Privileged User in a specific file. Which file is this?

- A. agent.cfg
- B. agent.config
- C. naviagent.cfg
- D. naviagent.config

Answer: B

Question: 3.

Click the Exhibit button.



What is the name of the pictured connector used for Ethernet connections?

- A. RJ-8
- B. RJ-11
- C. RJ-45
- D. RJ-48

Answer: B

Question: 4.

Which architecture allows for initiators to exist in an Ethernet environment while the target storage exists in a Fibre Channel environment?

- A. Bridging
- B. Routing
- C. Switching
- D. Tunneling

Answer: A

Question: 5.

A company has decided to use all of SAN Advisors features. What will this company also need?

- A. An Internet connection, Oracle 8, and Excel 2002
- B. An Internet connection, Visio 2002, and Excel 2002.
- C. Microsoft SQL 2000 and Excel 2002
- D. Oracle 8 and Excel 2002

Answer: B

Question: 6.

Click the Exhibit button.



Which type of connector is the pictured component known as?

- A. FC connector
- B. LC connector
- C. RJFC connector
- D. SC connector

Answer: D

Question: 7.

Click the Exhibit button.



Question: 10.

What is the maximum bandwidth that a switched fabric can reach?

- A. Link rate times 128
- B. Link rate times 2
- C. Link rate times 256
- D. Link rate times number of ports

Answer: D

Question: 11.

What does the Fibre Channel Management Integration, Management Information Base (FCMGMT-INT MIB) provide?

- A. A heterogeneous method to manage multiple devices across a SAN
- B. A simplified approach to setting up EMC arrays in new Fibre Channel environments
- C. Applications used to set up Fibre Channel networks
- D. The UDP protocol as a method to manage a SAN

Answer: A

Question: 12.

In which situation does the Fibre Channel protocol reach data rates up to 10 GB/s?

- A. When FC data is sent over IP through a multiprotocol router
- B. When used as ISLs (E_Ports) on all switches
- C. When used as ISLs (E_Ports) on supported switches
- D. When used in a CAS environment (content addressed storage)

Answer: C

Question: 13.

Which ports are used for interswitch links (ISL)?

- A. E_Ports
- B. F_Ports
- C. FL_Ports
- D. N_Ports

Answer: A

Question: 14.

The Fibre Channel standard defines a layer protocol. Which level serves as the transport layer?

- A. FC-1
- B. FC-2
- C. FC-3
- D. FC-4

Answer: D

Question: 15.

The Fibre Channel standard defines a layer protocol. Which level serves as the physical layer?

- A. FC-0
- B. FC-1
- C. FC-2
- D. FC-3

Answer: A

CertKillers.net

Thank You for trying E20-351 PDF Demo

To Buy Latest E20-351 Full Version Download visit link below

<https://www.certkillers.net/Exam/E20-351>

Start Your E20-351 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your E20-351 preparation with actual exam questions.

<https://www.certkillers.net>