

Extreme Networks

EW0-100 Exam

Extreme Networks Associate

Thank you for Downloading EW0-100 exam PDF Demo

You can Buy Latest EW0-100 Full Version Download

https://www.certkillers.net/Exam/EW0-100

Question: 1
What is the default value for the RIP garbagetime setting?
A. 30 seconds
B. 60 seconds
C. 120 seconds
D. 180 seconds
Answer: C
Question: 2
Question: 2
Given router interfaces 10.0.0.1/24, 10.10.10.10/24, 192.168.0.1/24, and 192.168.255.254/24 on a Summit7i switch what will be the OSPF router ID given the following command: config ospf routerid automatic?
A. 10.0.0.1/24
B. 10.10.10/24
C. 192.168.0.1/24
D. 192.168.255.254/24
Answer: D
Question: 3
Which command would you use to configure VLAN corporate with IP address 192.168.0.1/16?
A. config vlan corporate ipaddress 192.168.0.1/16
B. config ipaddress corporate vlan 192.168.0.1/16
C. config ipaddress 192.168.0.1/16 vlan corporate
D. config ipaddress 192.168.0.1/16 corporate vlan
Answer: A
Question: 4
VLAN aggregation allows multiple sub-VLANs to share a single IP subnet.
A. True
B. False
Answer: A
Ouestion: 5

How do you disable Split Horizon?

- A. disable rip splithorizon noadvertise
- B. unconfig rip splithorizon
- C. disable rip splithorizon
- D. unconfig rip splithorizon noadvertise

Answer: C

Question: 6

What is the default value for the RIP garbagetime setting?

- A. 30 seconds
- B. 60 seconds
- C. 120 seconds
- D. 180 seconds

Answer: C

Question: 7

Examine the corresponding graphic for this question by clicking on the exhibit button below. Given this display, how would you find information similar to the SHOW SWITCH command?



- A. Click on STATISTICS, then SHOW, then SWITCH.
- B. Click on STATISTICS, then SWITCH, then SHOW.
- C. Click on STATISTICS, then SHOW.
- D. Click on STATISTICS, then SWITCH.

Answer: D

Question: 8

What is the default value for the RIP garbagetime setting?

- A. 30 seconds
- B. 60 seconds
- C. 120 seconds

D. 180 seconds	
	Answer: C
Question: 9	
Which ExtremeWare feature permits them under the control of a master VL	ESRP to increase the number of protected VLANs by placing AN?
A. ESRP groups B. ESRP domains C. ESRP host attach D. None of these.	
	Answer: B
Question: 10	
STPDs s0, s1, and s2 have been created inactive?	How would you activate only s1 while leaving the other STPDs
A. enable stpd s1 B. enable s1 stpd C. enable stp "³ enable s1 stpd D. None of these	
	Answer: A
Question: 11	
SNMP access to ExtremeWare can be	imited by the following methods:
A. Use an access listB. Use an access profileC. Use the disable snmp access commonD. None of these	nd
	Answer: ABC
Question: 12	

Which command would you use to configure VLAN CORPORATE (tag 100) with ports 1:1 through 4:8 tagged and ports 5:1 through 8:8 as untagged?

A. config vlan corporate ports add 1:1-4:8 tagged "3 config vlan corporate ports add 5:1-8:8 untagged B. config vlan corporate add ports1:1-4:8 tagged "3 config vlan corporate add ports 5:1-8:8 untagged

C. 192.168.1.128/25 D. None of these.

C. config corporate vlan add ports 1:1-4-8 tagged "³ config corporate vla D. config corporate vlan ports add 1:1-4:8 tagged "³ config corporate vla	
	Answer: B
Question: 13	
How would you change the password for John Doe's management account	unt?
A. Enter config jdoe and then enter the new password twice. B. Enter config jdoe user account and then enter the new password twice. C. Enter config user account jdoe and then enter the new password twice. D. Enter config account jdoe and then enter the new password twice.	
	Answer: D
Question: 14	
What is the minimum ExtremeWare software version that supports the	Summit48i?
A. ExtremeWare 4.x B. ExtremeWare 5.x C. ExtremeWare 6.x D. None of the above	
	Answer: C
Question: 15	
When using Spanning Tree Protocol, ExtremeWare permits VLANs in same port when tagged.	different STPDs to share the
A. True B. False	
	Answer: B
Question: 16	
Which of the following routes will be used to forward a frame to 192.16	68.1.174?
A. 192.168.1.0/29 B. 192.168.1.128/30	

	Answer: C
Question: 17	
What is the default value for the RIP garbagetime setting?	
A. 30 seconds	
B. 60 seconds	
C. 120 seconds	
D. 180 seconds	
	Answer: C
Question: 18	
<u> </u>	
In RIP, poison reverse means that:	
A. A route is not advertised to the interface from which it was learned. B. A route is advertised as unreachable to the interface from which it was C. Traffic whose source interface does not match the routing table is bla	
	Answer: B
Overtions 10	
Question: 19	
RIP version 2 uses a composite metric that includes link speed and dela	ıy.
A. True	
B. False	
	A marriage D
	Answer: B
0 4 20	
Question: 20	
Unlike VRRP, the Extreme Standby Router Protocol provides redundant network layers.	ncy at both the data link and
A. True	
B. False	
	Answer: A
	TRIBUTO I & TR

Thank You for trying EW0-100 PDF Demo

To Buy Latest EW0-100 Full Version Download visit link below

https://www.certkillers.net/Exam/EW0-100

Start Your EW0-100 Preparation

[Limited Time Offer] Use Coupon "CKNET" for Further discount on your purchase. Test your EW0-100 preparation with actual exam questions.