

# Juniper

JN0-451 Exam

Mist Al - Specialist

### Thank you for downloading JN0-451 exam PDF Demo

### You can Buy Latest JN0-451 Full Version Download

https://www.certkillers.net/Exam/JN0-451

# Version: 5.1

#### Question: 1


Which two statements are correct about the radio frequency rule of 10s and 3s? (Choose two.)

- A. If the signal strength increases by 3 dB, the power is doubled.
- B. If the signal strength decreases by 10 dB, the power decreases tenfold.
- C. If the signal strength increases by 3 dB, the power is tripled.
- D. If the signal strength decreases by 10 dB, the power is halved.

Answer: AC

Explanation:

Juniper Mist Al Networks



#### 5 GHz Band-Channel Bonding

Although the 5 GHz band specifies the use of 20 MHz channels, it is possible to combine adjacent channels into a single, larger channel by using channel bonding. When two adjacent 20 MHz channels are bonded, they form a single 40 MHz channel, effectively doubling the available bandwidth. In addition, bonded channels can then be bonded again to form larger channels such as 80 MHz wide and 160 MHz wide channels. Although the increase in bandwidth seems appealing at first, several considerations must be considered:

- · Every time a channel doubles, the noise floor doubles.
- Wi-Fi is a listen-before-you-talk technology. It works under the premise of "I will not speak if anyone else is".
- Bonded channels inherit traits from the channels being bonded.

50

Module 3: Wi-Fi Radio Frequency Bands

www.juniper.net

#### **Question: 2**

Click the Exhibit button.

Site Policies Each user/resource Add Rule Edit La No. 1	User (matching ALL Labels)	Policy Guest users x	Resource (matching ANY Label) Gmail × Slack × +	Usage (No. Sessio	ns)
Each user/resourc	User (matching ALL Labels)	Policy	Resource (matching ANY Label)	Usage (No. Sessio	ns)
Each user/resourc				Usage (No. Sessions)	
Site Policies	ces session is evaluated according to the labels	list of Policy rules. The policy for th	e first matching rule is applied.		
Policy _site				Save	Cancel

Referring to the exhibit, what would a guest user be able to do?

- A. Use Gmail and Slack.
- B. Use the Internet, except for Gmail and Slack.
- C. Use the HP Printer and Internet.
- D. Use only the Intranet.

**Answer: B** 

Explanation:

A firewall is a network security system that monitors and controls incoming and outgoing network traffic based on predetermined security rules. It typically establishes a barrier between a trusted internal network and an untrusted external network, such as the Internet.

#### **Question: 3**

What are basic data rates?

A. fastest data rates

- B. optional data rates
- C. required data rates
- D. disabled data rates

Answer: C

Explanation:

Basic data rates are the required data rates that all devices on a wireless network must support in order to connect to the network. These rates are used for management and control frames and can affect the performance of the network.

According to the Lecture 3 - Radio Frequency and Antenna Fundamentals - Part 2 document2, basic data rates are required data rates that all devices must support to communicate on a WLAN. Reference: http://faculty.georgebrown.ca/~jolenewa/courses/comp3049-intermediate-wirel/lecture-

3—radio-frequency.pdf

Question: 4

Which two statements are correct about channel bonding? (Choose two.)

- A. Bonding two channels together doubles the available bandwidth.
- B. Bonding two channels together doubles the required device resources.
- C. Bonding two channels together doubles the noise floor.
- D. Bonding two channels together doubles the number of available channels.

Answer: A, B

Explanation:

Channel bonding combines two adjacent channels to create a wider channel, effectively doubling the available bandwidth. However, this also doubles the required device resources such as power and processing.

According to the Lecture 3 - Radio Frequency and Antenna Fundamentals - Part 2 document2, channel bonding is a technique that combines two adjacent channels into one wider channel to increase throughput. This doubles the available bandwidth but also doubles the required device resources such as power and processing.

Reference: http://faculty.georgebrown.ca/~jolenewa/courses/comp3049-intermediate-wirel/lecture-3—radio-frequency.pdf

#### Question: 5

You have received a Marvis Actions Missing VLAN notification. In this scenario, where is the problem?

A. The gateway is missing the VLAN.

- B. An access point is missing the VLAN.
- C. A client is missing the VLAN.
- D. A switch is missing the VLAN.

Answer: B

Explanation:

According to the JNCIS-MistAl Certification page3, a Marvis Actions Missing VLAN notification indicates that an access point is missing a VLAN that is configured on other access points in the same site.

Reference: https://www.juniper.net/us/en/training/certification/tracks/mist-ai/jncis-mistai

## Thank You for trying JN0-451 PDF Demo

To Buy New JN0-451 Full Version Download visit link below

https://www.certkillers.net/Exam/JN0-451

# Start Your JNO-451 Preparation

Use Coupon "CKNET" for Further discount on the purchase of Full Version Download. Test your JN0-451 preparation with examaquestions.