



IBM

LOT-403

IBM Forms 8.0 - Form Design and Development

QUESTION: 93

When creating a field that can change its height based on the amount of data it contains, which of the following should occur?

- A. The field should also be able to change width dynamically.
- B. Items that appear below the field on the page should come after it in the build order.
- C. Items that appear below the field should be relatively positioned so that they move up or down as the field changes size.
- D. Items that appear below the field on the page should come after it in the build order, and should be relatively positioned so that they move up or down as the field changes size.

Answer: D

QUESTION: 94

What is the primary purpose of having an XML data instance within an XFDL form?

- A. To fill up the form content.
- B. It is a required component of an XML structure.
- C. To validate the data that has been entered into the form.
- D. To collect and store the data that has been entered into the form.

Answer: D

QUESTION: 95

Mark uses a table where rows can be added and removed. What does he need to do to make sure items below the table shift down or up in the layout when the form is being filled out?

- A. Only the item directly below the table should be positioned relative to the table.
- B. All items below the table should be positioned absolute to the table.
- C. Each item below the table should be positioned relative to any previous item that is below the table or to the table itself.
- D. When Mark uses a table all items below will automatically shift down or up when needed.

Answer: C

QUESTION: 96

The following statements regarding XForms are true, except for which one:

- A. XForms is based on XML formatted specification.
- B. XForms includes a presentation layer for designing forms.
- C. XForms models typically consist of data, binds, and submissions.
- D. XForms is a W3C recommendation.

Answer: B

QUESTION: 97

David has built a form that uses XForms Panes, but he cannot access the fields and labels inside a pane. Why can't David access the fields and labels, and how can he correct this problem?

- A. XForms Panes are actually iframes inside an XFDL form. The way to reference the values of the items inside the pane is through the XForms data model.
- B. XForms Panes are insulated from the XFDL items outside of them, as the panes are given a dynamically generated SID at runtime. XForms Panes are unique in that they require the reference to contain ".PANE" in order to access the items inside the pane. For example: PAGE1.AddressPane.PANE.FIELD1.
- C. XForms Panes are insulated from the XFDL items outside of them, as the panes are given a dynamically generated SID at runtime. The best way to reference the values of the items inside the pane is through the XForms data model.
- D. XForms panes are actually iframes inside an XFDL form. The best way to access the values inside the items within the XForms pane is to use the API.

Answer: C

QUESTION: 98

Which of the following tabs can you NOT remove or hide within the IBM Forms Designer?

- A. Design Tab
- B. Source Tab
- C. Webform Server Tab

D. Viewer Tab

Answer: A

QUESTION: 99

What does the following statement represent?

```
<button sid="enclose_button">
  <value>Enclose File</value>
  <fontinfo>
    <fontname>Helvetica</fontname>
    <size>18</size>
    <effect>bold</effect>
    <effect>italic</effect>
  </fontinfo>
  <type>enclose</type>
  <datagroup>
    <datagroupref>Images_Asia</datagroupref>
    <datagroupref>Images_Eur</datagroupref>
    <datagroupref>Images_SAmer</datagroupref>
  </datagroup>
</button>
```

- A. This button allows users to enclose files into one of three datagroups or folders: Images_Asia, Images_Eur, Images_SAmer.
- B. This button allows users to enclose files as one of the three file names: Images_Asia, Images_Eur, Images_SAmer.
- C. This button allows users to enclose files with the name of either Images_Asia, Images_Eur, or Images_SAmer.
- D. None of the above.

Answer: A

QUESTION: 100

All of the following are valid remarks about converting other file types to an IBM EXCEPT which ONE?

- A. The transformation rules are highly configurable.
- B. After the conversion is complete the form Designer must tweak the layout before publishing the final version.
- C. After the conversion is complete the form Designer must add dynamic logic to the forms.
- D. The transformation rules are not configurable.

Answer: D

QUESTION: 101

Which of the following reasons for compressing an IBM Form is VALID?

- A. Compressing the form means that the contents of the form are encrypted and secure.
- B. Compressing the form means that the entire form and data model be stored as a single file.
- C. Compressing the form means you can post the form to a database or servlet.
- D. Compressing the form means that you eliminate the white space found in the XFDL file.

Answer: D

QUESTION: 102

All of the following are accessibility features of the Viewer or Webform Server EXCEPT which one?

- A. Can define text to be spoken by a narration tool.
- B. Can enable a focus indicator
- C. Can change the background color of the focused item
- D. Can enable high contrast mode

Answer: C

QUESTION: 103

Which absolute XPath query will properly limit the result set to 10 items?

- A. widgets/widget[position > 5 and position < 16]

- B. widgets/widget[position() > 5 and position() < 15]
- C. instance('INSTANCE')/widgets/widget[position > 5 and position < 16]
- D. instance('INSTANCE')/widgets/widget[position() > 5 and position() < 16]

Answer: D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!