IBM

LOT-829

IBM WebSphere Portal 6 Application Development

D. Collaborative portlet

QUESTION: 95
A developer needs to use which of the following tags to create a back button in an edit mode page?

A. <portlet:renderURL portletMode="back"/>
B. <portlet:renderURL portletMode="view"/>
C. <portlet:renderURL portletMode="display"/>
D. <portlet:renderURL portletMode="return"/>

QUESTION: 96
Which of the following is the correct RenderResponse method signature to create an action URL?

A. createRenderAction(ActionEvent ae);
B. createActionUrl();
C. createRenderUrl()
D. createRenderUrl(ActionEvent ae);

QUESTION: 97
According to JSR 168 specification, what is the setRenderParameter or setRenderParameters method of the ActionResponse object within the processAction method used for?

A. To pass parameters received in an action request to subsequent render requests of the portlet.
B. To pass the parameters received in an action request to the session objects of the portlet.

C. To encode the parameters received in an action request so they are available to the response object of the portlet.
D. To remove the parameters received in an action request for the portlet to process.

Answer: A

QUESTION: 98
A portlet whose preferences have been modified, restores the preferences back to their default values.According to the JSR 168 specification, what does the portlet do to restore the defaults?

A. In the view mode, the portlet calls the reset method on the PortletConfig object.
B. During a processAction invocation, the portlet calls the reset method on the PortletPreferences object.
C. During the portlet initialization, the portlet calls the reload method on the PortletPreferences object.
D. After a processAction invocation, the portlet calls the reset method on the PortletResponse object.

Answer: B

QUESTION: 99
Jayne is developing a JSR 168 portlet application. Which interface in the JSR 168 class hierarchy allows her to make resources available to the portlet via URL references?

A. PortletConfig
B. PortletContext
C. PortletRequest
D. PortletResponse

Answer: B

QUESTION: 100
Carl is working with portlet preferences, and specifically needs to determine some values as part of his code.

Which of the following PortletPreferences methods can he use to return the String array value associated with a key?

A. store()
B. reset(java.lang.Stringkey)
C. getValue(java.lang.Stringkey, java.lang.Stringdef)
D. getValues(java.lang.Stringkey, java.lang.String[]def)

Answer: D

Which of the following is true about the elements of a portlet application consisting of multiple portlets?

A. They are all contained within JAR files.
B. They must be within a single WAR file.
C. They must be contained within separate portlet WAR files.
D. They can be within one or more WAR files.

Answer: B

Ethan is developing a portlet and defining its administrator and shared preferences. Which portlet mode is entered in order to change shared preferences?

A. edit
B. read
C. config
D. edit_defaults

Answer: D

A JSP developer specifies an action URL that targets a JSR 168 portlet's doEdit() handler. Which of the following elements is MOST accurate?

A. <portletAPI:renderURL portletMode="edit">
B. <portlet:actionURL portletMode="edit">
C. <portletAPI:actionURL mode"edit">
D. <portlet:renderURL mode="edit">

Answer: B

QUESTION: 104

A developer has created source and target cooperative JSR 168 portlets. In order to wire the portlets in the WebSphere Portal 6 environment, the developer needs to do which of the following?

A. Install the wiring portlet into WebSphere Portal 6.
B. Test cooperative portlets remotely since this is not supported on the WebSphere Portal V6 local server.
C. Enable the property broker service on WebSphere Portal 6.
D. Ensure that the related portlet projects are available in your workspace in order to retrieve portlet information

Answer: D

Pass your exam at First Attempt....Guaranteed!