



IBM

LOT-927

*Developing Portlets and Web Applications with IBM
Web Experience Factory 8.0*

QUESTION: 141

Yolanda needs to add an element to an XML structure that is interacting with an object in IBM Web Experience Factory. Assuming the XML structure exists, what would be the method that she should call to add a new child element?

- A. setNameWithText("ElementName")
- B. setName("ElementName")
- C. addChildElement("ElementName")
- D. addChildWithText("ElementName")

Answer: C

QUESTION: 142

Jorge uses the IBM Web Experience Factory WebAppAccess API in his Method builder. He wishes to move this method to a regular Java class and expose it to the model via the Linked Java Object builder. What does he need to do use the WebAppAccess API in his new method?

- A. He simply needs to add WebAppAccess as the first argument in the method signature before any other arguments. Web Experience Factory will automatically pass a WebAppAccess reference and he can use the WebAppAccess API in the same manner as the Method builder.
- B. He must continue to use the Method builder if he wants to use the WebAppAccess API. He cannot use the WebAppAccess API outside of the Method builder.
- C. His new Java file must contain a private member variable to hold the WebAppAccess reference. Web Experience Factory will automatically set it and he can use it within any method in the class.
- D. His new method in the Java class must get a reference to WebAppAccess by calling WebAppAccess.getCurrentWebAppAccess() method.

Answer: A

QUESTION: 143

An event can be defined for the Client Event Handler builder with which other builder?

- A. Client Side Event Declaration
- B. Dojo Form Dialog
- C. Submit Form Event
- D. Event Declaration

Answer: D

QUESTION: 144

Which of the following default events are not available in the Client Event Handler builder?

- A. AJAX Init
- B. AJAX PostLoad
- C. AJAX PreUpdate
- D. AJAX LoadError

Answer: A

QUESTION: 145

Nancy is building a client-side mobile application in IBM Web Experience Factory and wants to customize common user interface elements. How would she do this?

- A. Add client-side builders to the model and specify preferences in the builder inputs.
- B. Modify the CSS in the model's theme.
- C. Add a Client-Side CSS builder to the model.
- D. Customize the appropriate values in styles defined within the client_dojo_mobile.uitheme directory.

Answer: D

QUESTION: 146

Which of the following is not automated by IBM Web Experience Factory Client-Side Application support?

- A. Animated view transitions for client pages
- B. Client page styles and colors
- C. Dojo Mobile views
- D. Use of Dojo Mobile UI controls

Answer: B

QUESTION: 147

Biswajit has added a Client Event Declaration builder named GetAccountDetails to his client mobile model and wants to run its associated method elsewhere in the model. Which of the following shows the proper syntax?

- A. `#{ClientEventFire/GetAccountDetails}`
- B. `clienteventGetAccountDetails`
- C. `#{ClientEventMethod/GetAccountDetails}`
- D. `fireGetAccountDetails`

Answer: D

QUESTION: 148

Which IBM Web Experience Factory builder lets you transform a generated tabular layout typically seen in desktop based web applications, into various list based layouts more typically seen on mobile devices?

- A. List builder
- B. HTML Data Layout builder
- C. Data Layout builder
- D. Data Page Builder

Answer: C

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!