



**IBM**

# **LOT-950**

*Administering IBM Lotus Quickr 8.1 Services for Lotus Domino*

**QUESTION: 86**

For Lotus Quickr for Lotus Domino, if you use any non-English version of the Lotus Quickr server, you must perform which of the following so that page content displays correctly in non-English languages?

- A. Specify the additional languages in qpconfig.xml
- B. Set up the Lotus Domino server in multiple languages
- C. Set up the server to generate output using UTF-8 encoding
- D. Generate a list of supported languages and provide those languages as attributes in the directory for each person

**Answer: C**

**QUESTION: 87**

The qptool addmember command may not be utilized for which of the following reasons?

- A. To add users to subrooms in a place
- B. To add users from extended membership
- C. To add users to the Lotus Quickr/lotusquickr place
- D. To add users with special characters in their name

**Answer: C**

**QUESTION: 88**

The command qptool updatemember does not operate on which of the following?

- A. Super Users
- B. Local members
- C. Place managers
- D. Extended members

**Answer: B**

**QUESTION: 89**

Which of the following is the correct EXTMGR\_ADDINS name to allow users to take places offline in Microsoft Windows environments? (Note: The core part of this name is included across all platforms supported by Lotus Quickr.)

- A. noflqp

- B. ndolextn
- C. nqpextmgr
- D. nqckroffline

**Answer:** C

**QUESTION:** 90

Your environment includes a Lotus Quickr cluster based on Lotus Domino. You are attempting to run the qptool membership model command to enable a place for expanded membership. Which of the following is the best action to take when performing this in a clustered environment?

- A. Run the command on one replica only
- B. Run the command on all servers in the cluster
- C. Delete all but one of the replicas, run the command, and recreate the replicas
- D. Remove the place from the Place Catalog, run the command on all servers in the cluster, and add the place to the catalog again

**Answer:** A

**QUESTION:** 91

In group search lookups, when someone types the name of a group in the directory lookup interface to search for a group name to add as a place member, by default the server searches for the group name in which of the following?

- A. The n attribute of groups defined as placeclass=objectGroup
- B. The cn attribute of groups defined as objectclass=groupOfNames
- C. The uid attribute of groups defined as uidGroupClass=NamedGroup
- D. The groupname attribute of groups defined as groupclass=groupName

**Answer:** B

**QUESTION:** 92

By default, Lotus Quickr utilizes which of the following forms of authentication for the Lotus Quickr Connectors?

- A. SASL
- B. Anonymous
- C. Basic name-and-password
- D. Secure Socket Layer (SSL)

**Answer:** C

**QUESTION:** 93

While placing the necessary files onto the Lotus Sametime server for Lotus Quickr integration, you must manually create which of the following folders for the files?

- A. Awareness
- B. Usernames
- C. Integration
- D. Peopleonline

**Answer:** D

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*