



**Microsoft**

# **MB5-626**

*C5 4.0 Programming*

**QUESTION: 88**

Which of the following statements about Control lines is incorrect?

- A. There can be several Control lines with the same number
- B. You can only activate Control lines using #Rep\_Execute or the corresponding control command
- C. Using #Rep\_Execute you can execute several Control lines at one time, each with its own number
- D. You can have several different Control lines in a report but all of them do not need to be executed

**Answer: C**

**QUESTION: 89**

Which of the following statements about automatic prompt texts for subtotals in reports is true?

- A. You determine the prompt text by selecting between "Copy of line" and "Field name value" of the field that a total shall be created for
- B. You determine the prompt text by selecting between "Copy of line" and "Field name value" in the Report QT
- C. You determine the prompt text by selecting between "Copy of line" and "Field name value" in the box with print capabilities
- D. You determine the prompt text by selecting between "Copy of line" and "Field name value" in the report set up unless you use the line type Subtotal

**Answer: D**

**QUESTION: 90**

Which of the following line types in a report must have a table in the table column?

- A. Prologue
- B. PageHeader
- C. PageFooter
- D. Subtotal

**Answer: D**

**QUESTION: 91**

What does \* ( wild card ) in the table column in the report definitions area mean?

- A. The user can select, themselves, between all of the tables during execution of the report
- B. No tables specified
- C. All tables
- D. Blank line inserted

**Answer: C**

**QUESTION: 92**

How do you setup an automatic subtotal in a report?

- A. In the horizontally located search in the Report XAL or Report QT
- B. In the field where a total shall be created
- C. On the line where the total shall be created
- D. In a variable that is later printed out

**Answer: B**

**QUESTION: 93**

Which of the following statements about the setup of the report generator is incorrect?

- A. The report generated is constructed around a set of data that you retrieve with the XAL report or the QT report, which sends the data to the lay out area, where it is inserted in the fields
- B. If you write in the QT, it is that which is selected as the data selector
- C. If you use and XAL, you shall not use the OUTPUT command in the table in order to print BODY lines
- D. An automatic OUTPUT command is built into the QTs data retrieval

**Answer: C**

**QUESTION: 94**

Which of the following statements about the setup of fields in reports is incorrect?

- A. You create empty fields using F2 and insert the names of the fields yourself
- B. You create the fields directly from the database using CTRL+F2
- C. You create virtual fields directly using ALT GR+ F2
- D. You create prompt text fields using ALT+F2

**Answer: C**

**QUESTION: 95**

Which command does the filter in Rapport QT correspond to in a search loop in a Rapport XAL?

- A. USING
- B. ORDER
- C. SET
- D. WHERE

**Answer: D**

**QUESTION: 96**

Which trigger is executed when you enter ALT-Q in the delimiter window in a QT?

- A. Break
- B. Stop
- C. Error
- D. Abort

**Answer: D**

**QUESTION: 97**

Under what circumstances is the trigger Prompt skipped in a QT?

- A. When you have coded in the Start trigger the Prompt trigger is automatically skipped
- B. When you use the QT control command QSKIP or the macro #QT\_Skip
- C. When you use the QT control command QBREAK or the macro #QT\_Break
- D. When you call the QT with a parameter flagged PromptSkip

**Answer: B**

**QUESTION: 98**

When you use a Rapport QT instead of Rapport XAL, what must you remember to do?

- A. All Body lines shall be adapted to the Report QTs special output method
- B. Subtotal line set ups shall be changed to take into account the Report QTs scanning method
- C. Nothing other than deleting all of the lines in the XAL Report
- D. If you have a page break, this must be removed as it creates execution problems for the Report QT

**Answer: C**

**QUESTION: 99**

How can you limit the users ability to add delimiter fields in a QT?

- A. You cannot
- B. By deleting all user rights
- C. By setting the Enter field to No Fields in the relation window to a table
- D. By setting the Output field to With Postings in the relation window to a table

**Answer: C**

Download Full Version From <https://www.certkillers.net>



**DON'T KNOW**  
OR NO PREFERENCE

*Pass your exam at First Attempt....Guaranteed!*