



Microsoft

MS-202 Exam

Microsoft Messaging Administrator Certification Transition Exam

Thank you for Downloading MS-202 exam PDF Demo

You can Buy Latest MS-202 Full Version Download

<https://www.certkillers.net/Exam/MS-202>

<https://www.certkillers.net>

Version: 8.0

Mix Questions

Question: 1

You have a Microsoft Exchange Server 2013 organization that has the following configurations:

- The forest functional level if Active Directory is Windows Server 2008 R2.
- The domain controllers in Active Directory run Windows Server 2012 R2.
- The Exchange servers run Windows Server 2012 Datacenter.

You plan to upgrade the organization to Exchange Server 2019.

You need to ensure that the organization meets the minimum supported requirements for the upgrade.

What should you do?

- A. Upgrade the Exchange servers to Windows Server 2019.
- B. Raise the forest functional level to Windows Server 2012 R2.
- C. Upgrade the Exchange servers to Windows Server 2016.
- D. Upgrade the domain controllers to Windows Server 2016.

Answer: B

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/system-requirements?view=exchserver-2019>

Question: 2

You plan to deploy Microsoft Exchange Server 2019.

You need to verify whether the Active Directory environment is prepared for the deployment.

What are two methods to verify whether the Active Directory environment is prepared? Each correct answer

presents a complete solution.

NOTE: Each correct selection is worth one point.

- A. Use ADSI Edit.
- B. Run the Get-ExchangeServer cmdlet.
- C. Review the Exchange.Setup log.
- D. Run the Get-ADForest cmdlet.
- E. Run the dcdiag.exe command.

Answer: AC

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/plan-and-deploy/prepare-ad-and-domains?view=exchserver-2019>

Question: 3

You have a Microsoft Exchange Server 2019 organization that has a database availability group (DAG). The DAG contains the servers shown in the following table.

You install a new server named File02 that runs Windows Server 2019.

You attempt to add File02 as an alternate witness server, and you receive the following error messages:

You need to ensure that you can configure File02 successfully as the alternate witness server.

What should you do on File02?

- A. Create an inbound firewall rule
- B. Add a member to the Administrators group.
- C. Enable PowerShell remoting.
- D. Create a shared folder.

Answer: B

Question: 4

You have a Microsoft Exchange Server 2019 organization that contains four Mailbox servers and one Edge Transport server. The organization supports hundreds of remote users.

You need to block offline access to Outlook on the web for all the users.

What should you do?

- A. Run the Set-OWMailboxPolicy cmdlet and specify the `-ExplicitLogonEnabled $true` parameter
- B. Run the Set-OWMailboxPolicy cmdlet and specify the `-AllowOfflineOn NoComputers` parameter
- C. On the Edge Transport server, run the Set-OwaVirtualDirectory cmdlet and specify the `-AllowOfflineOn NoComputers` parameter.
- D. On each Mailbox server, run the Set-OwaVirtualDirectory cmdlet and specify the `-ExternalURLs $null` parameter.

Answer: C

Question: 5

Your network contains an Active Directory forest. The forest contains two domains named litware.com and exchange.litware.com and a Microsoft Exchange Server 2019 organization.

The relevant servers are configured as shown in the following table.

EX01 and EX02 have Exchange Server 2019 installed and are in a database availability group (DAG) named DAG01.

You need to add in additional server to DAG01.

Which server should you add?

- A. Server01
- B. Server02
- C. Server03
- D. Server04

Answer: D

Question: 6

DRAG DROP

You have a Microsoft Exchange Server 2016 organization.

Users access their email by using a URL of <https://mail.contoso.com>.

You are installing a new Exchange Server 2019 Mailbox server to replace an existing Exchange Server 2016 server.

You need to secure all the Exchange services by using a certificate. The solution must minimize warnings on client computers.

Which three actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions		Answer Area
Assign the certificate to the services.		
Create a self-signed certificate.		
Import a certificate.	⬅	
Export a certificate.	➡	
Request a new certificate.		

Answer:

Answer Area

Export a certificate.

Import a certificate.

Assign the certificate to the services.

Question: 7

DRAG DROP

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named MBX01.

You back up MBX01 by using Windows Server Backup.

You need to recover a deleted mailbox. The solution must minimize the impact on other mailboxes.

Which four actions should you perform in sequence? To answer, move the appropriate actions from the list of actions to the answer area and arrange them in the correct order.

Actions

Run the `isinteg.exe` command and specify the `-fix` parameter.

Create a recovery database.

Run the `New-MailboxRestoreRequest` cmdlet.

Restore the database backup.

Run the `New-MailboxMoveRequest` cmdlet.

Install Exchange Server 2019 on a new server.

Run the `eseutil.exe` command and specify the `/r` parameter.

Answer Area



Answer:

Restore the database backup.

Run the `eseutil.exe` command and specify the `/r` parameter.

Create a recovery database.

Run the `New-MailboxMoveRequest` cmdlet.

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/restore-data-using-recovery-dbs?view=exchserver-2019>

Question: 8

DRAG DROP

You have a Microsoft Exchange Server 2019 organization that contains two Mailbox servers as shown in the following table.

Name	Database
EX01	MailDB1
EX02	MailDB2

EX01 fails. You do not know how long it will take to recover EX01.

You need to provide all affected users with the ability to send and receive email as quickly as possible.

How should you complete the PowerShell script? To answer, drag the appropriate values to the correct targets. Each value may be used once, more than once, or not at all. You may need to drag the split bar between panes or scroll to view content.

NOTE: Each correct selection is worth one point.

Values

Answer Area

New-MoveRequest

New-MailboxDatabase

New-MailboxRestoreRequest

Set-Mailbox

Mount-Database

-Name DTDB1 -Server EX02

Get-Mailbox -Database MailDB1 | -Database DTDB1

-Identity DTDB1

Answer:

```

New-MailboxDatabase -Name DTDB1 -Server EX02
Get-Mailbox -Database MailDB1 | Set-Mailbox -Database DTDB1
Mount-Database -Identity DTDB1
    
```

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/dial-tone-recovery?view=exchserver-2019>

Question: 9

HOTSPOT

You have a Microsoft Exchange Server 2019 organization named litwareinc.com. The organization publishes Exchange services by using a namespace of mail.litwareinc.com. You deploy a new server named EX10 to the organization. User reports that sometimes they receive warnings about certificate errors when they connect to their mailbox. The warning message reference is ex10.litwareinc.com. You need to resolve the issue. How should you complete the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

	-Identity EX10	
<ul style="list-style-type: none"> Set-AutodiscoverVirtualDirectory Set-ClientAccessServer Set-OutlookAnywhere Set-ClientAccessArray 		<ul style="list-style-type: none"> -AutoDiscoverServiceInternalUri -InternalURL -ExternalURL -AutoDiscoverSiteScope

`"https://mail.litwareinc.com/autodiscover/autodiscover.xml"`

Answer:

	-Identity EX10	
<ul style="list-style-type: none"> Set-AutodiscoverVirtualDirectory Set-ClientAccessServer Set-OutlookAnywhere Set-ClientAccessArray 		<ul style="list-style-type: none"> -AutoDiscoverServiceInternalUri -InternalURL -ExternalURL -AutoDiscoverSiteScope

`"https://mail.litwareinc.com/autodiscover/autodiscover.xml"`

Question: 10

HOTSPOT

You have a Microsoft Exchange Server 2019 organization that contains a Mailbox server named EX01. EX01 contains a mailbox database named MailDB01.

You attach a new hard drive named F to EX01. On drive F, you create a folder named Databases.

You plan to run the following command on EX01.

Move-DatabasePath –Identity MailDB01 –EdbFilePath

F:\Databases\MailDB1.edb –ConfigurationOnly \$false

What is the effect of running the command? To answer, select the appropriate options in the answer area.

NOTE: Each correct selection is worth one point.

The command will:

complete successfully but disconnect users
complete without disconnecting any users
only run during a maintenance schedule

If MailDB1 was mounted before running the command, the database:

will mount automatically
must be mounted manually
must be repaired before the database can be mounted

Answer:

The command will:

complete successfully but disconnect users
complete without disconnecting any users
only run during a maintenance schedule

If MailDB1 was mounted before running the command, the database:

will mount automatically
must be mounted manually
must be repaired before the database can be mounted

Explanation:

References:

<https://docs.microsoft.com/en-us/powershell/module/exchange/mailbox-databases-and-servers/move-databasepath?view=exchange-ps>

Question: 11

HOTSPOT

You have a Microsoft Exchange Server 2019 organization.

You are configuring backups of a server that has a single mailbox database named MDB01. The database file is in a folder named MDB01 on drive E, and the log files that are in a folder named MDB01 on drive F

You need to back up the server to meet the following requirements:

Ensure that all the logs truncate automatically after a backup

Ensure that all the logs replay automatically when restored

Minimize the amount of storage used for the backups.

Which two items should you select for the backups? To answer, select the appropriate items in the answer area.

NOTE: Each correct selection is worth one point.

Select Items



Specify items to include in the backup by selecting or cleaning the associated check boxes. The items that you have included in the current backup are already selected.

<input type="checkbox"/>	Bare metal recovery
<input type="checkbox"/>	System state
<input type="checkbox"/>	EFI System Partition
<input type="checkbox"/>	Local disk (C:)
<input type="checkbox"/>	Databases (E:)
<input type="checkbox"/>	\$RECYCLE BIN
<input type="checkbox"/>	Archived PST Files
<input type="checkbox"/>	MDB01
<input type="checkbox"/>	Recovery Database
<input type="checkbox"/>	Logs (F:)
<input type="checkbox"/>	\$RECYCLE BIN
<input type="checkbox"/>	MDB01
<input type="checkbox"/>	Recovery

Answer:

Select Items



Specify items to include in the backup by selecting or cleaning the associated check boxes. The items that you have included in the current backup are already selected.

<input type="checkbox"/>	Bare metal recovery
<input type="checkbox"/>	System state
<input type="checkbox"/>	EFI System Partition
<input type="checkbox"/>	Local disk (C:)
<input type="checkbox"/>	Databases (E:)
<input type="checkbox"/>	\$RECYCLE BIN
<input type="checkbox"/>	Archived PST Files
<input checked="" type="checkbox"/>	MDB01
<input type="checkbox"/>	Recovery Database
<input type="checkbox"/>	Logs (F:)
<input type="checkbox"/>	\$RECYCLE BIN
<input checked="" type="checkbox"/>	MDB01
<input type="checkbox"/>	Recovery

Question: 12

Your network contains two Active Directory sites named Site1 and Site2.

You deploy a new Microsoft Exchange Server 2019 organization that contains a Mailbox server in each site.

You need to configure the organization to use a single namespace for Autodiscover.

What should you do?

- A. Create an SRV record named AutoDiscover.
- B. Create a TXT record named AutoDiscover.
- C. Run the Set-ClientAccessService cmdlet.
- D. Run the Set-AutodiscoverVirtualDirectory cmdlet.

Answer

Run setup /PrepareSchema on:

EX01
DC02
DC03
DC04

Domains in which you must run setup /PrepareDomain after running setup /PrepareAD:

Litware.com only
Corp.litware.com only
Corp.litware.com and dmz.litware.com only
Litware.com corp.litware.com and dmz.litware.com

Answer:

Run setup /PrepareSchema on:

EX01
DC02
DC03
DC04

Domains in which you must run setup /PrepareDomain after running setup /PrepareAD:

Litware.com only
Corp.litware.com only
Corp.litware.com and dmz.litware.com only
Litware.com corp.litware.com and dmz.litware.com

Question: 14

You have a Microsoft Exchange Server 2019 database availability group (DAG) named DAG1. DAG1 contains a Mailbox server named EX01. EX01 fails and must be replaced. You plan to recover EX01 to a new server. You deploy Windows Server 2019 to a new server that has identical hardware as EX01. You need to restore EX01 to the new server. What should you do before you restore EX01?

- A. Join EX01 to the domain.
- B. Reset the computer account of EX01.
- C. Create a new computer account for EX01.
- D. Rename the computer account of EX01.
- E. Register a service principal name (SPN).

Answer: B

Explanation:

Before you restore EX01 to the new server you must reset the computer account for EX01 and then join it to the domain.

Explanation:

References:

<https://docs.microsoft.com/en-us/exchange/high-availability/disaster-recovery/recover-exchange-servers?>

view=exchserver-2019

Question: 15

You are deploying Microsoft Exchange Server 2019 to two data centers.

You need to protect all mailbox content against database corruption. The solution must minimize the recovery time objective (RTO) and the recovery point objective (RPO).

What is the best way to achieve the goal? More than one answer choice may achieve the goal. Select the

BEST answer.

- A. a recovery database
- B. a lagged database copy
- C. PST files

Answer: B

CertKillers.net

Thank You for trying MS-202 PDF Demo

To Buy Latest MS-202 Full Version Download visit link below

<https://www.certkillers.net/Exam/MS-202>

Start Your MS-202 Preparation

[Limited Time Offer] Use Coupon “CKNET” for Further discount on your purchase. Test your MS-202 preparation with actual exam questions.

<https://www.certkillers.net>