



IBM

P4070-005

IBM System z and zOS Fundamentals Mastery

Answer: C

QUESTION: 62

Which of the following are contained in the SMP/E CSI?

- A. Element descriptions
- B. APAR Elements
- C. User Elements
- D. PTF Elements

Answer: A

QUESTION: 63

Which of the following belongs to the SYSMOD category?

- A. SCHEDULER
- B. FUNCTION
- C. SPSF
- D. APF

Answer: B

QUESTION: 64

Which of the following is used to introduce new elements to the system using SMP/E?

- A. Base and Dependent function SYSMODs
- B. Hardware Management Console (HMC)
- C. Initial Program Load (IPL)
- D. APAR and PTF

Answer: AD

QUESTION: 65

Which of the following is a main responsibility of the RACF administrator?

- A. Program Debugging
- B. Software Installation
- C. Security Planning
- D. Job Scheduling

Answer: C

QUESTION: 66

Which of the following z/OS features allows selected programs to reside in special libraries and thereby access sensitive z/OS system functions (such as running in supervisor state or executing privileged instructions)?

- A. Lightweight Directory Access Protocol (LDAP) Server
- B. Resource Access Control Facility (RACF)
- C. System Authorization Facility (SAF)
- D. Authorized Program Facility (APF)

Answer: D

QUESTION: 67

Which of the following enables an organization to define individuals and groups with access privileges to z/OS?

- A. RACF
- B. APF
- C. JES
- D. SVC

Answer: A

QUESTION: 68

Which of the following software products provides basic security for a mainframe system?

- A. RACF
- B. LDAP
- C. PKI
- D. SAF

Answer: A

QUESTION: 69

Which of the following RACF structures retains information about users, resources, and access authorities?

- A. Templates
- B. Groups
- C. Profiles
- D. Access

Answer: C

QUESTION: 70

Which of the following describes TN3270?

- A. VTAM 3270 common storage for telnet
- B. SNA telnet standard for 3270 protocol
- C. Telnet standard for 3270 data stream
- D. TCP/IP standard RFC 3270

Answer: A

QUESTION: 71

Which of the following allows a full panel of data entries and corrections to be sent to the receiving SNA application when the Enter key is pressed?

- A. 3270 data stream
- B. OSI data network
- C. VTAM
- D. APPN

Answer: D

QUESTION: 72

Which of the following enables network devices to communicate with SNA applications in the z/OS environment?

- A. BTAM
- B. VSAM
- C. VTAM
- D. BDAM

Answer: C

QUESTION: 73

Which of the following describes the z/OS Communications Storage Manager (CSM)?

- A. Communications Server disk storage
- B. Layered network model storage
- C. RFC common storage standard
- D. Shared I/O buffer for data flow

Answer: D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!