



VMware

VCPD610

VMware Certified Professional - Desktop

QUESTION: 266

Several View users report that their View experience is acceptable when working locally, but their desktops perform poorly when they work remotely. The users have a workload that requires use of 60% text and 40% graphics. Which two settings will improve the remote desktop performance for these users? (Choose two.)

- A. decrease the Minimum Image Quality setting in the registry to 35
- B. increase the Maximum Initial Image Quality setting in the registry from the PCoIP default to 95
- C. decrease the Maximum Initial Image Quality setting in the registry to 65
- D. increase the Minimum Image Quality setting in the registry to 65

Answer: A, C

QUESTION: 267

Which two settings can reduce bandwidth used by the PCoIP protocol? (Choose two.)

- A. Disable build to lossless
- B. Enable PCoIP image optimization
- C. Decrease PCoIP server buffer size
- D. Decrease PCoIP audio bandwidth limit

Answer: A, D

QUESTION: 268

Which three settings control PCoIP image quality? (Choose three.)

- A. Maximum frame rate
- B. Minimum image quality
- C. Minimum image bandwidth
- D. Maximum image buffer size
- E. Maximum initial image quality

Answer: A, B, E

QUESTION: 269

A View administrator is preparing to configure an installation for smart card authentication.

Which two tasks must the View administrator coordinate with the Active Directory administrator and the local Certificate Authority administrator? (Choose two.)

- A. adding users to the Remote Users group policy in Active Directory
- B. adding a root certificate from the Certificate Authority to the Trusted Root Certification Authorities group policy in Active Directory
- C. issuing a root certificate from the Certificate Authority to install on all the client machines that will host the View Client
- D. adding user principal names to the Active Directory accounts of smart card users

Answer: B, D

QUESTION: 270

Users wish to connect to View using PCoIP through their corporate VPN. Which two configuration steps enable this remote access solution to work? (Choose two.)

- A. configure maintenance mode for the security server so it will not interfere with the VPN
- B. configure the external URL to resolve the proper host name and port
- C. configure the VPN to allow 4172 UDP traffic to the View Connection Server
- D. configure the remote access flag for the pool to which the users are entitled

Answer: B, C

QUESTION: 271

An administrator installing the View environment is informed that RSA SecurID authentication is required for secure connections. Which two considerations should be taken into account when configuring the View environment? (Choose two.)

- A. Individual View Connection Servers in the same environment can use different user authentication methods.
- B. RSA SecurID requires installation of software on the View Connection Server host and modification of View Connection Server settings.
- C. RSA SecurID authentication is only available on Windows-based View clients.
- D. RSA SecurID enables the single-sign-on (SSO) feature.

Answer: A, B

QUESTION: 272

What are three location detection settings that can be used to configure location based printing? (Choose three.)

- A. Client IP address
- B. Client system name
- C. Printer IP port
- D. Printer name
- E. User name

Answer: A, B, E

QUESTION: 273

A View administrator has received a request for a View desktop configured for kiosk mode. Which three steps must a View administrator perform to accomplish this task? (Choose three.)

- A. enable kiosk mode authentication from the Kiosk Mode tab under the View Administration Console
- B. configure Active Directory to accept the kiosk mode accounts
- C. enable authentication of clients in kiosk mode from the View desktops
- D. configure kiosk mode service on the View desktop
- E. configure the View Accounts to be used with kiosk mode from the View Administration Console

Answer: B, C, E

QUESTION: 274

What are the two default character strings that identify accounts as kiosk mode clients? (Choose two.)

- A. cm-
- B. custom-
- C. km-
- D. kiosk-

Answer: A, B

QUESTION: 275

What are two requirements for creating a Kiosk Mode user in Active Directory? (Choose two.)

- A. The name must be less than 21 characters long.
- B. The name must match a local user on the Connection Server.
- C. The name must reference the MAC address of the client device.
- D. The name must start with a recognized prefix string.

Answer: A, D

Download Full Version From <https://www.certkillers.net>



DON'T KNOW
OR NO PREFERENCE

Pass your exam at First Attempt....Guaranteed!