



# Huawei

## H12-261 Exam

### Huawei HCIE Routing & Switching (Written) Exam

Thank you for Downloading H12-261 exam PDF Demo

You can Buy Latest H12-261 Full Version Download

<https://www.certkillers.net/Exam/H12-261>

<https://www.certkillers.net>

# Version: 12.0

---

## Question: 1

---

The cross-channel aggregates the data flow and the stacked device chains to implement the transmitter replacement, but because of the limited cable bandwidth between the stacked devices, Which of the following ways to improve efficiency over forwarding?

- A. Pass stack card Connect stack connected device
- B. Enable stacking multi-master function Check
- C. Configure stacking system MAC address switching
- D. Enable traffic local first priority

---

**Answer: D**

---

---

## Question: 2

---

The following descriptions about the PPP CHAP ?( ) protocol authentication function are correct.

- A. If the party does not have a username authentication account, the endpoint interface may not be configured with a password.
- B. Use sequence authentication ID. MD5 Hash random number and secret key algorithm to calculate a value
- C. It requires three texts to report authentication, and only send the name on the network instead of sending the password.
- D. CHAP authentication authentication must be configured under the user interface

---

**Answer: B,C, D**

---

---

## Question: 3

---

Now there is a phone running RSTP. If the network topology changes, then the second table that is learned by the carrier will have what to change Turn?

- A. All tables are deleted
- B. Only the table related to the port that received the message will be deleted.
- C. Except for the table related to the port, the edge item is deleted, and other tables are deleted.
- D. If the aging time is set to 15 seconds, then the super aging entries will be deleted.
- E. Except for the table related to the port and the table related to the port that receives the edge item TC message, the other items are deleted.

---

**Answer: E**

---

---

**Question: 4**

---

The following is about the correct change of the MUX VLAN in Huawei.

- A. Under the same one, you can mix and use VLAN MUX VLAN Super VLAN
- B. MUX VLAN Principal VLAN Subor is divided into and divided into dinate VLANs, Subordinate VLAN S is separate VLAN and Isolate VLAN
- C. Each can be bound to multiple Separate VLAN Principal VLANs
- D. Principal Port MUX VLAN can communicate with all interfaces inside

---

**Answer: D**

---

---

**Question: 5**

---

When a deployed LAN line goes wrong with a Huawei device, there are a large number of unknown sources in your LAN that discover the broadcast frame of the MAC address. a lot of unknown The source address broadcast will pay MAC single frame. What is the biggest harm to the change?

- A. Consume available bandwidth
- B. Increase the power consumption of the source
- C. Occupied memory slow frame
- D. The available MAC address entries in the consumption system
- E. Occupation table TCAM item

---

**Answer: D**

---

---

**Question: 6**

---

The following description of the process of receiving data in the Access mode for the exchange interface is correct?

- A. Access mode directly discards the data frame with the tag
- B. Only receive data in Access mode with label frame
- C. Data The destination modification frame MAC address in the opportunistic data when the input interface frame is changed.
- D. In the Access VLAN mode, the send frame will be stripped of the data.

---

**Answer: D**

---

---

**Question: 7**

---

In which port can provide a copy of the path to the generated root point RSTP sufficient tree section? What is the port?

- A. Alternate Learning port and status

- B. Alternate Forwarding Port and Status
- C. Root port and shape Listening state
- D. Designate Listening port and status
- E. Alternate Discarding port and status

---

**Answer: E**

---

---

**Question: 8**

---

Which of the following may affect the establishment of the option IBGP ( ) neighbor? Multiple selection

- A. Authentication is unsuccessful
- B. The BGP protocol version is inconsistent
- C. IBGP – Multi-hop not configured
- D. IGP routing is unreachable

---

**Answer: A, B, D**

---

---

**Question: 9**

---

The following about the attribute BGP RD ( ) filter, is the description correct? Multiple selection

- A. If configured, but the route does not match any of the specified RD-filter RD RD Permit rules, the default match is then recognized.
- B. The use of the RD-filter " configuration is the relationship between rules or
- C. If there is no configuration, but reference RD-filter RD-filter deny, this is the filter line, the match is the result
- D. Multiple, according to the configuration, the line matching rules

---

**Answer: B, D**

---

---

**Question: 10**

---

ISIS DIS DIS ?( ) will access the election in the broadcast multiplex network. The following is correct.

- A. ISIS DIS MAC is better than the first-ranked election. If it is consistent, it is better than the priority.
- B. DIS CSNP is sent periodically to send messages to keep the data synchronization certificate
- C. Accessing the network in a broadcast multiplex network, sending DIS Hello PDUs at a rate of three times
- D. DIS DIS LSP support occupies the function, the new one occupies the success, does not need to flood any text

---

**Answer: A, B, C**

---

CertKillers.net

## Thank You for trying H12-261 PDF Demo

To Buy Latest H12-261 Full Version Download visit link below

<https://www.certkillers.net/Exam/H12-261>

## Start Your H12-261 Preparation

**[Limited Time Offer]** Use Coupon “CKNET” for Further discount on your purchase. Test your H12-261 preparation with actual exam questions.

<https://www.certkillers.net>